

11988。于11于71用。W用走走上多

SELIOINEE

Standard Exterior Features:

side receptacle ground fault protected, breakaway self-storing two-tier entrance steps, except 210F and slotted mag type wheels, electric brakes on all wheels. doors. Combination screen door(s), assist handle, brown ditioner, wide track tandem axles, Goodyear® tires, beige fiberglass insulation (ceiling, walls and floor), metal reinforced joints, pre-framed and wired for roof air con-Seamless Polymax* underbelly. Georgia Pacific* tubular steel frame, not "C" channel. One-piece alumi-240F. Sewer hose storage in bumper. Patio light. Outnum tapered roof promotes drainage, most models. Aluminum siding with baked enamel finish, 5" or 6" framed jalousie windows with removeable screens, hookup, large front storage compartment with key locked in built-in compartment(s), 20# in Models 210F and Two 30 lb. LP bottles with automatic change regulator 240F 25 foot power cord, 30 amp. rated. Campsite water

Standard Interior reatures:

option packages" available on all Skamper Fifth

Consult your authorized Skamper dealer for "Value

Optional Features:

Wheels. These packages offer additional savings.

Power exhaust fan in bathroom vent, systems monitor

bright metal bumper cover, spare tire/wheel/carrier in the living room, dead bolt locks on entrance door(s) panel, decorative wall clock, plush carpeting with pad

marine toilet, recessed fire extinguisher, smoke detector, drapes with valances, mini blind in kitchen. Deluxe springs depending upon model selection. Magic bed charger depending upon model selection, duplex bath center guides and travel locks. 4 roof vents, most models counter tops, except 210F 240F Wood drawers with with 12 volt Shur-Flo® pump and 6 gallon water heater except 210F and 240F Large 4-burner range with oven doors, two-door Norcold® gas/electric refrigerator; treated with vinyl backs. Felt-backed non-shadowing density foam cushions, 100% nylon Scotchguard® receptacle ground fault protected. Button tufted 5" high Large double basin stainless steel sink, self-edged depending upon model selection. Demand water system electronic ignition Duo-Therm® furnace, 17-30,000 BTU range hood with light and power exhaust fan. Pilotless feature positive locking hardware and two-tone cabinet Vinyl shield wood paneling, radius style type cabinets bed with home-type innerspring mattress and box plush carpeting in cabover area. Double or queen size most models. Seamless no-wax vinyl floor covering, 32-45 amp. power convertor with built-in battery

> oven; most models. Roof air conditioner, TV antenna gas/electric refrigerator and Magic Chef® microwave and folding shower enclosure. Large two-door Norcold pre-wire with wall jack, stereo pre-wire with 4 speakers and cover, battery and case, sink covers, TV antenna

with auxiliary jack, antenna booster, double insulation

axles and single position front jacks.


assembly. Model 210F: 15" tires and wheels with straight

Model 355F Atwood® frame mounted type hitch

shades for all windows, high-performance water heater

or free-standing twin beds, deluxe swivel chair, roller roof rack with ladder, AM/FM cassette radio, built-in

rear stabilizer jacks, power front jacks, washer/dryer,













HOORPLANS









O.H. CABINET

309F

SOFA

DINETTE

DRAGE

(FE)

- ***


R

TUB W/SHOWER

₩/R

STOO

DRESSING AREA




355F

SPECIFICATIONS

Max. Height in Bedroom	LP Gas	12V Convertor w/Auto	Furnace (BTU)	Electronic Ignition LPG	Black/Gray Holding Tanks (Gal)	Demand Water System w/12V Pump	Sleeping Capacity	Hitch Height	Tite Size (Opt.)	Gross Veh. Wt. Rating	Hitch Weight	Axle Weight	Overall Height	Overall Width	Overall Length	Models
om 6'	32 amp 2-20#			G 17.000	24/20	n 26 Gal.	4	13B-36" 15B-42"	B78x13B (F78x15B)	5000	520	3075	13"-8'10" 15"-9'4"	7'2"	21′	210F
6'	2-20#		Ducted	20.000	24/20	26 Gal.	5	42" 42"	F78×15B	5000	650	3325	9.4"	7'2"	24'	240F
6'8"	45 amp 2-30#	45	Ducted	30,000	40/26	45 Gal.	6	47" 47"	3 H/8x15C	7500	1560	4140	11'6"	7'11"	30′	300F
6'8''	2-30#	A.E	Ducted	30,000	40/26	45 Gal.	6	47" 47"	H78X15C	7500	æ	* 6	11'6"	7'11"	30′	309F
6'8"	2-30#		Ducted	30,000	40/26	45 Gal.	6	* *	()	*	*	* 0	11'6"	7'11"	35'	355F

^{*}Not available at time of publication

Specifications comply with federal motor vehicle standards and RVIA standards. Due to continuous product improvement, specifications subject to change without notice and incurring obligations.



year from the date of purchase at retail.

Ask your dealer for a complete copy of this important benefit.



INTERNATIONAL SKAMPER CAMPER CLUB

togethers, motorcades and rallies with other Skamper owners have this oppor-Bristol, IN 46507. tion on Skamper Camper Clubs please Skamper entitles your family to the first year's membership in the Inter-Campers who enjoy the fun of getwrite to: Executive Director, Internationa additional cost. For complete informa national Skamper Camper Club at no tunity as a member of the Skamper Skamper Camper Club, PO. Box 338, Camper Club. The purchase of a



