SKAMPER

Our 32nd Year



1991 FIFTH WHEELS

Standard Exterior Features:

Aluminum siding with baked enamel finish, 5" or 6" tubular steel frame, not "C" channel. One-piece aluminum roof, seamless Polymax® underbelly. 2" x 3" wood floor framing with one-piece Blandex® sub floor. Georgia Pacific® fiberglass insulation (walls, ceiling and floor), metal reinforced joints, pre-framed and wired for roof air conditioner. Wide track tandem axles, Goodyear® radial tires, color-coordinated mag type wheels, electric brakes on all wheels. Two 30 lb. LPG bottles with automatic change regulator (20 lb. LPG bottles models, 210F, 240F). Two holding tanks, 25 foot power cord, 30 amp. rated. Campsite water hookup, outside baggage door(s), patio light, hitch light, and hookup light. Large radius corner black frame Hehr® jalousie type windows with removable screens. Two tier self-storing entrance steps, except models 210F and 240F. Sewer hose storage in bumper. Outside receptacle ground fault protected, breakaway brake switch and battery compartment. Dead bolt lock(s) on entrance door(s).


Standard Interior Features:

Vinyl covered wood paneling, radius style type cabinets featuring positive locking hardware and oak hardwood cabinet doors. Two door gas/electric Servel by Dometic* refrigerator, except models 210F and 240F 4 burner Euro-style LPG range and oven, range hood with power exhaust and light. Pilotless electronic ignition Hydro-Flame® furnace 17-40.000 BTU depending upon model selection. Space saving "in-the-floor" heat ducting system, except model 210F. Large double basin porcelain sink, except models 210F, 240F. All wood drawers with center guides and travel locks. 4 roof vents, most models. 32 to 45 amp. power convertor with built-in battery charger, depending upon model selection. Ground fault protected kitchen and bath 110 volt receptacles. Demand water system with Shur-Flo® pump and 6 gallon LPG water heater. Tufted 5" high density foam cushions, 100% nylon Scotchgard® treated velour upholstery with washable vinyl backing. Decorative window lambrequin with black out roller shades. Mini blind in kitchen. Marine toilet, recessed fire


extinguish exhaust fa floor cover room and type inner for storage 275F, 309

Opti


Electronic
Magic Che
AM-FM ca
monitor pi
antenna, a
Other opti
conditione
cover, stor
front jacks
chair, Atwa
assembly,
Model 325
365F - wa




Popular electronics option package includes a premium Magic Chef® microwave oven.



Beautiful all wood cabinets feature ample drawers with center guides and positive travel locks



Large radius corner baggas hands free access to ampl for bulky items.



er, smoke detector, most models. Power in bathroom. Seamless no-wax vinyling, plush carpeting with pad in living pedroom. Queen size bed with homespring mattress, spring assist bed lift access, most models. Magic bed models 325F, and 365F.

onal Features:

Goption Package includes the following:
**electronic touch microwave oven,
sette stereo with 4 speakers, systems
nel, gas/electric water heater, TV
tenna booster and park cable TV hookup.
In al features: Duo Therm** roof air
c, awning, spare tire, tire carrier and
in windows, battery and case, power
built-in stabilizer jacks, deluxe rocker
od** or RBW** frame mounted hitch
ink covers and thermo ply insulation.
F - Hydraulic slide-out room. Model
her/dryer and prep.




275F




doors provide storage space



Skamper's well planned interiors provide superior space utilization, function and style! (Model 325F)



Home quality swivel/rocker chairs are available in several models.





▲ BAGGAGE DOOR
■ PICTURE WINDOW



FREE STANDING DINETTE OPTION AVAILABLE ON MODELS:

275F 309F 325F 365F





365F

	S	peci	fica	tion	S		
Models	210F	240F	275F	309F	325F	325F Slide	365F
Overall-Length	21'	24'	27'11"	30'6"	32'10"	32'10"	36'10"
Overall Width	7'2"	7'2"	7'11"	7'11"	7'11"	7'11" /	7′11"
Overall Height	9'4'	9'4"	40'6"	11'6"	1111"	114"	11'4"
Interior Height	6'3"	6'3"	6'6"	6'6"	6'6"	6'6"	6'6"
Axle Weight	3075	3325	4180	4260	5110	*	6250
Hitch Weight	520	650	1360	1650	1750	*	1730
Gross Veh. Wt. Rating	5000	5000	7500	7500	8000	10.160	10.160
Tire Size	P205/ 75R15B	P205/ 75R15B	ST225/ 75R15C	ST225/ 75R15C	ST225/ 75R15C	ST225/ 75R15D	ST225/ 75R15D
Hitch Fleight	42"	42"	47"	47"	47"	47"	47
Sleeping Capacity	4	5	6	6	6	6	6
Demand Water System w/12V Pump	26 Gal.	26 Gal.	33 Gai	45 Gal.	45 Gai	45 Gal	45 Gal
Black/Gray Holding Tanks (Gal)	24/20	24/20	40/26	40/26	40/26	40/26	40/26
Electronic Ignition LP6	17,000	20.000	25,000	30,000	30,000	30,000	40,000
Furnace (BTU)		Floor Ducted	Floor Ducted	Floor Ducted	Floor Ducted	Floor Ducted	Floor Ducted
12V Convertor w/Auto Battery Charger	32 amp	32 amp	36 amp	45 amp	45 amp	45 amp	45 amp
LP Gas	2-20#	2-20#	2-30#	2-30#	2-30#	2-30#	2-30#
Max. Height in Dressin. Area	<u>9</u> 6	6	76"	6'8"	7	7	7


Specifications comply with Federal Motor Vehicle Standards and RVIA Standards.

Due to continuous product improvement, specifications subject to change without notice and incurring obligations.

Listed weights, which may vary plus or minus 5%, reflect standard equipped unit.

^{*}Not available at time of publication.







All Over America

P.O. BOX 338, BRISTOL, IN. 46507