

1998

AEROLITE

Eight


*The Original
Super Light Weight Trailer*



*Designed specifically for today's
sport utility vehicles*



In Canada



World Class exterior styling gives Aerolite "Eight" unmatched towability and good looks plus tremendous amounts of exterior storage

Popular Options

	APPROX. WT.
• Awning, A&E 8300	50#
• Air conditioning, roof mount, 13,500 BTU	104#
• AM-FM Cassette w/4 speakers	3#
• Stereo prep	2#
• Swivel rocking chair	35#
• Convection microwave oven	3#
• Spare tire & wheel	45#
• TV Antenna w/booster and cable hookup	6#
• Stabilizer jacks	6# ea.
• Roof rack & ladder	15#

269

EXTERIOR

- Exclusive 5-year structural warranty
- Built-in 30# Bottles w/auto changeover
- 1-piece Durashell roof w/12-year warranty
- Filon® fiberglass exterior skin w/2-year warranty
- 24" Entry door(s) w/radius corners, window & screen door
- Self storing step(s)
- Corrosion free sewer hose compartment
- Locking baggage door(s)
- Radiused corner jalousie windows
- Nose cone storage compartment
- Aerodynamic front profile w/High Impact ABS cap
- High Impact ABS rear lower cap
- Flush mounted rock guard
- 2" kingpin (5th wheels)
- 2" coupler (TTs)
- Locking battery storage compartment
- Power cord storage compartment
- ABS fender skirt w/hidden fasteners

CONSTRUCTION

- Welded aluminum framed, laminated floor
- Laminated, painted aluminum underbelly
- Welded, aluminum framed, laminated walls
- Welded, aluminum framed, laminated roof
- Braced, framed and wired for air conditioner
- Silicone sealed exterior seams

RUNNING GEAR

- German engineered, galvanized steel imported chassis (TTs)
- Independent, rubber ride, torsion suspension system
- Goodyear Marathon radial tires
- White spoked wheels
- 10" Electric brakes - all wheels
- Automotive style rear bumper (galvanized)
- Seamless, polyethylene wheel wells

ELECTRICAL

- 30 amp, 28' power cord w/storage
- Pre-wired for air conditioner
- 120 volt power center
- Outside, 120 volt receptacle
- Patio light w/amber lens
- Ceiling lights w/wall switches
- Locking battery box w/positive ventilation (exterior access)
- 40 amp, whisper quiet power converter w/charger

APPLIANCE/EQUIPMENT

- Dometic refrigerator, flush mount, 2 door
- Magic Chef 3-Burner range w/oven
- CPVC water lines
- Copper gas lines

APPLIANCE/EQUIPMENT (cont.)

- 6 gallon (DSI) water heater
- Designer, fiberglass galley sink
- Euro-style galley faucet
- 30,000 BTU furnace
- Demand water pump
- Air conditioner prep
- Water heater bypass kit
- Power range hood w/light
- Monitor panel

INTERIOR

- Panoramic galley window
- Reversible dinette cushions
- Suede backed designer drape w/tie-backs and sheers
- Mini blind at galley window
- Armstrong no wax vinyl floor
- Partial carpet
- European style overhead cabinet doors with struts
- Adjustable cabinet door hinges w/lifetime warranty
- Overhead cabinets with underneath shelves
- Concealed wiring and plumbing
- Oak, mortise and tenon cabinet doors
- European fasteners
- Ventilated cabinets
- High-pressure, laminated counter tops w/brass trim
- Fabric trimmed dinette and entry door
- 60" x 80" queen bed (5th wheels)
- Bedspread
- Headboard w/fixed double or queen bed
- 14" x 14" roof vents
- High pressure laminated tables w/brass trim (free-standing most models)











SAFETY

- Flush door latch w/dead bolt lock
- Safety chains (N/A FW)
- Break-away switch
- 120 volt, GFI protected circuit
- Smoke detector
- LP detector
- Fire extinguisher



BATH

- ABS 1 piece tub surround
- ABS tub
- Medicine cabinet w/mirror door
- Power roof vent
- Thetford toilet
- Shower curtain w/valance
- Towel bar, toothbrush holder & toilet tissue holder

8' Wide Travel Trailers




Twin Beds Option
Travel Trailers and
Fifth Wheels




**Twin beds option available

8' Wide Fifth Wheels



8527RBH**



8527RK**


**Twin beds option available

Specifications Travel Trailers & Fifth Wheels


Specifications	826RDB	826BHD	826RQS	826FDB	826FK	828FDB	828FK	828RQS	830FK	830FDB	830RQS	8527RBH	8527RK
Length	26'6"	26'6"	26'6"	26'6"	26'6"	28'6"	28'6"	28'6"	30'6"	30'6"	30'6"	27'3"	27'3"
Exterior Width	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'
Exterior Roof Height	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	9'5"	9'5"
GVWR (lbs.)	5000	5000	5000	5000	5000	5500	5500	5500	5500	5500	5500	6400	6400
Total Base Weight, Dry (lbs.)	3610	3690	3750	3610	3630	3770	3870	3750	3950	4010	4010	4695	4680
Load Capacity (lbs.)	1390	1310	1250	1390	1370	1730	1630	1750	1550	1490	1490	1705	1720
Dry Hitch Weight (lbs.)	360	360	410	350	380	340	340	380	420	360	370	990	950
Fresh Water (gal.)	30	30	30	30	30	30	30	30	30	30	30	30	30
Grey Water (gal.)	30	30	30	30	30	30	30	30	30	30	30	30	30
Black Water (gal.)	30	30	30	30	30	30	30	30	30	30	30	30	30
Tire Size	205	205	205	205	205	205	205	205	205	205	205	205	205
	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14

Dry weights based on standard features; optional equipment not included. Carrying capacity determined by subtracting total weight from GVWR and includes fluids, options, and cargo. Liquid capacities and weights are approximate only. Due to constant product improvements, Aero Manufacturing, Inc. reserves the right to make changes including but not limited to specifications, equipment and accessories without further notice or obligation.

Construction



AL-KO KOBER "No-Rust" Galvanized Steel Lightweight Frames



Rubber Suspension Axle

Maximum Bump

Unloaded Position

