


2003 EXPRESS TRAVEL TRAILERS & FIFTH WHEELS




ocean breezes

Interior Decors



Sharon Green & Rose




he Express lets you play hard and rest easy. That's because it's built for comfort and convenience in a light-weight, easy-to-tow design that's as ready for fun as you are. Innovative engineering and careful selection of components enable us to build an extra tough unit that is packed with quality features, yet affordably priced for outstanding value. Life is too short to be on the sidelines. The Express gets you in the game.

Expandable models feature CAVLAR-15 tents with a 5 year warranty


2003 EXPRESS TRAVEL TRAILER FLOOR PLANS



2003 EXPRESS TRAVEL TRAILER FLOOR PLANS



2003 EXPRESS FIFTH WHEEL FLOOR PLANS










EXPRESS SPECIFICATIONS & WEIGHTS

		TRAVEL	TRAILERS												FIFTH WI	HEELS		
Model Number		19F	19T	23F	23TXS	24B	25F	25QT	26B	26L-DSL	28B-SSL	290	31B-DSL	38B-DSL	24B-M5	24L-M5	26K-M5	27B-M5
Length		20′ 3″	20′ 4″	23′ 6″	25′ 3″	25′ 2″	26′ 3″	26′ 3″	27′ 10″	29' 8"	29′ 6″	31′ 4″	33′	39′ 10″	27′ 10″	26′ 3″	28′ 11″	30′ 8″
Exterior Width		8′	8′	8′	8'	8′	8′	8′	8′	8′	8′	8′	8′	8′	8′	8′	8′	8′
Exterior Height		10′ 4″	10′ 2″	10′ 3″	10′ 5″	11′	10′ 4″	10′ 2″	10′ 3″	10′ 11″	10′ 4″	10′ 7″	10′ 11″	11′	11′ 8″	11′ 6″	11′ 7″	12′
Hitch Dry Weight		508	472	512	376	540	492	668	570	694	506	660	882	1184	900	836	1026	1228
Gross Vehicle Wei	ght	7508	7472	7512	7376	7540	7492	7668	7570	7694	7506	7660	9682	11344	7900	7836	9826	10028
Unloaded Vehicle	Weight	3990	3908	4204	4000	4452	4348	4598	4726	6378	5268	5338	6968	7930	6532	6444	7040	7212
Net Carrying Capa	city	3518	3564	3308	3000	3088	3114	3070	2844	1316	2238	2322	2714	3414	1368	1392	2786	2816
Fresh Water Cap. (approx.)	36	36	36	36	36	36	36	36	47	36	36	47	47	47	47	47	47
Dual Holding Tank	s (approx.)	30	60	60	60	60	60	60	60	60	60	60	60	90	60	60	90	60
Tire Size					ST2	205/75D150				ST205/75R15C	ST205/7	75D15C	ST205/75R15C	ST225/75R15D	ST205/7	5RD15C	ST225/7	5RD15D
Furnace Size BTU's	s	20	20	20	20	20	20	20	25	31	31	31	35	35	31	31	31	31

2003 LITE TRAVEL TRAILERS






golden sunsets



Interior Decors



hen towing is an issue, the Four Winds line of lightweight travel trailers offers the perfect solution. These well-built units give you over-the-road durability without added weight or quality compromises often found in lesser brands. Through innovative engineering, we've designed convenient features and spacious living into each model, so you don't have to give up the comfort you value. Four Winds Lite comes in a variety of popular floor plans, even slide-out models, to accommodate both your family and your tow vehicle.

2003 LITE TRAVEL TRAILER FLOOR PLANS



2003 LITE TRAVEL TRAILER FLOOR PLANS



2003 LITE TRAVEL TRAILER FLOOR PLANS

29BH

Options
C, S, T

BUNK BEDS

REFER

OHC

TUTTRAV L STORAGE
NS/SC

SOFA BED

OHC

TUTTRAV L STORAGE
NS/SC

NS/SC

NS/SC

NS/SC

29QB Options C, V, A, J



30FK

Option C (Delete Rear Door)



30FK-SSL

Option C (Delete Rear Door)



LITE SPECIFICATIONS & WEIGHTS

	TRAVEL	TRAILERS																
Model Number	19FL	22BS	23FB	24BH	24QB	240B-SSL	26BS-SSL	26FK	26QB-SSL	27BG	27BH	27FB-SL	28BH-SSL	28RL-SSL	29BH	29QB	30FK	30FK-SSL
Length	20′ 3″	22′ 6″	23′ 6″	25′ 2″	25′ 3″	26′ 2″	27′ 8″	27′ 8″	27′ 8″	29′ 3″	28′ 7″	28′ 7″	29′ 4″	29′ 3″	28' 8"	31′ 4″	31′ 4″	31′ 4″
Exterior Width	8′	8′	8′	8′	8′	8′	8′	8′	8'	8′	8′	8′	8′	8′	8′	8′	8′	8′
Exterior Height	10′ 2″	10′ 4″	10′ 3″	11′	10′ 3″	10′ 4″	10′ 4″	10′ 4″	10′ 4″	10′ 2″	10′ 3″	10′ 3″	10′ 2″	10′ 3″	10′ 4″	10′ 7″	10′ 4″	10′ 4″
Hitch Dry Weight	508	438	512	540	476	528	824	840	464	456	642	734	506	554	664	660	806	880
Gross Vehicle Weight	7508	7438	7512	7540	7476	7528	7824	7840	7464	7456	7642	7734	7506	7554	7664	7660	7806	7880
Unloaded Vehicle Weight	3990	4436	4204	4452	4516	4906	5430	4904	5316	5170	5006	5364	5268	5280	5004	5338	5310	5640
Net Carrying Capacity	3518	2972	3308	3088	2960	2622	2394	2936	2148	2286	2636	2370	2238	2274	2660	2322	2496	2234
Fresh Water Cap. (approx.)	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
Dual Holding Tanks (approx.)	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
Tire Size	ST205/7	75R15C	ST205/75D15C	T705/75D15C ST205/75R15C														
Furnace Size BTU's	20	20	20	20	20	25	25	25	25	30	25	31	31	31	25	31	31	31

2003 CLASSIC TRAVEL TRAILERS & FIFTH WHEELS









glistening sands

iscover a level of comfort and luxury usually reserved for high priced units. The Four Winds Classic bestows astounding value while lavishing you with fine interiors and impressive features. Cleverly built-in storage areas, handy components, and efficient use of space are manifestations of our inventiveness in creating a comfortable, spacious living environment. Travel trailers and both mid and high profile fifth wheels make up the Classic line. Each model is specially designed to enhance your leisure time with more enjoyable RV living.



Many models feature neo-angle showers with walk thru baths



Interior **Decors**



Marble Green & Rose




Mystique Green & Blue




Zelda Green & Rose

2003 CLASSIC TRAVEL TRAILER FLOOR PLANS




2003 CLASSIC TRAVEL TRAILER FLOOR PLANS




2003 CLASSIC MID-PROFILE 5TH WHEEL FLOOR PLANS



2003 CLASSIC HIGH-PROFILE 5TH WHEEL FLOOR PLANS



2003 CLASSIC HIGH-PROFILE 5TH WHEEL FLOOR PLANS



CLASSIC SPECIFICATIONS & WEIGHTS																										
TRAVEL TRAILERS										MID-PROFILE FIFTH WHEELS HIGH-PROFILE FIFTH WHEELS																
Model Number	26FB-DSL	26RL-DSL	27FK-DSL	30RL-DSL	31BH4-DSL	31BH-DSL	31BK-DSL	31FK-DSL	35ES-DSL	36FB-DSL	36FK-DSL	38FB-DSL	38BH-DSL	24RL-M5	26RK-M5	27RL-M5	28BH-M5	28RK-H5	29KS-H5	29RL-H5	30RK-H5	31RL-H5	33RL-H5	34RL-H5	35BH-H5	36ESRL-H5
Length	29′ 11″	29′ 9″	30′ 2″	32′ 7″	33′ 3″	33′	34′ 7″	33′ 7″	37′ 4″	37′ 11″	38'	39′ 2″	39′ 5″	26′ 3″	29′ 5″	30′ 2″	32′ 7″	TBD	TBD	32′ 11″	32′ 5″	34′ 3″	TBD	TBD	36′ 5″	35′ 5″
Exterior Width	8′	8′	8′	8′	8'	8′	8′	8′	8′	8′	8′	8′	8′	8′	8′	8'	8′	TBD	TBD	8′	8′	8′	TBD	TBD	8′	8'
Exterior Height	10′ 11″	10′ 10″	10′ 10″	11′	10′ 11″	11′	11′	10′ 11″	11′ 2″	10′ 11″	10′ 11″	11′	10′ 10″	11′ 5″	11′ 10″	11′ 10″	12'	TBD	TBD	12′ 7″	12' 7"	12′ 9″	TBD	TBD	12′ 5″	12′ 5″
Hitch Dry Weight	684	556	964	796	952	818	1016	1200	976	940	926	1218	1352	878	1148	1402	1360	TBD	TBD	1862	1436	TBD	TBD	TBD	1670	TBD
Gross Vehicle Weight	7684	7556	9764	3539	9752	9618	9816	10000	11136	9740	9726	11378	11512	7878	9948	10202	10160	TBD	TBD	10662	10236	TBD	TBD	TBD	12070	TBD
Unloaded Vehicle Weight	6416	6428	6552	7060	7358	6972	7478	6874	8274	7650	7866	8128	8336	6374	7192	7590	7972	TBD	TBD	8844	7966	TBD	TBD	TBD	9336	TBD
Net Carrying Capacity	1268	1128	3212	2536	3126	2646	2338	3126	2862	2090	1860	3250	3176	1504	2756	2612	2188	TBD	TBD	1818	2270	TBD	TBD	TBD	2734	TBD
Fresh Water Cap. (approx.)	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	TBD	TBD	47	47	47	TBD	TBD	47	47
Dual Holding Tanks (approx.)	60	60	90	60	60	60	90	90	90	60	90	60	60	60	90	90	90	TBD	TBD	90	90	90	TBD	TBD	120	90
Tire Size	ST205/7	/75R15C ST225/75R15D ST225/75R15D ST225/75R15D ST225/75R15D LT235/85R16E							85R16E																	
Furnace Size BTU's	31	31	30	35	35	30	35	35	35	35	35	35	35	31	31	31	35	TBD	TBD	30	35	35	35	TBD	35	35


CLASSIC SPECIFICATIONS & WEIGHTS

2003 SPORT RECREATIONAL VEHICLES (SRV's)



inspiring vistas

raveling is an adventure. Now you can take your favorite outdoor toys with you on your journey with the 2003 Sport Recreational Vehicle from Four Winds. Available in both travel trailers and fifth wheels, and with cargo areas up to fourteen feet long, we are sure to have the model that meets your needs. But our SRV's are more than just a garage, that's why our living quarters include the same interior appointments and features found on the rest of the Four Winds line. Enjoy traveling in a Four Winds SRV, and remember you *can* take it with you!



2003 SPORT RECREATIONAL VEHICLE FLOOR PLANS



Decors and specifications: 22 & 23SRV—see Express 25, 28, 29 & 35—see Classics

SPORT RECREATIONAL VEH.	TRAVEL	TRAILERS			5TH WHL	
Model Number	22SRVT	23SRVT	28SRV	29SRV	25SRV-M5	35SRV-H5
Length	24′ 1″	24'	30′ 4″	31′ 2″	TBD	38′ 10″
Exterior Width	8′	8′	8′	8′	TBD	8′
Exterior Height	10'	10′ 2″	11′ 9″	11′ 8″	TBD	12′ 8″
Hitch Dry Weight	854	804	TBD	1112	TBD	2098
Gross Vehicle Weight	7854	7804	TBD	11272	TBD	14098
Unloaded Vehicle Weight	4722	4974	TBD	6726	TBD	9782
Net Carrying Capacity	3132	2830	TBD	4546	TBD	4316
Fresh Water Cap. (approx.)	36	40	47	100	TBD	100
Dual Holding Tanks (approx.)	30	60	60	60	TBD	90
Tire Size	ST205/	75D15C	ST225/7	75R15D	TBD	LT235/85R16E
Furnace Size BTU's	20	25	31	31	TBD	31

2003 OPTIONAL DECOR PACKAGES






RV owners love racing, and so does Four Winds. We are absolutely thrilled to be associated with Richard Childress Racing, one of the elite teams in stock car racing. RCR Racing is the only team in history to earn championships in all three major stock car series.



35SRV with Victory Lane interior

Four Winds' association with Richard Childress has inspired the Victory Lane edition. Available in Classic and SRV's, the Victory Lane pack-



The Rocky Mountain Elk Foundation

is an international wildlife habitat conservation organization with a mission of ensuring the future of elk, other wildlife and their habitat. Now in its 18th year, the Elk Foundation already has conserved or enhanced more than 3.8 million acres—an area 50 percent larger than Yellowstone National Park—of habitat for elk and other wildlife. The organization boasts a record 138,000 members, 115,000 supporters and 10,000 volunteers. Working together in an ambitious 5-year campaign called "Pass It On," the Elk Foundation and its many supporters are on track to conserve an additional 2 million acres by 2005, restore elk to long-empty native ranges, and ensure an elk country legacy for

future generations. To learn more, visit www.elkfoundation.org or call 1-800-CALL ELK. Four Winds makes a donation with every RME purchase—new owners receive a 1 year free membership to the Rocky Mountain Elk Foundation. Available in Lites, Classics, and SRV's.




Rocky Mountain Elk





2003 OPTIONAL FLOOR PLANS



2003 STANDARDS & OPTIONS

	Express	Lite	Classic	SRV
Exterior				
30" radius entry door (most floor plans)		•	•	• *
AL-KO Kober easy lube axles			•	
AL-KO Kober Ultra Lube torsion axles				•
Detachable 30 amp power cord (large slide models only)	•		•	•
Duo pane patio sliding door on 36'-up travel trailers	•		•	
Extend pin boxes (some models)	•	•	•	
Flush combo entry latch/dead bolt lock	•		•	*
Hitch light	•		•	•
Locking insulated luggage doors with finger pulls	•	•	•	•
Patio light Pro wired for digital catallite system	•	•	•	•
Pre-wired for digital satellite system Radius exterior "Storage Plus" (where possible)	•	•	•	•
Rain gutter w/corner downspout along the roof line	•		_	•
	•	•	•	•
Rear bumper with sewer hose storage Tinted radius clamp ring windows	•			•
Twin 20# LP bottles with cover	•	•		•
Twin 30# LP bottles with cover	•		•	• *
Construction				•
1-1/2" x 2" walls on 16" centers (non DSL Express)	•			
2" belt rail around the perimeter for extra strength	•	•	•	•
· · · · · · · · · · · · · · · · · · ·	•		•	•
2" x 2" walls on 16" centers (Express DSL models) 3/8" wood roof decking full length of the unit - walk on roof	•	•	•	•
5/8" exterior grade tongue & groove plywood floor	•	•	•	•
Fiberglass insulation-R7	•	•	•	•
I-beam cambered chassis	•	•	•	•
Large support outriggers w/solid continuous weld	•	•	•	•
Quad lock slide seal system (models w/slide rooms)	•	•	•	•
1 piece seamless EPDM rubber roof (12 year rubber warranty)	•	•	•	•
Radius 5" truss roof rafters	•	•	•	•
Reinforced studding around all entry doors and windows	•	•	•	•
Double or triple entry steps-welded to frame	•	•	•	•
Tandem axles with 4 wheel electric brakes	•	•	•	•
Track guided electric powered flush floor slide-out system in living				
room large slide (DSL models)	•		•	•
Manual slide-out system on "SSL" and "SL" models	•	•		
Interior				
12 volt power exhaust roof vent in bath		•		
44" booth dinette plus (large slide models only)	•	•	•	•
Luxurious color coordinated designer interiors	•	•	•	•
ABS tub surround	•	•	•	•
Armstrong tile like linoleum	•	•	•	•
Cargo area tie downs rated at 500 lbs. each				•
Décor globe light over dinette		•	•	• *
Décor pin-up lights in bedroom		•	•	• *
Décor wall border in kitchen	•	•	•	•
Décor coordinated bedspread	•	•	•	•
Décor coordinated headboard	•	•	•	•
2 pillows on queen bed			•	• *
= Pmono on dagon son				-

	Express	Lite	Classic	SRV
Interior (continued)				
Designer valances	•	•	•	•
Double bowl white acrylic sink with high rise faucet	•	•	•	•
Garage area access door				•
Garage storage cabinets-white laminate				•
GFI protected 120 volt duplex receptacle	•	•	•	•
Innerspring mattress	•	•	•	•
Laminated countertops	•	•	•	•
Laundry chute (most models)	•	•	•	•
Living room/bedroom carpet				•
Living room carpet (DSL models)	•		•	•
Bedroom Carpet (5th wheels)	•		•	•
Medicine cabinet with mirror	•	•	•	•
Mini-blinds throughout	•	•	•	•
Quality furniture	•	•	•	•
Raised panel cabinet doors through out	•	•	•	•
Shower curtain (Most models)	•	•		
Sink cover			•	• *
Skylight roof vents (Most models)		•	•	•
Slide-out overhead cabinets with glass doors (living room slide				• *
only)			•	• "
Spring assisted rear ramp door				•
Stove cover			•	•
Swivel rocker (not all models)	•	•	•	
Towel bar	•	•	•	•
Wall clock in living room slide-out			•	
Appliances/Equipment				
110 volt residential style refer on travel trailers 36' and up			•	
120 volt duplex receptacles throughout	•	•	•	•
120 volt patio receptacle	•	•	•	•
13.5 BTU ducted air conditioner (22' and up models)		•	•	•
3 burner high-output cooktop	•	•		
3 burner high-output range with oven			•	• *
6 gallon gas water heater	•			
6 gallon quick recovery gas DSI water heater		•	•	• *
A&E patio awning			•	•
AM/FM stereo cassette with CD player and weatherband		•	•	•
Cable TV hook-up	•	•	•	•
Ceiling ducts for A/C (most floor plans)	•	•	•	•
Demand water pump	•	•	•	•
Fire extinguisher	•	•	•	•
Hydro flame forced air, DSI furnace with wall thermostat	•	•	•	•
LPG leak detector	•	•	•	•
Microwave			•	•
Norcold double door gas/electric refrigerator	•		•	•
Norcold single door gas/electric refrigerator		•		
Roof framed for A/C	•			
Pre-wired for stereo	•			
Prepped for Generator (25, 28, 29, 35SRV)				•

2003 STANDARDS & OPTIONS

	Express	Lite	Classic	SRV
Appliances/Equipment (continued)				
Prepped for optional exterior Vitco Grill	•	•	•	•
Pre-wired for TV antenna	•	•	•	•
Range hood with 12 volt light and exhaust fan	•	•	•	•
Residential patio door 36' and up			•	
Smoke detector	•	•	•	•
Solid state converter with built in battery charger	•	•	•	•
Thetford toilet	•	•	•	•
TV antenna with power booster		•	•	•
Wall mounted systems monitor panel	•	•	•	•
Water heater bypass	•	•	•	•
Options (Not all options available on all floorplans)				
Laminate Package includes:				
Laminated aluminum framed walls				
Front lower ABS cap on travel trailers			•	•
Full front fiberglass cap on high profile 5th wheels				
Front upper ABS cap on mid-profile 5th wheels				
Comfort Package includes:				
• 13.5 BTU A/C				
A&E Awning				
• 30# LP bottles				
AM/FM stereo w/CD player & weatherband	•			
TV antenna				
Stove cover				
3 burner range w/oven				
Microwave				
Deluxe Package includes:				
• 13.5 BTU A/C				
Microwave		•		
• 30# LP bottles				
A&E Awning				
12 volt ultra heat pads - all tanks (N/A 22' and 23' SRV's)			•	• *
13.5 BTU air conditioner (ducted on 22' and above)	•	•		
15,000 BTU A/C			•	• *
3 burner range with oven replacing 3 burner cooktop	•	•		
30# LP bottles with cover	•	•		
50 amp service laminates package only (H5's only)			•	• *
6 gal. gas/electric water heater w/DSI	•	•	•	•
10 gal. gas/electric water heater w/DSI			•	• *
Additional rear sofa w/rear lounge option				•
Aluminum rims			•	• *
Bedroom carpet and pad (non 5th wheels)	•	•		
Bedroom slide out (see floor plan options)			•	
Bi-fold shower door		•	•	• *
Ceiling fan (high-profile 5th wheels)			•	• *
Coffeetable			•	
Day/night shades			•	• *
Diamond plate front lower rock guard on travel trailers		•	•	
Double door refer		•		
	N. Walley	1625	*	Section 1

	Express	Lite	Classic	SRV
Options (continued)			5.000.0	
Electric front jacks - fifth wheels	•		•	•
Electric sofa slide on "SSL" and "SL" models		•		
Enclosed insulated underbelly (Available with Fiberglass Package				
only)			•	
Entry assist handle		•	•	• *
Exterior Vitco grill	•	•	•	•
Extra large 8 cu. ft. refer			•	• *
Fantastic fan in cargo or living areas w/rain sensor			•	• *
Free standing dinette with 4 chairs (large slide models)	•		•	• *
Front fiberglass cap on fifth wheels - High profile models			•	•
Front lower ABS cap on M5 fifth wheels			•	
Front lower ABS rock guard on travel trailers with aluminum				
exterior walls		•	•	• *
Front or rear stabilizer jacks	•	•	•	•
Garage floor diamond plate (not all models)				•
Generator installed (H5 fifth wheels only) (28' & up SRV's)			•	•
Generator prep (H5 fifth wheels only)			•	•
Hide-a-bed sofa (large slide models only)	•		•	•
Norcold double door gas/electric refrigerator—8 cu. ft. (36' & up)			•	
Living room border		•	•	• *
Living room carpet and pad (non DSL)	•	•		
Phone jack			•	• *
Poly-Air roof insulation - adds R-7			•	• *
Power tongue front jack (travel trailers)			•	•
Ramp door diamond plate				•
Rear entry door w/triple steps (N/A 22' and 23' SRV's)				•
Rear garage windows				•
Rear ladder		•	•	•
Rear screen room/awning				•
Rear screen door				•
Recliner			•	
Reese 16k fifth wheel hitch			•	• *
Safety glass	•	•	•	•
Scare lights			•	•
Sink covers		•		
Skylight in tub area	•	•	•	•
Slide out overhead cabinets		•		
Slide tray for Storage Plus	•	•	•	
Solid oak cabinet doors throughout (N/A 22' and 23' SRV's)		•	•	•
Solid oak raised panel cabinet doors in slide			•	
Solid oak slide fascia			•	
Solid oak raised refer front		•	•	•
Spare tire kit with carrier	•	•	•	•
Spray away exterior shower	•	•	•	•
Stove Cover		•		
Washer dryer prep (with Fiberglass Package only) (H5's only)			•	• *
Water filter with spout		•	•	• *
Fiberglass Package**			•	•

Dare to Compare Value Check List

Before you make your purchase decision, compare Four Winds' features to the competition. We are sure you will agree that Four Winds is the best trailer for the best price in the industry.

	FOUR WINDS	COMPETITION
Construction Features		
2 Year bumper to hitch warranty - The best in the industry!	/	
1 year Customer Care roadside assistance program included with purchase	/	
Sidewalls with 16" on-center studding with reinforcing belt rail	~	
Heavy Duty Mesa aluminum siding - 25% thicker than industry standard	V	
Large "Storage-Plus" pass thru storage compartments (most models)	V	
Radius clamp ring tinted windows - many windows are oversized	V	
Oversize 30" wide entry door - radius corners Lites and Classics	V	
All openings sealed with butyl rubber sealant a with a second layer of silicone sealant	and 🗸	
Color coordinated A&E awning - custom fit for maximum size	V	
High intensity hitch light with switch (Lites and Classics)	V	
Corrosion resistant LP bottle cover (trailers)	V	
I beam cambered steel frame w/integrated but	mper 🆊	
2" x 3" floor framing 16' centers	/	
Ducted floor heat - no ducts in cabinets - allows for extra storage	~	
Poly-propylene underbelly provides a seamles: vapor barrier to protect underside of trailer	S 🗸	
5/8" exterior grade tongue and groove plywood flooring	~	
12 volt electric slide room mechanism with her duty worm gear rack and pinion drive mech- anism - (DSL models)	avy	
Double or triple entry steps welded to frame w first step	//low	
Fresh and waste water tanks mounted below floor - allows for extra interior storage	V	
3/8" Weyerhaeuser structure-wood walk-on truss-style roof	V	
EPDM rubber roof with 12 year material warran	nty 🗸	
Roof ducting for A/C (22' and up)	/	

	FOUR WINDS	COMPETITION
Interior Features		
Raised panel cabinet doors - standard		
Tile-like premium linoleum flooring	V	
Metal mini blinds - standard	V	
13,500 BTU Duo-Therm A/C by Dometic w/quick cool feature - (std. Classics, opt. Lites & Express)	V	
Innerspring mattress - (standard)	V	
6 gal. gas/DSI quick heat water heater (std. Lites Classics, opt. Express)	; & /	
Wineguard TV antenna with reception power booster - (std. Lites & Classics, opt. Express)	V	
Water heater by-pass for winterization	V	
55 amp power converter	V V	
Cable TV jack - standard	V	
Prewired for DSL satellite system	V	
Gas support struts on beds for access to extra storage - (Lites & Classics only)	V	
TV shelf and outlet in bedroom - (Lites & Classics only)	V	
Power roof vent/skylight in bath - (Lites & Classics only)	V	
One piece tub/shower surround	V	
Extra large wood framed medicine cabinet	V	
Large 1.0 cu. foot residential microwave oven - (std. Classics, opt. Lites & Express)	V	
3 burner range w/center quick heat high outpu burner & oven - (std. Classics, opt. Lites & Expres		
Residential style extra large dual bowl kitchen s	sink 🏑	
Laundry chute - (most models)	/	
Hinged dinette seats with access to extra storage	ge 🗸	
Reversible vinyl-lined oversized dinette cushion	is 🗸	
Entry assist handle interior and exterior	V	

Features subject to change without notice—some features not available on

all models.

2003 FOUR WINDS CONSTRUCTION

SIDEWALLS—Residential home style construction

- 1 Fiberglass R-7 insulation cut & fitted for full expansion
- 2 2" x 2" on 16" centers with an extra 2" belt rail around the perimeter for extra strength 1-1/2"x 2" Lites & Non-DSL Express
- 3 Galvanized steel straps around entire construction perimeter tying floor to sidewall to ceiling
- 4 Double or triple studding around all doors and windows

ROOF—Ducted for A/C 22' models & up

- 5 Large 5" truss rafters with 3" grade for better water run off
- 6 Fiberglass R-7 insulation cut and fitted
- 7 3/8" structurewood roof decking full length of the coach (25 year material warranty)
- 8 Dicor Corp. Brite-ply seamless EPDM roof covering w/fire retardent backing and 12-year warranty


FLOOR

- 9 I-beam frame cambered to add constructional integrity
- 10 Large support outriggers w/solid continuous weld
- 11 PolyFlex underbelly wrapped around the floor for extra water protection
- 12 2"x 3" studs running lengthwise to allow for heat duct installation
- 13 Fiberglass R-7 insulation cut & fitted
- 14 5/8" exterior grade tongue-&-groove plywood floor
- 15 Armstrong tile like linoleum and/or stain resistant carpet
- 16 Sidewalls are placed on top of the floor for added strength

EXTERIOR

- 17 Extra large tinted, radius, jalousie clamp ring windows that are sealed with butyl rubber and top coated with silicone for one of the best watertight seals in the industry
- 18 30" radius entry door on most floor plans Square corner doors / Express models
- 19 Exterior oversized storage "Storage Plus" wherever possible
- 20 Ultra lube axles most models N/A Express (non-slide models) and Lites
- 21 S-lock aluminum siding .024
- 22 Bottom exterior aluminum attached with screws thru the side - water cannot be trapped, no staples to penetrate wood, or rust and fall out
- 23 Rear bumper w/hidden sewer hose compartment
- 24 Top quality easy to use double or triple steps welded to frame





We build our products better and we protect you with the industry's best warranty coverage, but we know that sometimes things can go wrong on the road. So when you become the proud owner of a new Four Winds, it's just the beginning of our exclusive 'round-the-clock Customer Care Program.

Customer Care provides complete and fully paid roadside assistance, emergency road service, and special warranty support benefits that go with you wherever you travel. You get immediate access to fast, dependable service when and where you need it.

Add our toll-free warranty and service appointment assistance and a technical assistance hot line and you have the security and peace of mind of full-time support.

Our exclusive 24-hour Customer Care benefits include:

- Fully paid emergency roadside assistance
- Toll-free service appointment scheduling nationwide
- Free on-site mechanical service in the event of a breakdown
- Warranty service assistance at over 6,800 qualified service agencies
- Free jump starts
- Free customer trip routing and map service
- 24-hour technical hot line

- Free fuel delivery
- Free lock-out service

At Four Winds we want you to be able to enjoy your new trailer or fifth wheel to the fullest. That's why we've provided Four Winds Customer Care to take care of the problems that could spoil your travels.

Why a Thor Product Is Your Best RV Value:

Thor Industries, Inc., listed on the New York Stock Exchange, proudly traces its history back over seventy years to the pioneering days of the RV industry with the founding of Airstream, the industry's oldest and most renowned brand. Our total commitment to quality and our philosophy of putting our customers first has led to our continuous growth. Today, Thor is the largest builder of RVs. Thor's strong financial condition and years of solid growth are your assurance that we will be here to serve you for years to come. We think this extra peace of mind is important when you are making a significant investment. Because our customers are always #1 with us, we work harder than other manufacturers to satisfy you.

THE INDUSTRY'S BEST WARRANTY—BY FAR!

We're so confident in the design and construction of our products that they are covered by Thor's exclusive Full 2-Year Standard Warranty: "Hitch-to-bumper" coverage to protect your RV investment.

Your Full 2-Year Warranty Includes:*

- Refrigerator
- Furnace
- Range
- Microwave
- Water pump
- House stereo

- Slide-out Mechanisms
- Power converter
- Plumbing
- Electrical
- Doors
- And much more...

- LP tanks
- Water heater
- TV antenna
- Lavatory
- Awnings



305 Steury Ave. • Goshen, IN 46528 574.534.1224 • Fax 574.533.3807 Service, Warranty and Parts 574.537.0700 www.4winds-ry.com

Your Local Dealer



This brochure is printed on recycled paper as part of Thor's corporate effort to minimize waste and conserve our natural resources. Providing safe, fuelefficient recreational vehicles is Thor's way of further demonstrating our role as the industry leader in safeguarding our nation's environment.

Four Winds invites you to check out the following companies to further enhance your RV experience:











rvaa.com

funroads.com

reeseprod.com rbwindustries.com

trailair.com

*See individual company warranty statements for details.

Product information, specifications, and photography in this brochure were as accurate as possible at time of printing. Photographs may contain some features that are optional on your vehicle. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features shown are optional and may be different or unavailable in Canada. Vehicles are designed for recreational use only and not intended for use as a primary residence.