

# COLORADO





2004 Travel Trailers and Fifth Wheels

## **2004 Travel Trailer Floor Plans**




## **2004 Mid-Profile Fifth Wheel Floor Plans**







• New Modified Flush Floor Bedroom/Bath Deck For 2004! • Bedroom Slides Available On Mid-Profile Fifth Wheels.

## **2004 High-Profile Fifth Wheel Floor Plans**










• New – Flush Floor Bedroom/Bath Deck For 2004!

## **2004 High-Profile Fifth Wheel Floor Plans**





• New – Flush Floor Bedroom/Bath Deck For 2004!



### Colorado Standard Features

| Exterior  | High Profile | Mid Profile | Travel Traile |
|---|--------------|-------------|---------------|
| 30" radius entrance doors   | •            | •           | •             |
| Battery box with vent (N/A TT's)                                      | •            | •           | N/A           |
| Battery rack on A-frame (N/A H5's and M5's)                           | N/A          | N/A         | •             |
| Bedroom slide (most models)   | •            | •           | •             |
| Black water flush   | •            | •           | •             |
| Enclosed dump valves  | •            | N/A         | N/A           |
| Exterior light under gooseneck  | •            | •           | N/A           |
| Fiberglass laminated sidewalls - two tone                             | •            | •           | •             |
| Flush door latch with dead bolt lock                                  | •            | •           | •             |
| Front fiberglass cap  | •            | •           | •             |
| High-end designer graphics  | •            | •           | •             |
| Extra large pass through outside storage compartments (most models)   | •            | •           | •             |
| Locking insulated baggage doors with finger pulls                     | •            | •           | •             |
| One piece EPDM rubber roof  | •            | •           | •             |
| Patio / Step light by door  | •            | •           | •             |
| Power front landing gear  | •            | •           | N/A           |
| Radius jalousie tinted windows  | •            | •           | •             |
| Rear fiberglass cap   | •            | OPT         | OPT           |
| Rear stabilizer jacks   | •            | •           | •             |
| Seamless rotocast holding tanks                                       | •            | •           | •             |
| Sewer hose storage  | •            | •           | •             |
| Side slider windows in living room slide outs                         | •            | •           | •             |
| Triple entry step   | •            | •           | •             |
| Twin 30# LP bottles with auto changeover                              | •            | •           | •             |
| Construction - Fully Welded "Aluminum Cage Construction"              |              |             |               |
| • 5" Welded Aluminum truss roof rafters with 3/8" decking full length | •            | •           | •             |
| Welded Aluminum framed fully laminated 2" sidewall                    | •            | •           | •             |
| Block foam insulation sidewalls and floor                             | •            | •           | •             |
| Laminated/welded aluminum framed floor                                | •            | •           | •             |
| One piece seamless 5/8" Weyerhaeuser structure wood floor decking     | •            | •           | •             |
| Enclosed underbelly with heated tanks                                 | •            | •           | •             |
| Large pass through storage under bath deck                            | •            | •           | N/A           |
| Filon fiberglass sidewalls  | •            | •           | •             |
| Roof line rain gutter with down spouts                                | •            | •           | •             |
| Track guided electric powered flush floor slide-out system            |              |             |               |
| in large living room slide  | •            | •           | •             |

| Chassis/Suspension   | High Profile | Mid Profile | Travel Trailer |
|--|--------------|-------------|----------------|
| 16" Radial Tires (15" on M5 & TT's)                        | •            | N/A         | N/A            |
| ALKO "Ultra-Lube" axles                                    | •            | •           | •              |
| ALKO leaf spring axles                                     | N/A          | •           | •              |
| ALKO leaf spring axles with Monroe shock absorbers         | •            | N/A         | N/A            |
| Break away safety switch                                   | •            | •           | •              |
| 10" Cambered I-beam frame                                  | •            | N/A         | N/A            |
| 8" Cambered I-beam frame                                   | N/A          | •           | •              |
| Electric brakes on all wheels                              | •            | •           | •              |
| Electrical   |              |             |                |
| 110 volt outlet in slide room (living area)                | •            | •           | •              |
| 30 amp detachable power cord                               | •            | •           | •              |
| 55 amp converter with charger                              | •            | •           | •              |
| Ceiling lights with wall switch                            | •            | •           | •              |
| GFI protected 110-volt duplex receptacles                  | •            | •           | •              |
| Bath   |              |             |                |
| Flat floor bath to bed deck (no step )                     | •            | N/A         | N/A            |
| Medicine cabinet with mirror door and make-up lights       | •            | •           | •              |
| Neo Angle shower with surround and opaque glass door       | •            | •           | •              |
| Power roof vent  | •            | •           | •              |
| Skylight above shower                                      | •            | •           | •              |
| Thetford foot pedal toilet                                 | •            | •           | •              |
| Tooth brush holder, toilet paper holder, towel hooks       | •            | •           | •              |
| Appliances/Equipment                                       |              |             |                |
| 13.5 BTU ducted air conditioner with quick cool feature    | •            | •           | •              |
| 3 burner range with oversized 21" oven                     | •            | •           | •              |
| 6 gallon gas/electric water heater with DSL                | •            | •           | •              |
| 8500 Series A&E awning                                     | •            | •           | •              |
| Cable TV hook up   | •            | •           | •              |
| 12V Water pump   | •            | •           | •              |
| Double bowl acrylic kitchen sink                           | •            | •           | •              |
| Extra large 8 cu. ft.double door refer                     | •            | •           | •              |
| DSS prep for satellite hook up                             | •            | •           | •              |
| Folding range cover  | •            | •           | •              |
| Home Theater System with color TV, DVD/CD/MP3 & Sub Woofer | •            | •           | •              |
| Hydro-flame forced air, DSI furnace with wall thermostat   | •            | •           | •              |
|  |              |             |                |

## Colorado Optional Features

| Appliances/Equipment   | High Profile | Mid Profile | Travel Trailer |
|--|--------------|-------------|----------------|
| Floor ducted heat  | •            | •           | •              |
| Large residential style microwave range with vent                      | •            | •           | •              |
| Second TV outlet in bedroom  | •            | •           | •              |
| Single lever faucet with telescoping sprayer                           | •            | •           | •              |
| Sink covers  | •            | •           | •              |
| Systems monitor panel  | •            | •           | •              |
| TV antenna with booster  | •            | •           | •              |
| Water filter with spout  | •            | •           | •              |
| Water heater bypass system with low point drain                        | •            | •           | •              |
| Interior   |              |             |                |
| 6'7" living room slide out interior height (H5's)                      | •            | N/A         | N/A            |
| Adjustable ceiling A/C ducts   | •            | •           | •              |
| Brushed nickel appliances and hardware                                 | •            | •           | •              |
| Ceiling fan w/light  | •            | N/A         | N/A            |
| Coat hooks through out   | •            | •           | •              |
| Decorator reading lights above bed                                     | •            | •           | •              |
| Designer arched maple cabinet doors through out                        | •            | •           | •              |
| Designer valances  | •            | •           | •              |
| Fire extinguisher  | •            | •           | •              |
| Interior grab handle at entrance door                                  | •            | •           | •              |
| Laundry chute with basket to pass through storage (most models)        | •            | •           | •              |
| Mini blinds throughout (verticle blinds-RL models)                     | •            | •           | •              |
| Overhead cabinets with decorative glass doors in living room slide out | •            | •           | •              |
| Oversized storage drawers through out                                  | •            | •           | •              |
| Phone jack / computer line   | •            | •           | •              |
| Quilted bedspread with pillow shams and headboard                      | •            | •           | •              |
| Roof vents   | •            | •           | •              |
| Smoke detector   | •            | •           | •              |
| Solid wood drawer with residential style metal drawer glides           | •            | •           | •              |
| Knife holder   | •            | •           | •              |
| Solid fascia in living room slide                                      | •            | •           | •              |
| Swivel rocker (s) (most models)  | •            | •           | •              |

| Options   | High Profile | Mid Profile | Travel Traile |
|---|--------------|-------------|---------------|
| Convenience Package: Rechargeable flashlight, lock box,                 |              |             |               |
| large entry assist handle, patio light, water filter with               |              |             |               |
| spout & "spray-away" exterior wash station                              | •            | •           | •             |
| 12 Volt Ultra Heat Pads   | •            | •           | •             |
| 15M BTU ducted A/C  | •            | •           | •             |
| 16" Tires (Standard 34' and above)                                      | •            | N/A         | N/A           |
| 2nd A/C (13.5M Btu)   | •            | •           | •             |
| 5 Spoke Premium aluminum rims   | •            | •           | •             |
| 50 Amp service (N/A TT's and M5 FW's)                                   | •            | N/A         | N/A           |
| Bedroom slide   | STD          | •           | •             |
| Day/night shades in place of mini blinds                                | •            | •           | •             |
| Duo pane solar reflective windows                                       | •            | •           | •             |
| End table with lamp (most floorplans)                                   | •            | •           | •             |
| Fantastic fan w/rain sensor & thermostat                                | •            | •           | •             |
| Fiberglass rear cap   | STD          | •           | •             |
| Fireplace (triple slides only)  | •            | N/A         | N/A           |
| Fluorescent lighting package  | •            | •           | •             |
| Generator installed   | •            | N/A         | N/A           |
| Generator prep  | •            | N/A         | N/A           |
| Hide-a-bed sofa   | •            | •           | •             |
| Hide-a-bed sofa with footrests  | •            | •           | •             |
| High gloss fiberglass walls   | •            | •           | •             |
| Poly Air insulation in roof   | •            | •           | •             |
| Power tongue jack   | N/A          | N/A         | •             |
| Quick release front jacks (most models)                                 | •            | •           | N/A           |
| Rear Ladder   | •            | •           | •             |
| Rocker/recliner/glider IPO swivel rocker                                | •            | •           | •             |
| Round free standing dinette & 4 chairs                                  | •            | •           | •             |
| Scare lights  | •            | •           | •             |
| Solid maple doors in slide out overhead                                 | •            | •           | •             |
| Solid maple slide out fascia on bedroom slide                           | •            | •           | •             |
| Spare tire  | •            | •           | •             |
| Washer/dryer prep - 10 gallon gas/electric water heater, 50 amp service | •            | N/A         | N/A           |
|   |              |             |               |

#### Colorado Specifications & Weights

| Model        | Model Line              |          |          |          |                  |                      |                         |                    |                      |                            |                      |                |                      |
|--------------|-------------------------|----------|----------|----------|------------------|----------------------|-------------------------|--------------------|----------------------|----------------------------|----------------------|----------------|----------------------|
|              |                         | Exterior | Exterior | Exterior | Hitch Dry Weight | Gross Vehicle Weight | Unloaded Vehicle Weight | Net Cargo Capacity | Fresh Water Capacity | <b>Grey Water Capacity</b> | Black Water Capacity | Tire Size      | Furnace Size (BTU's) |
|              |                         | Width    | Height   | Length   |                  |                      |                         | Gallons            | Gallons              | Gallons                    |                      |                |                      |
| Travel Trail | Travel Trailers         |          |          |          |                  |                      |                         |                    |                      |                            |                      |                |                      |
| 26FB-DSL     | Colorado DSL TT         | 8 ft.    | 10' 11"  | 29' 8"   | 830              | 968                  | 682                     | 286                | 47                   | 30                         | 30                   | ST225/75R15(D) | 31000                |
| 30RL-DSL     | Colorado DSL TT         | 8 ft.    | 10' 11"  | 32' 2"   | 882              | 9680                 | 7562                    | 2118               | 46                   | 30                         | 30                   | ST225/75R15(D) | 31000                |
| 31BK-DSL     | Colorado DSL TT         | 8 ft.    | 10' 11"  | 34' 6"   | 1060             | 9680                 | 7692                    | 1988               | 46                   | 30/30                      | 30                   | ST225/75R15(D) | 31000                |
| 31FK-DSL     | Colorado DSL TT         | 8 ft.    | 10' 11"  | 33'      | 844              | 9680                 | 7088                    | 2592               | 46                   | 30/30                      | 30                   | ST225/75R15(D) | 31000                |
| Mid Profile  | Mid Profile 5th Wheels  |          |          |          |                  |                      |                         |                    |                      |                            |                      |                |                      |
| 27RL-M5      | Colorado M5 FW          | 8 ft.    | 11' 10   | 30'      | 1664             | 10560                | 8122                    | 2438               | 46                   | 30/30                      | 30                   | ST225/75R15(D) | 31000                |
| 28BH-M5      | Colorado M5 FW          | 8 ft.    | 11' 11"  | 32' 6"   | 1364             | 10560                | 8448                    | 2112               | 46                   | 30/30                      | 30                   | ST225/75R15(D) | 31000                |
| High Profile | High Profile 5th Wheels |          |          |          |                  |                      |                         |                    |                      |                            |                      |                |                      |
| 29RL-H5      | Colorado H5 FW          | 8 ft.    | 12' 6"   | 33' 9"   | 2100             | 12192                | 9640                    | 2552               | 46                   | 40/40                      | 40                   | ST225/75R15(D) | 35000                |
| 31RL-H5      | Colorado H5 FW          | 8 ft.    | 12' 8"   | 33' 9"   | 1958             | 12192                | 9700                    | 2492               | 46                   | 40/40                      | 40                   | ST225/75R15(D) | 35000                |
| 33RL-H5      | Colorado H5 FW          | 8 ft.    | N/A      | N/A      | N/A              | N/A                  | N/A                     | N/A                | N/A                  | N/A                        | N/A                  | N/A            | N/A                  |
| 35BH-H5      | Colorado H5 FW          | 8 ft.    | 12' 9"   | 37' 9"   | 2280             | 12480                | 10750                   | 1730               | 46                   | 40/40                      | 40/40                | LT235/85R16(E) | 35000                |
| 35RL-H5      | Colorado H5 FW          | 8 ft.    | 12' 6"   | 40'      | 2426             | 14400                | 12084                   | 2316               | 46                   | 40/40                      | 40                   | LT235/85R16(E) | 35000                |
| 36ESRL-H5    | Colorado H5 FW          | 8 ft.    | 12' 6"   | 36' 2"   | 1956             | 14400                | 10712                   | 3688               | 46                   | 40/40                      | 40                   | LT235/85R16(E) | 35000                |

**Vehicle loading**- Every effort has been made to provide the greatest number of options for the recreation vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices that they remain within the manufacturer's specified chassis weight limits. Do no overload the recreation vehicle.

Dry weights based on standard features- Some optional equipment not included. Net carrying capacity (NCC) is determined by subtracting unloaded vehicle weight (UVW) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only.

Warning- This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing and towing instructions.

# The Industry's Best Warranty – By Far!

We're so confident in the design and construction of our products that they are covered by Thor's Limited Warranty.

#### Your warranty includes:

- One-year Bumper to Hitch Limited Warranty
- Two-year Structural and Appliance Limited Warranty
- and much more!

\*see warranty statement for details.





This brochure is printed in part on recycled paper as part of Thor's corporate effort to minimize waste and conserve our natural resources. Providing safe, fuel-efficient recreational vehicles is Thor's way of further demonstrating our role as the industry leader in safeguarding our nation's environment.

305 Steury Ave. • Goshen, IN 46528 574.534.1224 • Fax 574.533.3807 Service, Warranty and Parts 574.537.0700 www.colorado-rv.com

Your Local Dealer

Product information, specifications, and photography in this brochure were as accurate as possible at time of printing. Photographs may contain some features that are optional on your vehicle. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features shown are optional and may be different or unavailable in Canada.

D-70-086 ©2003 Thor, Inc.