



Travel Trailers and Mid-Profile Fifth Wheels



Begin Your Adventures With Colorado


Mid-Profile Fifth Wheels







28RK-M5-BS








Weights and Specifications

0	•							
Mid-Profile Fifth Wheels	27RL-M5-BS	28RK-M5-BS	29BH-M5-BS	30CE-M5-BS	31RL-M5-BS	32QB-M5-BS	Travel Trailers	26FB-DSL
Length	31'9"	32'8"	34'4"	33'5"	34'6"	36'6"	Length	30'6"
Exterior Width	8'	8'	8'	8'	8'	8 ft.	Exterior Width	8'
Exterior Height	12'4"	12'4"	12'4"	12'4"	12'4"	12'4"	Exterior Height	10'8"
Hitch Dry Weight	1684	1636	1871	1864	1780	1852	Hitch Dry Weight	826
Gross Vehicle Weight	12192	12192	12192	12480	12192	12192	Gross Vehicle Weight	11176
Unloaded Vehicle Weight	7747	8106	9233	8886	8756	10276	Unloaded Vehicle Weight	6591
Net Cargo Capacity	3542	3228	2959	3594	2488	1916	Net Cargo Capacity	3986
Fresh Water Capacity	56	56	56	56	56	56	Fresh Water Capacity	56
Grey Water Capacity	80	80	80	80	80	80	Grey Water Capacity	40
Black Water Capacity	40	40	40	40	40	40	Black Water Capacity	40
Furnace Size (BTU)	35000	35000	35000	35000	35000	35000	Furnace Size (BTU)	35000
Water Heater	10	10	10	10	10	10	Water Heater	10
Awning Length	20	18	15	15	15	17	Awning Length	19
Tire Size (All Models): ST225/75R15(D)							Tire Size (All Models): ST225/75R15(D)	

Travel Trailers







Fusion Sage




Graphic Opal



Raine Blue

30RL-DSL	30RL-DSL-BS	31BK-DSL	31BK-DSL-BS
32'9"	32'9"	34'11"	34'11"
8'	8'	8'	8'
10'8"	10'8"	10'8"	10'8"
944	1240	1100	1288
11176	11176	11176	11176
7120	7420	7458	7758
3644	3184	3244	2962
56	56	56	56
40	40	40	40
40	40	40	40
35000	35000	35000	35000
10	10	10	10
22	22	20	20



OHC

SOFA
BED

DINETTE
PLUS

FLUSH FLOOR SLIDE-OUT

TV TRAY

STORAGE SCNS
PLUS

GUEEN BED

WISTORAGE
BO'X 60'

NEONACICE
SHOWER

AMORE
SCNS

30RL-DSL







Colorado: More Standard Features - More Value

Frame/Chassis Construction

Cambered 10" Steel I-Beam Frame Rails (31 & 32-5W) Cambered 8" Steel I-Beam Frame Rails (N/A 31 & 32-5W) Powder-Coated Frame 8 or 10" Steel Crossmembers

"Ladder Design" Construction

Laser Aligned Steel Outriggers

5200 lb. Tandem Axles *

Leaf-Spring Suspension

MOR/ryde RE Rubber Shear Spring Equalizer (5W Only)** Ultra-lube Hubs *

6 Lug Hubs

Powder-Coated Painted Steel Wheels

ST225/75R 15 LRD Tires

Electric 12.25" Drum Braking System

Electric "Worm Gear" Slide System Flush Floor Main Slide System

Above Floor, Steel, Electric Bedroom Slide (BS Models Only)

Extended Hitch Pin

Optional: MOR/ryde Rubber Hitch Pin (5W Only) Optional: 16" Aluminum Rim Package (5W Only)

ST235/80 R16 LRE E-Rated Tires 16" Spare Tire with Steel Rim

Adjustable MOR/ryde Equalizer and Leaf Springs

Optional: Power Tongue Jack (TT Only) Optional: MOR/ryde RE Suspension (TT Only, Std. 5W)

Body/Coach Construction

Sidewalls

High-Gloss Gel Coat RFP Fiberglass Laminated Construction Aluminum-Framed, Welded Box Infrastructure Luan Fiberglass Underlayment Polystyrene "Block Foam" Insulation Vinyl-Wrapped Luan Interior Wall Panel 80% Dark Tint "Safety Glass" Windows 3M Automotive Film Graphics

"Tuff Coat" Painted Aluminum Radius Skirt

Front & Rear Walls

Front Cap: Gel Coat Molded Fiberglass Rear Wall: High-Gloss Gel Coat RFP Fiberglass Aluminum Framed, Welded Box Infrastructure Laminated Construction 1/4" Luan Wood Exterior Wall Panel 80% Dark Tint "Safety Glass" Windows Polystyrene "Block Foam" Insulation

Vinyl-Wrapped Luan Interior Wall Panel

Primary Floor (TT Entire Floor-M5 Main Floor)

3" Vacuum Bonded One-Piece Floor Construction Aluminum-Framed, Welded Box Infrastructure Polystyrene "Block Foam" Insulation 1/4" Luan Panel Vinyl Vapor Barrier 5/8" Structurewood One-Piece Decking 3/8" 6 lb. Rebond Carpet Pad 32oz. Residential Carpet

Bath/Bedroom Floor (M5 Only)

3" Vacuum Bonded One-Piece Floor Construction Aluminum-Framed, Welded Box Infrastructure Polystyrene "Block Foam" Insulation 1/4" Luan Panel 5/8" Structurewood One-Piece Decking 3/8" 6 lb. Rebond Carpet Pad 32oz. Residential Carpet

Sub-Floor/Underbelly

Laminated Construction

1/4" Luan Panel

Poly-Flex 2000 Woven Plastic/Vinyl Aluminum Bubble Wrap Insulation

Roof/Ceiling

Aluminum Roof Truss with 5" Tapered Box 3/8" Roof Decking R14 Roof Insulation Aluminum Radius Roof to Wall Transition EPDM Rubber Roof Membrane - 12 Year Warranty

Storage Compartment

Aluminum Luggage Door Frames 1" Thick Luggage Door with Lock Lighted Baggage Areas Ozite-Lined Compartment

Optional: R21 Roof Insulation

Windows, Doors and Awnings

80% Tinted, Radius-Corner, "Safety Glass" UV-Rated Windows* Transom Window Above Main Slide (5W Only) * Opaque Vented Window In Water Closet (NA Side Bath) Vented Windows (NA with Transom)

Egress Window in Bedroom Domed, Tinted Skylight Above Shower 30" Radius Entry Door & Dead Bolt Lock

Screen Door 8500 Series A&E Awning **

Raised Panel Interior Doors Pivoting XL Entry Assist Handle

Optional: Duo-Pane Windows

Optional: Slide-Out Awning Toppers (5W Only)

Exterior Features

Deluxe "Quick Release" Pull Pins (5W Only) * Electric Front Jacks (5W Only) * 15" Spare Tire and Steel Rim * Spare Tire Carrier with Lift Kit * Underbelly (2 piece) - Heated & Enclosed 10" Tread, Steel, Triple Entry Steps - Welded to Frame Lighted Entry Step Enclosed/Vented Battery Box Molded ABS Fender Wells Exterior Patio Light Exterior Hitch Light Gravity Water Fill Exterior Shower System with Hot & Cold

Black Tank Flush System City Water Fill with Locking Protective Door

Cable Hook-up

Phone Hook-up Satellite Hook-up

Rear Ladder * Attic Roof Vent *

Drip Rail Gutter System

Extended Gutter Spout

Optional: Gel-Coat Fiberglass Sidewalls Optional: Slide-out Awning Toppers (5W Only) Optional: Rear Gel-Coat Fiberglass Cap (TT Only)

Interior Systems

Electrical Systems & Lighting

Interior Electrical Command Center 30 amp Electrical Service Detachable Marine-Grade Power Cord 55 Amp Converter 110v GFI Exterior Receptacle

12v Battery Converter/Charger with Overcharge Protection Battery Box

www.Colorado-rv.com

Residential Wall Switches

Dome Light above Sofa and Dinette 12v Lighting Decorative Wall Sconces in Bedroom

Fluorescent Lighting in Galley * Optional: Fluorescent Lighting Package

Plumbing System

10 Gallon Gas and Electric Hot Water Heater ** Quick-Connect Coiled 25 ft. Hose with Sprayer * Shurflo Water Pump "PEX" Polyethylene Tubing Metal Pressure Fittings Sewer Hose Storage System Hot and Cold Water Low Point Drains

46 Gallon Fresh Water Tank Grey Water Tank: See Individual Floorplan Specs for Details Black Water Tank: See Individual Floorplan Specs for Details

Remote Water Heater Switch

Climate Control

35K BTU Furnace * Forced Air Ducted Heat Forced Air Heat in Underbelly

15K BTU Air Conditioner with Quick Cool Vent * Ceiling Ducted AC Vents

Ceiling Fan - 42" Reversible with Halogen Light Kit (5W Only) *

Mold Resistant, Aluminum-Wrapped AC Plenum Optional: Fantastic Fan in Bedroom

Optional: Fantastic Fan in Galley/Main Living

Optional: 12v Tank Pads Optional: R21 Roof Insulation

Key Interior Features

Pre-Drilled & Screwed Hardwood Cabinet Construction Decorative Stained Hardwood Slideout Fascia ** 6 Panel Doors with Brushed Nickel Designer Hardware ** Designer Howard Miller Clock * 32oz. Premium Residential Carpet ** 3/8" 6 lb. Rebond Carpet Padding ** Overhead Cabinets with Mini Stutz & Top Mount Hinges in Sofa Slideout Recessed Steps to Bath/Bedroom

Cabinetry & Countertops

Premium Formica Textured Countertops Wood-Edged Countertops * Solid Ash & Stained Cabinet Stiles/Frames ** Solid Ash Raised Panel Cabinet Doors Solid Ash Drawer Fronts 7 Ply Residential Grade Plywood Drawer Construction Metal Drawer Glides & Teflon Rollers Ball-bearing Drawer Catch Brushed Nickel Hardware Glass Inserts with Solid Ash Frames Above Sofa

Window Treatments

Day/Night Shades ** Mini-Blinds (at Kitchen Sink Window) Designer Hard Valance Designer Hard-Sided Lambrequins For Privacy

Entertainment Systems

5:1 Home Theater System with Remote ** Satellite Prep * Cable Jack TV Antenna with Power Booster Bedroom TV Prep Optional: 24" Flat Tube TV

Galley Area

Armstrong Linoleum with "Tough Guard"

XL Dual Basin Sink Sink Covers

Furniture & Appliances

Iack-Knife Sofa

Residential Size Rockers (2) (Where Available) Booth Dinette

Queen Size Premium Pillow-Top Mattress 8 cu.ft. Double Door Refrigerator **

Solid Ash, Raised Panel Refrigerator Inserts ** "OTR" Microwave, 1.3 cu. Ft. **

Integrated Exhaust Fan (with Microwave)

Amana 3-Burner Stovetop

Range Cover - 2 Piece Metal *

Water Purifier *

Interior Utility Center

Optional: End Table with Lamp

Optional: 10 cu.ft. Refrigerator Optional: Hide-A-Bed Sofa

Optional: Rocker Recliners (2) (Where Available) Optional: Central Vacuum System (5W Only)

Optional: Free-Standing Table with 4 Chairs (Chairs with Below-Seat Storage)

Bath Area

2 Piece Marbled Neo-Angle Shower Enclosure * Rain-Glass Shower Walls & Door Brushed Nickel Shower Hardware and Wand Large Medicine Cabinet with Vanity Lights & Mirror Fiberglass Vanity Sink Residential-Style Brushed Nickel (Metal) Vanity Faucet

Solid, Six-Panel Privacy Door

Residential, Six-Panel Lavatory Doors

Porcelain Bowl Thetford Toilet

Power Vent

Toilet Tissue Holder

Brushed Nickel Bathroom Accessories

Towel Hooks & Bar

Bedroom Area

Bedroom Slide (BS Only) Nightstand (Non-Slide TT Only) Solid Hardwood, Stained Slide Fascia Chest of Drawers (5W Only)

TV Prep

Egress Window

Premium Bedspread Package & Window Coverings Below Bed Storage

Front Wardrobe Ensemble (5W Only)

Sliding Mirrored Doors with Hanging Storage Swivel TV Frame & Drawer Bank

Safety Features

Fire Extinguisher Dead Bolt Locks on Entry Doors

120v GFI Protected Exterior Receptacle

LP Gas Detector Smoke Detectors

Egress Windows Safety Glass

10" Deep Entry Step *

Entry Step Light Patio Light *

XL Folding Entry Assist Handle * Solid Wood Exit Handle Front, Rear & Side Amber Road Lights

* Colorado Convenience Package

** Colorado Premiere Package

List Applicable to Post-12/06 Production

Your Local Dealer

Vehicle loading - Every effort has been made to provide the greatest number of options for the recreational vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreational vehicle.

chassis weight limits. Do not overload the recreational vehicle.

Some optional equipment not included. Net carrying capacity (NCC) is determined by subtracting unloaded vehicle weight (LWI) from gross vehicle weight (CWINR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only. Warning - This information is intended as a quide only. Weights of includes a very consult your owner's manual for complete loading, weighing and towing instructions. "UVIV and Hitch Dry Weight are above weights of unlis without options. Each unit includes a weight label which lists specific weight information is information in information in provided information in formation, specifications, and photographs may contain some features that are optional on your vehicle. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features or options may be different or unavailable in Canada. Vehicles are designed for recreational use only and not intended for use as a primary residence. All product brand names used in this brochure are registered trademarks of Thor Industries, Inc.

2164 Caraggana Court ■ Goshen, IN 46526
Sales: 574.534.1224 ■ Fax: 574.975.0626
Parts, Service & Warranty: 574.537.0700