

Profile Fifth Wheels High



2164 Caragana Court • Goshen, IN 46526 • Sales: 574-534-1224 Fax: 574-975-0601 • Parts, Service & Warranty: 574-537-0700 **www.grandjunction-rv.com**




Premium Floorplans and Specifications

31TKS

Unloaded Vehicle Weight 11,425 2,210 Dry Hitch Weight Gross Vehicle Weight 15,500 Net Cargo Capacity 4,075 34 ft. 4 in. Length Exterior Width 8 ft. Exterior Height 12 ft. 4 in.* Fresh Water Capacity 98 48/48 Grey Water Capacity Black Water Capacity 42

Tire Size ST235/80R16 (E)


Furnace Size (BTU's) 40,000



32TCG

Unloaded Vehicle Weight 11,195 Dry Hitch Weight 2,175 Gross Vehicle Weight 15,500 Net Cargo Capacity 3,535 Length 36 ft. 2 in. Exterior Width 8 ft. Exterior Height 12 ft. 9 in.* Fresh Water Capacity 98 Grey Water Capacity 48/48 Black Water Capacity 42 Tire Size ST235/80R16 (E)


Furnace Size (BTU's) 40,000



335TRL


Unloaded Vehicle Weight 11,899 Dry Hitch Weight 2,231 15,500 Gross Vehicle Weight Net Cargo Capacity 3,601 Length 36 ft. 7 in. Exterior Width 8 ft. 12 ft. 9 in.* Exterior Height Fresh Water Capacity 98 Grey Water Capacity 48/48 Black Water Capacity 48 Tire Size ST235/85R16 (E)

Furnace Size (BTU's) 40,000



340RE

Unloaded Vehicle Weight	12,246
Dry Hitch Weight	2,472
Gross Vehicle Weight	15,500
Net Cargo Capacity	2,782
Length	38 ft. 10 in.
Exterior Width	8 ft.
Exterior Height	12 ft. 7 in.*
Fresh Water Capacity	98
Grey Water Capacity	48/66
Black Water Capacity	48
Tire Size	ST235/85R16 (E)
Furnace Size (BTU's)	40,000






Premium Floorplans and Specifications

34QRL

Unloaded Vehicle Weight Dry Hitch Weight 2,484 Gross Vehicle Weight 15,500 Net Cargo Capacity 2,769 Length 38 ft. 3 in. Exterior Width 8 ft. Exterior Height 12 ft. 8 in.* Fresh Water Capacity 98 Grey Water Capacity 48/48 Black Water Capacity 42


Tire Size ST235/80R16 (E)

Furnace Size (BTU's) 40,000




34TRG

Unloaded Vehicle Weight 12,318 2,870 Dry Hitch Weight 15,500 Gross Vehicle Weight 3,182 Net Cargo Capacity Length 38 ft. 4 in. Exterior Width 8 ft. Exterior Height 12 ft. 8 in.* Fresh Water Capacity Grey Water Capacity 48/48/48 Black Water Capacity 48 Tire Size ST235/80R16 (E) 40,000 Furnace Size (BTU's)




35TMS

Unloaded Vehicle Weight 12,840 2,273 Dry Hitch Weight Gross Vehicle Weight 15,500 Net Cargo Capacity 2,660 39 ft. 8 in. Length Exterior Width 8 ft. Exterior Height 12 ft. 8 in.* Fresh Water Capacity 98 48/66 Grey Water Capacity Black Water Capacity 42 Tire Size ST235/80R16 (E) Furnace Size (BTU's) 40,000



37QSL

Unloaded Vehicle Weight	13,060
Dry Hitch Weight	2,472
Gross Vehicle Weight	15,500
Net Cargo Capacity	2,440
Length	40 ft.
Exterior Width	8 ft.
Exterior Height	12 ft. 9 in.*
Fresh Water Capacity	98
Grey Water Capacity	48/48
Black Water Capacity	42
Tire Size	ST235/80R16 (E)
Furnace Size (BTU's)	40,000





More Standard Features - More Value

Frame/Chassis Construction

Cambered 10" Steel I-Beam Frame Rails Drop-Frame, Stacked Rail Chassis Extended Heavy Duty Hitch 'Wide Stance' Electric Front Jacks Side Mounted Dual Battery Trays *

Recessed Under-Chassis Spare Tire Carrier**** (NA 34QRE)

MAXXGarage Storage Design

XL Front Cargo Doors Powder-Coated Frame 10" Steel Crossbeams

"Ladder Design" Construction

Steel Outriggers

7000 LB. Tandem Axles ****

Leaf-Spring Suspension

MOR/ryde RE Rubber Shear Spring Equalizer ****

Ultra-lube Hubs **** 8 Lug Hubs ****

Aluminum Alloy Rims ****

ST235 80R16 LRE E-Rated RV Tires **** Electric 12.25" Drum Braking System

MOR/ryde Rubber Hitch Pin ****

Electric 'Worm Gear' Slide System Flush Floor Main Slide System

Above Floor Electric Steel Bedroom Slide

Body/Coach Construction

Gel-Coat High Gloss Exterior *** Vacuum-Bonded Lamination Process Aluminum-Framed, Welded Box Infrastructure Polystyrene 'Block Foam' Insulation Vinyl-Wrapped Luan Interior Wall Panel 80% Tinted, Radius-Corner, 'Safety Glass,' UV-Rated Windows 3M Automotive Film Graphics

Front & Rear Walls

Front Cap: Gel-Coat Molded Fiberglass *** Rear Cap: Gel-Coat Molded Fiberglass *** Aluminum-Framed, Welded Box Infrastructure Laminated Construction 1/4" Luan Wood Exterior Wall Panel 80% Tinted, Radius-Corner, 'Safety Glass,' UV-Rated Windows Polystyrene 'Block Foam' Insulation

Vinyl-Wrapped Luan Interior Wall Panel

Primary Floor

3" Vacuum-Bonded, One-Piece Floor

Aluminum-Framed, Welded Box Infrastructure

Polystyrene 'Block Foam' Insulation

1/4" Luan Panel

Vinyl Vapor Barrier

5/8" Structurewood One-Piece Decking

1/2" 6 lb. Rebond Carpet Pad **

Premium Residential Carpet

Bath/Bedroom Floor

3" Vacuum-Bonded, One-Piece Floor Aluminum-Framed, Welded Box Infrastructure Polystyrene "Block Foam" Insulation 1/4" Luan Panel

5/8" Structurewood One-Piece Decking Premium Residential Carpet

Laminated Construction

Poly-flex 2000 Exterior Vapor Barrier

1/4" Luan Substrate

'Reflectex' Aluminum Bubble Wrap Insulation (R7)

Aluminum Roof Truss with 5" Tapered Box 3/8" Roof Decking R14 Roof Insulation

Radius Aluminum Roof to Wall Transition

EPDM Rubber Roof Membrane-12 Year Warranty Optional: R21 Roof Insulation

MAXXGarage Storage Area Aluminum Luggage Door Frames 1" Thick Luggage Door with Lock Lighted Baggage Areas Ozite-Lined Compartment

Windows, Doors and Awnings

80% Tinted, Radius-Corner, 'Safety Glass,' UV-Rated Windows Transom Window Above Main Slide *** Opaque, Vented Window In Water Closet (NA SideBath Models)

Vented Windows (NA Transom Window)

Egress Window in Bedroom

Domed Tinted Skylight Above Shower

30" Radius-Corner Entry Door with Dead Bolt Lock

8500 Series A&E Awning *

Raised Panel Interior Doors (NA Cherry Wood)

Pivoting, XL Entry-Assist Handle * Optional: Duo-Pane Windows

Optional: Slide-Out Awning Toppers

Optional: Electric Awning

'Draw Tight' Rear Electric Stabilizer Jack *** Deluxe 'Quick Release' Front Jack Pull Pins * Wide Stance Electric Front Jacks 16" Spare Tire with Steel Rim **** Spare Tire Carrier with Lift Kit **** Underbelly (2 piece) - Heated & Enclosed 10" Deep, Steel, Triple-Entry Steps - Frame Welded * Lighted Entry Step Enclosed/Vented Battery Compartment for Dual Battery Design

Molded ABS Fender Wells

Exterior Patio Light * Exterior Hitch Light

Exterior Utility Station *** Gravity Water Fill

Exterior Hot & Cold Shower System **

Black Tank Flush System *

City Water Fill with Locking Protective Door

Utility Light * Cable Hook-up

Phone Hook-up

Satellite Prep *

Rear Ladder ***

Battery Disconnect

Attic Roof Vents (2) *

Drip-Rail Gutter System

Extended Gutter Spout

Interior Systems

Electrical Systems & Light

Centralized Interior Electrical Command Center

50 Amp Electrical Service

Detachable Marine-Grade Power Cord **

55 Amp Converter

110v GFI Exterior Receptacle

12v Battery Convertor/Charger with Overcharge Protection

Dual Battery Configuration

Residential Wall Switches

Dome Pendant Light Above Dinette

Dome Light Above Sofa

Recessed Halogen Puck Lighting ***

Decorative Wall Sconces in Living Room and Bedroom Fluorescent Lighting in Galley and Desk Areas*

Dimmer Switches (2)

Optional: Generator Prep

Optional: Onan Marquis Gold 5.5 kw LP Generator

12 Gallon Gas and Electric Hot Water Heater *** Quick Disconnect, Coiled, 25ft. Hose with Sprayer ** Shurflo Water Pump

"PEX" Polyethylene Tubing

Metal Pressure Fittings

Sewer Hose Storage System

Hot and Cold Water, Low Point Drains 98 Gallon Fresh Water Tank

Gray Water Tank: See Individual Floorplan Specs for Details Black Water Tank: See Individual Floorplan Specs for Details

Remote Water Heater Switch

Washer/Dryer Prep (Stackable Capability) ***

40K BTU Furnace *** Forced Air Ducted Heat

Forced Air Heat in Underbelly 15K BTU Air Conditioner with Quick-Cool Vent ***

Ceiling-Ducted AC Vents

42" Reversible Ceiling Fan with Halogen Light Kit* Mold-Resistant, Aluminum-Wrapped AC Plenum

Prewired and Prepped for 2nd AC *

Optional: Dual (2) Low Profile AC with Heat Pumps Optional: Low Profile 13.5K BTU Bedroom AC-Direct Feed

Optional: Fantastic Fan in Bedroom (NA with Dual AC) Optional: Fantastic Fan in Galley/Main Living Area Optional: Electric Fireplace with 4K BTU Heater

Optional: 12 V Tank Pads

Optional: R21 Roof Insulation

Vinyl 'Soft Touch' Padded Ceiling *** Pre-Drilled & Screwed Hardwood Cabinet Construction Decorative, Stained Hardwood Slideout Fascia ** 6 Panel Doors with Brushed Nickel Designer Hardware

(NA Cherry Wood) ** Howard Miller Designer Clock **

Premium Residential, Nylon Berber Carpet**

1/2" 6 lb. Rebond Carpet Pad **

Overhead Cabinets with Mini-Struts & Top Mount Hinges Solid Wood Steps to Bedroom (NA Side Bath Models) ** Washer/Dryer Prep (Stackable Capability) *** Minimum Ceiling Height 6'7" in Bedroom

'Kingstone' Solid Surface Acrylic Countertops ** Solid Ash, Stained Cabinet Stiles/Frames ** Solid Ash, Raised Panel Cabinet Doors

Solid Ash Drawer Fronts

7-Ply Residential-Grade Plywood Drawer Construction

Stainless Steel Ball-Bearing Drawer Glides **

Ball-Bearing Drawer Catch Ball-Bearing Slide-Out Pantry with Baskets ***

Brushed Nickel Hardware

Austell Glass Inserts with Solid Ash Frames Above Sofa Optional: Granite Countertops

Optional: Cherry Stained Hardwood Cabinetry

Window Treatments

Day/Night Shades *** Mini-Blinds (At Kitchen Sink Window)

Designer Hard Valance Designer Hard Sided, Full Privacy Lambrequins

27" Flat Screen Stereo TV with Remote *** 5-in-1 Home Theater System with Remote ***

Satellite Prep * Cable Jack

TV Antenna with Power Booster

Bedroom TV Prep

Optional: 26" LCD TV in Main Living Optional: 23" LCD TV in Bedroom

Galley Area

Armstrong Linoleum with 'Tough Guard' High-Profile Faucet with Retractable Sprayer * Sink Covers

XL Sliding Pantry with Wire Shelving and Lock ***

Two Designer Dinette Chairs with Below-Seat Storage ** Two Coordinating Folding Dinette Chairs ** Premium King Size Pillow-Top Mattress (NA 31TKS) *** Premium Queen Size Pillow-Top Mattress (31TKS) ***

End Table with Lamp (NA 32TCG & 34TRG) ***

Recliners (1-32TCG, 2-All Other Floorplans) ***

Furniture & Appliances

Free-Standing, Sliding-Top Dinette Table with Flip-Up Storage**

8 cu.ft. Double Door Refrigerator

Solid Ash, Raised Panel Refrigerator Inserts *

Large 1.3 cu.ft. Convection 'Over-the-Range' Microwave with Integrated Exhaust Fan ***

Amana Sealed 3-Burner Stovetop ***

2 Piece Metal Range Cover

Hide-A-Bed Sofa ***

Deep, Residential-Style Double-Bowl Sink

High-Profile Faucet with Retractable Sprayer * All Coach Water Filtration System *

Interior Utility Center

Optional: 10 cu.ft. Refrigerator

Optional: Second 8 cu.ft. Refrigerator (37QSL only)

Optional: Central Vacuum System

Optional: 'Ultra Leather' Recliners (1-32TCG, 2-All Other Floorplans)

Optional: Booth Dinette

Bath Area

One-Piece Fiberglass Shower with Seat ** Rain-Glass Shower Walls & Door

Brushed Nickel Shower Hardware and Wand Large Medicine Cabinet with Vanity Lights & Mirror

Fiberglass Vanity Sink Residential-Style Brushed Nickel Vanity Faucet

Residential-Style, Six-Panel Lavatory Doors with Lever Handle** (NA Cherry Wood)

Thetford Porcelain Bowl Toilet ***

Power Vent

Toilet Tissue Holder Brushed Nickel Bathroom Accessories

Towel Hooks

Towel Bar

Solid Hardwood, Stained Headboard **

Dresser with Overhead Cabinet and TV Prep Solid Wood Window Box with Mirrored Doors

Premium Bedspread Package & Window Coverings **

Below Bed Storage

Front Wardrobe Ensemble Sliding Mirrored Doors with Hanging Storage & Shelf

Drawer Bank with Clothes Hamper ** Washer/Dryer Prep Behind Louvered Doors with Rod

& Shelves** Fire Extinguisher

Dead Bolt Locks on Entry Doors 120V GFI Protected Exterior Receptacles

LP Gas Detector Smoke Detectors

Egress Windows

Safety Glass 10" Deep, Steel, Triple-Entry Steps - Welded to Frame*

Lighted Entry Step

Patio Light * XL Folding Entry-Assist Handle * Interior, Solid Wood Exit Handle Rear Radius Automotive Lamps

Front, Rear & Side Amber Road Lights

* Grand Junction Consumer Convenience Package ** Grand Junction Mile High Premiere Package

*** Grand Junction Easy Living Premium Package **** Grand Junction Touring Performance Package Cabinet Doors on Both Sides of Galley Cabinets (See Floorplan)

Vehicle loading - Every effort has been made to provide the greatest number of options for the recreational vehicle owner. Along with these choices comes the responsibility to manage the loads that are performed by the choices that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreational vehicle. Some optional equipment not included. Net carrying capacity (NCC) is determined by subtracting unloaded vehicle weight (IVW) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only. Warning - This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing and towing instructions. "UVW and Hitch Dry Weight are base weights of units without options. Each unit includes a weight label which lists specific weight information for that unit. Product information, specifications, and photography in this brochure were as accurate as possible at time of printing. Photographs may contain some features that are optional on your vehicle. Since we continually strive to improve our products, actual products may differ. Proces and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features or options may be different or unavailable in Canada. Vehicles are designed for recreational use only and not intended for use as a primary residence. All product brand names used in this protochure are registered redemarks of Thor Industries Inc. Inext 6.12.07.