



2010

**OPEN RANGE AND OPEN RANGE *JOURNEYER* —
A FULL RANGE OF TRAVEL TRAILERS AND FIFTH WHEELS**



On a Mission

At Open Range RV, we are on a mission to...

Fulfill the trailer needs of our dealer base and retail customers, and in doing so, exceed their expectations for service, quality and value.

Earn our dealers', retail customers' and employees' long-term loyalty by delivering more than we promise, in a fair and honest business manner.

Motivate our employees to provide exceptional service and quality to our retail customers and dealers.

Compensate our employees fairly and provide opportunity for personal growth within our company.

Although it is our goal to provide a product that exceeds our customer needs and level of quality, we do not strive to be the biggest or the most profitable. In the end, we believe satisfied customers, dealers and employees will bring growth and long term profitability for all.

For almost 30 years, I have had the great fortune to work in the amazing industry of RV manufacturing. This industry runs through my blood and is the passion of my life. This has been a dream come true for me and my family. I would like to thank everyone who believed in us as an RV Manufacturer. At Open Range our motto is ENJOY THE JOURNEY!

It has been an amazing JOURNEY so far! Come join us on this great JOURNEY, we don't want you to miss another moment of it.

Enjoy the Journey!



Randy Graber, President
Open Range RV Company





385 RLS

COMFORT STYLE SPACE

These pictures highlight the Open Range model 385 RLS. This model comes equipped with luxurious two-tone cabinetry, a stunning 42" LCD flat screen TV, fireplace, slide out desktop, and a pot and pan rack overhanging the galley kitchen featuring Corian® countertops. The three ring wine rack houses your favorite wines. While the matching spice rack, below the galley sink, keeps key ingredients at your fingertips for all your favorite dishes.



337 RLS

Don't miss the new side aisle bathroom! Its large vessel bowl sink and single lever faucet, give this model high marks in fine living. The linen closet contains ample countertop which can also be converted to a washer/dryer cabinet. Open Range placed this feature in the bathroom on Armstrong® linoleum instead of the front bedroom closet on carpeting. You would never have the washer/dryer in your bedroom closet at home! At Open Range, we are committed to combining the conveniences and comforts of home with the freedom of the open road.





Admire the beauty of the 391 RES showcased in the very popular Sheridan décor. A 42" LCD flat screen TV, fireplace, and full panoramic view are just a few of the outstanding features in this model. Open Range believes details are what we do best. We think you will agree once you experience the portable kitchen island with Corian® countertops and the dual functioning ottoman/storage unit. The 391 RES is built to meet all of your entertaining needs from the large opposing slide outs that offer extensive floor space to the full-size residential hide-a-bed sofa. You can just imagine yourself lounging in this model entertaining with no restraints.



Presenting...



Journeyer TRAVEL TRAILERS AND FIFTH WHEELS

Open Range heard its customer call out for a travel trailer that feels like a fifth wheel with a lower price point. Customers also wanted the ability to tow with a smaller vehicle, and still not compromise the quality or integrity of the "Original" Open Range. We have expanded our line to include the Open Range Journeyer travel trailer as well as a select group of fifth wheel Journeyer floor plans. And don't worry; we did not leave out all the extra features and details we are known for! See for yourself on the features and comparisons on back page.













WOW! Here we are in the JT331BHS. This Journeyer Travel Trailer only weighs 7,800 lbs. The stunning feature of the model is the "King Size U-shaped Lounge". This U-shaped dinette and lounge will not make you feel old before your time like other models you may have experienced. This lounge is as comfortable as the furniture in your own living room at home. With the adjustable swiveling dinette tables, it is "easy in" and "easy out". This U-shaped lounge features two air mattress hide-a-beds that can form a king size bed. By using only one of the mattresses, you still have a dinette available.



Notice the 6' slide out ceiling clearance! Clearance others only dream about! Most travel trailers make you feel like you are walking in a cramped tunnel. Not Open Range! Experience it and see the difference. With the 100" wide coach, this travel trailer comes with an island king bed; no other travel trailer delivers such luxury.








LUXURY FIFTH WHEELS





SPECIFICATIONS,
WEIGHTS, AND
EQUIPMENT, SEE
CHART ON INSIDE
BACK COVER

Open Range



Journeyer FIFTH WHEELS



Journeyer TRAVEL TRAILERS



SPECIFICATIONS,
WEIGHTS, AND
EQUIPMENT, SEE
CHART ON INSIDE
BACK COVER



Quality Components for Comfort & Durability

6-LAYER FLOORING

1
2
3
4
5



Rated R-21 Floor

1. "Lite" Plywood Floor
2. Tubular Aluminum Floor Joists
3. R-7 Fiberglass Batting Insulation
4. R-14 Flexfoil Insulation
5. "Darco" Puncture, Tear and Moisture Resistant Underbelly Sheeting
6. 1/4" Corrugated Poly Underbelly (not pictured)

FULLY ENCLOSED UNDERBELLY

protects your Open Range from rocks and dirt, provides insulation
IMPROVES AIR FLOW DURING TRAVEL

UPPER REAR RADIUS CONTOUR FOR AIR FLOW

80% TINTED SAFETY GLASS-WINDOWS

STAINLESS STEEL FOLDING GRAB HANDLE

TRIPLE STAIRSTEPS ARE LOWER TO GROUND



Trailair
EQUA - FLEX Suspension

E-Z LUBE™ AXLES

Repack your bearings without disassembly.



Carrier®
Air Conditioner
with Remote

FAN-TASTIC™ FAN
High Performance for healthy air exchange
(STD. OPEN RANGE, OPT. JOURNEYER)



MAXX-AIR™ VENT COVER
ALLOWS ROOF VENT TO REMAIN OPEN IN TRANSIT



50-AMP HOOK-UP
(OFF-DOOR SIDE)

R-28 INSULATED ROOF



ATTIC VENTS FRONT AND REAR

5-LAYER LAMINATED WALLS (R-9) WITH METALLIC COATED HIGH-GLOSS EXTERIOR (JOURNEYER COATING NONMETALLIC)



EXTRA-LONG WATER SPOUT FOR NON-STREAK RAIN RUN-OFF

UPPER CAP CONTOUR FOR AIR FLOW

LOWER FRONT CAP CONTOUR FOR TIGHT TURNING RADIUS

CAREFREE® POWER AWNING

UTILITY CONVENIENCE CENTER ON OFF-DOOR SIDE



BUILT IN OUTDOOR ENT. CTR. WITH SECURE-LOK™
(STD. OPEN RANGE, OPT. JOURNEYER)




SLIDE-OUT LP BOTTLES
Off-Door Side & Door Side on Fifth Wheels



BUILT-IN KING-PIN STABILIZER JACKS
Easy to operate.

No storage space necessary.
(STD. OPEN RANGE, OPT. JOURNEYER)



"The Open Range is simply the easiest towing fifth wheel we have ever transported, and we have been doing this for over 16 years."

—Jeff and Shelli Douglas
MDC Transport, Inc., Shipshewana, Ind.

Interior Feature Highlights

Decor Schemes and Accents by Open Range's Designers Echo the Latest Luxury Residential Styles and Color Harmonies.

Haversham Decor



Sheridan Decor



Lifelong Decor



Wine Rack



Spice Rack



Pull-out Pantry



Full Extension
Drawer Guides



Curtain & Rod



Pull-out Waste Basket



Spacious Drawers

Open Range Specifications

	280RLS	335BHS	337 RLS	345 RLS	385RLS	391RES	392BHS	399BHS	399DBR,SRL
Sq Ft.	280	335	337	345	385	391	392	399	399
GVWR	10260	12340	12340	12560	13940	13920	13780	13990	13990
*UVW	8113	9113	8825	8950	10560	10380	10780	10995	10995
HITCH WT.	1460	1940	1940	2160	1940	1920	1780	1990	1990
AXLE WT.	6653	7173	6885	6790	8620	8460	9000	9005	9005
GAWR-All Axles	8800	10400	10400	10400	12000	12000	12000	12000	12000
GAWR- Single Axle	4400	5200	5200	5200	6000	6000	6000	6000	6000
Gross NCC	2147	3227	3515	3610	3380	3540	3000	2995	2995
Ext. Length	28'	33'6"	33'6"	34'6"	37'6"	37'6"	38' 9"	38' 9"	38' 9"
Ext. Height	153"	153"	153"	153"	153"	153"	153"	153"	153"
Ext. Width	100"	100"	100"	100"	100"	100"	100"	100"	100"
Water heater	10 gal gas/ elec	10 gal gas/ elec	10 gal gas/ elec	10 gal gas/ elec	10 gal gas/ elec	10 gal gas/ elec	10 gal gas/ elec	10 gal gas/ elec	10 gal gas/ elec
Fresh Water	85 gal	85 gal	85 gal	85 gal	85 gal	85 gal	85 gal	85 gal	85 gal
Gray Water	90 gal	90 gal	45 gal	45 gal	90 gal	45 gal	90 gal	90 gal	90 gal
Waste	45 gal	90 gal	45 gal	45 gal	45 gal	45 gal	90 gal	90 gal	90 gal
LP Gas	80	80	80	80	80	80	80	80	80
Furnace (BTU's)	35,000	35,000	35,000	35,000	40,000	40,000	40,000	40,000	40,000
Tire Size	16"	16"	16"	16"	16"	16"	16"	16"	16"

Journeyer Specifications

	JF280RLS	JF287RLS	JF335BHS	JF392BHS	JT287RLS	JT301BHS	JT315RLS	JT331BHS	JT337RLS
Sq Ft.	280	287	335	392	287	301	315	331	337
GVWR	10175	10175	12340	13755	9380	9775	10400	10400	10400
*UVW	7870	7770	9113	10405	6995	7400	7560	7795	7800
HITCH WT.	1375	1375	1940	1755	580	975	990	725	560
AXLE WT.	6495	6395	7173	8650	6415	6425	6570	7070	7240
GAWR-All Axles	8800/10400	8800/10400	10400	12000	8800	8800	10400	10400	10400
GAWR- Single Axle	4400/5200	4400/5200	5200	6000	4400	4400	5200	5200	5200
Gross NCC	2305	2405	3227	3350	2385	2375	2840	2605	2600
Ext. Length	28'	29'6"	33'6"	38'9"	32'	33'	34'	36'8"	36'
Ext. Height	153"	153"	153"	153"	143"	143"	143"	143"	143"
Ext. Width	100"	100"	100"	100"	100"	100"	100"	100"	100"
Water heater	10 gal gas/elec	10 gal gas/elec	10 gal gas/elec	10 gal gas/elec	10 gal gas/elec	10 gal gas/elec	10 gal gas/elec	10 gal gas/elec	10 gal gas/elec
Fresh Water	85 gal	85 gal	85 gal	85 gal	85 gal	85 gal	85 gal	85 gal	85 gal
Gray Water	90 gal	45 gal	90 gal	90 gal	45 gal	90 gal	90 gal	45 gal	45 gal
Waste	45 gal	45 gal	90 gal	90 gal	45 gal	45 gal	90 gal	45 gal	45 gal
LP Gas	80	80	80	80	60	60	60	60	60
Furnace (BTU's)	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000
Tire Size	15"/16" opt.	15"/16" opt.	15"/16" opt.	15"/16" opt.	15"/16" opt.	15"/16" opt.	15"/16" opt.	15"/16" opt.	15"/16" opt.

*Weights can vary depending on options

Feature Comparisons

INTERIOR FEATURES	Open Range	Journey T/T	Journey FW
Interior width (without slides) 96"	Std	Std	Std
Slide Out Height	6' 5"	6' 0"	6' 5"
42" Deep (Main Slides)	Std	Std	Std
Residential Carpeting and Rebound Padding	Std	Std	Std
Armstrong® Flooring	Std	Std	Std
High Output Range with Large 22" Oven	Std	Std	Std
Maple Glazed Hardwood Raised Panel Doors (10yr.Warranty)	Std	Std	Std
Full Extension Drawer Guides with Steel Ball Bearing Rollers	Std	Std	Std
Flourescent Light with night light over Galley Sink	Std	Std	Std
Pull out Trash Can	Std	Std	Std
Corian® Countertops	Pkg	N/A	N/A
High Pressure Laminant Countertops	N/A	Std	Std
Poly Sink Covers	N/A	Std	Std
Corian Sink Covers	Std	N/A	N/A
Resindential Size Sink Strainers (3")	Std	Std	Std
Extra Large Pots and Pan Drawer in Galley	Std	Std	Std
Portable Laundry Basket (most models)	Std	Std	Std
Washer Dryer Prep (most models)	Std	Std	Std
Glass Shower Door with One Piece Shower Surround	Std	Std	Std
Sky Light over Shower or Tub	Std	Std	Std
Swivel Rocking Chairs	N/A	Std	Std
Wall Hugger Recliners	Std	Opt	Opt
Pressed and Pleated Night Shades	Std	Std	Std
Large Glass Vessel Lavatory Bowl with High Rise Single Lever	Std	N/A	N/A
Porcelain Toilet with Foot Flush and "Water Saver"	Std	Std	Std
Cable Hook Up	Std	Std	Std
Direct Satellite Connection to each TV Jack	Std	Std	Std
Pillow Top 80" Innerspring Mattress	Pkg	Opt	Opt

INTERIOR FEATURES (cont)	Open Range	Journey T/T	Journey FW
80" Innerspring Mattress	N/A	Std	Std
Deluxe Bedspread and Pillow Shams	Std	Std	Std
Rod Iron Headboard Padded	Std	N/A	N/A
1.0 Cubic Ft. Dometic Microwave	Std	Std	Std
Full System Electronic Monitor Panel	Std	Std	Std
Dinette Step Chair	Pkg	Opt	Opt
Residential Hide a bed	Pkg	Pkg	Pkg
Rod Iron Spice Rack	Pkg	Pkg	Pkg
Entertainment Center DVD/CD/MP3/AM/FM/Stereo	Pkg	Pkg	Pkg
Pull out Pantry	Pkg	Pkg	Pkg
Fantastic Fan with Wall Switch	Pkg	Opt	Opt
8 Cubic Refrigerator with "Custom Tempature Control"	Pkg	Pkg	Pkg
35,000 BTU Auto Ignition Furnace (under 37')	Pkg	Pkg	Pkg
40,000 BTU Auto Ignition Furnace (over 37')	Pkg	Pkg	Pkg
Fireplace	Opt	Opt	Opt
19" LCD TV	Pkg	Opt	Opt
Outside Dual Speakers by Doorside Pass Through Storage	Std	N/A	Std
Central Vacumn	Opt	Opt	Opt
TV Antenna with Power Booster	Pkg	Pkg	Pkg

EXTERIOR FEATURES	Open Range	Journey T/T	Journey FW
Contoured Front Cap For Tighter Turning Radius	Std	N/A	Std
Utility Center (Tank Flush, Dump Valves, Spray Hose, TV, Water and Electrical Hook Up)	Std	Std	Std
Battery Disconnect	Std	N/A	N/A
Dexter "EZ LUBE" Axles	Std	Std	Std
"Equa Flex" Rocker Arm Suspension	Std	Std	Std
Front Electric Jacks	Std	Opt	Std
"Heavy Duty" Sizzor Stabilizer Jacks	Std	Std	Std
Exterior Security Lights (doorside and curbside)	Std	Std	Std
"Double" Extension Gutter Rails (No Streaking)	Std	Std	Std

EXTERIOR FEATURES (cont)	Open Range	Journey T/T	Journey FW
Stainless Steel Assist Grab Handle	Std	Std	Std
50 Amp Service/ Wired for 2nd AC	Std	Std	Std
16" Aluminum Wheels	Std	Opt	Opt
Rear Ladder	Std	Std	Std
Dual LP Bottles with Slide Tray	Std	N/A	Std
Rear Fiberglass Cap	Std	N/A	N/A
Water Heater By Pass Kit	Std	Std	Std
Winterizing Siphoning Hose	Std	Std	Std
Heavy Tint Safety Glass Windows	Std	Std	Std
Gel Coated Fiberglass Walls	N/A	Std	Std
High Gloss Metallic Gel Coated Walls	Std	N/A	N/A
"Secure Lock" Baggage Doors	Std	Std	Std
Under Mount Crank Down Spare Tire	Std	Std	Std
10 Gal Gas and Electric DSI "Quick Recovery" Water Heater	Pkg	Pkg	Pkg
Carrier® 15,000 BTU Ducted Air Conditioner	Pkg	Pkg	Pkg
Winegard® TV Antenna with Power Booster	Pkg	Pkg	Pkg
Carefree Power Awning	Pkg	Pkg	Pkg
"Built in King Pin Stabilizer" Patent Pending	Pkg	N/A	Opt
MaxxAir Vent Cover	Pkg	Pkg	Pkg
R 9 Walls, R 28 Roof, R 21 Floor	Pkg	Pkg	Pkg
Heated and Inclosed Underbelly, Holding Tanks and Dump Valves	Pkg	Pkg	Pkg
Heated Pass Through Storage Compartment	Pkg	Pkg	Pkg
Double Insulated Baggage Doors	Pkg	Pkg	Pkg
2nd Air Conditioner in Bedroom	Opt	Opt	Opt
Dual Pane Windows	Opt	Opt	Opt
Power Stabilizers Jacks	Opt	Opt	Opt
Slide Out Awning Covers	Opt	Opt	Opt
Generator Prep	Opt	N/A	Opt
Dual Pane Windows	Opt	Opt	Opt

EVERY OPEN RANGE FIFTH WHEEL & TRAVEL TRAILER IS PROTECTED BY A 2-YEAR (LIMITED) TRANSFERABLE WARRANTY

Your Open Range Dealer:



Open Range RV Company, 3195 N. S.R. 5, Shipshewana, Indiana 46565
Phone: (260) 768-7771 • E-Mail: openrangerv@openrangerv.com

Due to continual research and advances, manufacturer reserves the right to change specifications, design, price, and equipment without notice, and assumes no responsibility for any error in this literature. Some items shown are not included as standard or optional equipment. ©2007, Open Range RV Company, Shipshewana, Indiana SP 11-08 30M

