

Surf Side



LIVING SPACE

Surf Side provides features and amenities far beyond what its modest price would suggest. A 6' 10" interior height and a variety of spacious floor plans provide big-coach livability in lengths ranging from 29 to 34 feet! The large 30" wide entry door permits easy entry, even when carrying a load of groceries for an extended stay. Thoughtful touches such as easyto-clean, full vinyl flooring in high traffic areas, smart storage solutions and high quality fabrics and materials make Surf Side the perfect RV for younger families and new motor home enthusiasts.



Main: DS32C • Carlsbad • Natural Maple
Below left: DE34E • Baycliff • Natural Cherry
Below right: DE34E • Smart storage space under kitchen counter



Built for Adventure









Genuine Corian Counter Top: Like all National RV motor homes, Surf Side features an expansive kitchen counter topped with genuine, ½" thick residential grade Corian® solid surface. No counter surface beats Corian® for durability and lasting beauty.

Kustom-Fit® Seating: Cold-poured seat foom retains its shape and integrity better than glued foom blocks in competitors's seats, and carries a ten year warranty. Welded tubular steel seat frames carry a lifetime warranty.



One-Piece Fiberglass Shower: The strengthening ribs inlaid into the fiberglass shower provide an unyielding, firm shower floor. One-piece design has no seams for moisture to penetrate.

INNOVATION

Vacationing together creates memories that families will treasure forever. That's why Surf Side provides comfortable accommodations for the whole family. Model DE34E (shown here) boasts two separate bedrooms. The "bunk house" can even be equipped with the optional dual-LCD screen DVD entertainment system for the kids (also shown). Other models feature split bathrooms, side aisles and several combinations of room-expanding slideouts. Like every National RV, Surf Side features a residential quality one-piece fiberglass shower, genuine Corian® kitchen counter top and comfortable, durable Kustom-Fit cockpit seating.







CONSTRUCTION

Surf Side's patented DuraFrame®

Chassis System and rigid tubular steel

coach body framework provide strength



and integrity
that will last
for years.
Side-opening,
formed
aluminum
compartment
doors provide
easy access
to the huge

basement storage bays. Custom partial paint exterior graphics in a choice of two color schemes stylishly set Surf Side apart from its "entry level" competition.

Above: SE33B • Flagstaff

Below: Side-opening aluminum compartment doors

Built to last



EXPERIENCE THE NATIONAL RV ADVANTAGE!



DuraFrame®: A patented chassis system engineered to provide most of the necessary coach strength below the floor line, relieving stresses from the coach body components and contributing to a lower center of gravity.



Coach Body Construction: Roof, sidewalls and floors constructed of durable tubular steel frames with sturdy block foam insulation, vacuum-laminated to form a permanently bonded, extremely rigid coach body.



DuraSlide®: Flush-wall slide-out seals are a testament to the coach rigidity provided by the DuraFrame®. Double bulb wiper seals provide an insulating layer of dead air as well as a tight moisture seal to keep drafts and water outside whether the slide is in or out.

COACH BODY CONSTRUCTION

Duraframe® patented steel sub floor construction Steel framed laminated floor Steel framed crowned laminated fiberglass roof Steel framed laminated fiberglass high gloss Steel framed laminated fiberglass high gloss sidewalls Front and rear molded high gloss fiberglass caps and integrated bumper assembly Electric slide-out room(s) Steel framed exterior storage compartment doors with gas struts, side-hinged for easy access on most applications Steel framed exterior storage compartments with insulated floors		
Steel framed crowned laminated fiberglass roof Steel framed laminated fiberglass high gloss sidewalls Front and rear molded high gloss fiberglass caps and integrated bumper assembly Electric slide-out room(s) Steel framed exterior storage compartment doors with gas struts, side-hinged for easy access on most applications Steel framed exterior storage compartments with S	Duraframe® patented steel sub floor construction	S
Steel framed laminated fiberglass high gloss sidewalls Front and rear molded high gloss fiberglass caps and integrated bumper assembly Electric slide-out room(s) Aluminum exterior storage compartment doors with gas struts, side-hinged for easy access on most applications Steel framed exterior storage compartments with	Steel framed laminated floor	S
sidewalls Front and rear molded high gloss fiberglass caps and integrated bumper assembly Electric slide-out room(s) Aluminum exterior storage compartment doors with gas struts, side-hinged for easy access on most applications Steel framed exterior storage compartments with	Steel framed crowned laminated fiberglass roof	S
and integrated bumper assembly Electric slide-out room(s) Aluminum exterior storage compartment doors with gas struts, side-hinged for easy access on most applications Steel framed exterior storage compartments with	0 0	S
Aluminum exterior storage compartment doors with gas struts, side-hinged for easy access on most applications Steel framed exterior storage compartments with S		S
with gas struts, side-hinged for easy access on most applications Steel framed exterior storage compartments with S	Electric slide-out room(s)	S
	with gas struts, side-hinged for easy access on	S
		S



Black aluminum rear ladder	S
Awning rail with integrated rain gutter and drip spouts	S
Automotive undercoating	S
Steel insulated front bulkhead	S
Custom partial body paint with deluxe vinyl graphics in two color schemes	S
Protective film front mask	0
6' 10" interior height	S
Fuel fill door in rear bumper	S
Rear ladder	0
COCKPIT FEATURES	
Big button AM/FM cassette stereo and CD player with four speakers	S
Dash stereo input jack for MP3 player	S
Sirius® satellite radio module with 6 month subscription	0
Rear vision system with cockpit monitor and black and white motorized rear camera with built-in microphone	0
Driver and passenger reading lights with switches	S
Custom designed dash with full gauge package	S
Pantographic windshield wipers	S
Power steering	S
Electronic cruise control	S
Tilt steering wheel	S
Two 2-speed overhead dash fans	0
High-mounted white, power, heated convex rear view mirrors	S
Passenger work station with 12V/120V receptacle and phone jack	S
Padded vinyl sun visors with map pocket	S
Wrap-around privacy curtain with easy reach wand	S
4-point hydraulic leveling jacks with dash mounted controls	S

Generator hour meter and auxiliary start switch on dash	S
Floor mats	S
APPLIANCES & ACCESSORIES	
6 cu. ft. double door refrigerator	S
High output 3-burner cook top with range/oven	S
Microwave oven	S
Convection microwave oven (replaces standard microwave and range/oven)	0
Cable TV hook-up and multiple telephone jacks	S
TV antenna	S
24" flat screen TV in living area (above cockpit)	S
20" flat screen TV with front A/V jacks in bedroom	
Video control box with antenna boost	S
DVD/VCR combo player with remote	0
Home theater entertainment package (includes DVD/VCR digital receiver and subwoofer/speaker system)	0
Pre-wired for satellite dish	S
Bunk house entertainment package (includes two 8" LCD monitors, two wireless headphones and DVD player) (DE34E only)	0
Kingdome® automatic stationary satellite dish	0
Exterior entertainment center	0
Convenience package (includes four 2-way radios, rechargeable flash light & vacuum, exterior shower, soap dispenser & paper towel holder)	0
PLUMBING SYSTEMS	
Coach Exterior	

Coach Exterior	
Heated systems compartment with easy access	S
to hook-ups	
On demand water system and water pump	S
Holding tank rinsing system (black tank only)	S
Winterization antifreeze inlet to pump	S
Outside shower	S
Water heater bypass valve	S
Pressurized water fill with integrated regulator	S
6 gallon LPG water heater with electric ignition	S
Kitchen Area	
Water filter	S
Single lever faucet with side sprayer	S
Bath Area	
One piece fiberglass shower	S
Handheld shower head with flexible hose	S
Single lever lavy faucet	S
SAFFTY FEATURES	

SAFETY FEATURES

Fog lights	S
Driver and passenger three point seat belts	S
Dead bolt lock on entrance door	S
Fire extinguisher	S
Smoke, carbon monoxide (CO) and LPG detectors	S
Emergency exit window	S
Daytime running lights (CSA units only)	S
Rear third brake light	S
Exterior entry assist handle	S
Interior entry assist handle	S
FURNITURE	
IZ i Fina (I · I · I · I · I · I · I · I · I · I	

Kustom Fit® fabric driver and passenger recline seats with swivel bases	er S
Kustom Fit® fabric driver recliner seat with swiv base	el S
Kustom Fit® fabric jacknife-type sleeper sofa	S

Kustom Fit® fabric sofa love seat (SE33B and DE34D only)	S	
Kustom Fit® soft touch Optimaleather® driver seat, passenger seat and sofa	0	
Freestanding fabric barrel chair (DS32C only)	S	

rreestanding tablic barret chair (D332C VIII)	3
INTERIOR	
Throughout	
Natural Maple finish doors and paneling	S
Natural Cherry finish doors and paneling	0
Carpeted ceiling material	S
Telestrut hardware on overhead doors and positive catches on others	S
Drawers with ball bearing roller guide design	S
Full vinyl tile flooring	0
Mini-blinds with valances	S
Day/night shades with designer valances (N/A in kitchen)	0
Living Area	
Booth dinette with under-seat storage cabinets	S
Free-standing dinette (SE33B and DS32C only)	0
Plush carpet with deluxe pad	S
(2) wood folding chairs	0
Kitchen Area	
Pantry (N/A on DE34D)	S
Corian® kitchen counter top	S
Corian® counter top extension	0
Large stainless steel under mount dual sink	S
Wood cutting block sink cover	S
Wastebasket	S
Bath Area	
Designer vinyl flooring	S
Decorative glass shower door	S
Laminate lavy counter top	S
Medicine cabinet	S



Bedroom Area	1	
Plush carpet with a	deluxe pad	S
Bedspread, pillow	rs and shams	S
Queen bed with u	under-bed storage compartment	S
Second bedroom	with (2) bunk beds (DE34E only)	S
ELECTRICAL SYS	TEMS	
50 Amp 120V dis	tribution panel	S
50 Amp power co	ord	S
12V re-settable pu circuit breaker dist		S
	Nicrolite series generator	S

(1) 12V chassis battery	5
Battery disconnect switch for house batteries	5
Systems monitor panel	5
Porch light with interior switch	5
120V patio receptacle and telephone jack	5
Recessed incandescent lights in ceiling	5
Designer light fixtures in living areas	5
Cosmetic light in bathroom	5
Three water pump switches (kitchen, bathroom and exterior plumbing service station)	5
Battery voltage meter in monitor panel	5
GFI protected electrical circuit	5
Courtesy light at entry-door switch panel	5
Ligities exterior ererage comparimente and	5
service area	
Pre-wired for trailer brake controller	5

WINDOWS, DOORS & AWNINGS

Radius tinted safety glass windows	S
Dual pane radius tinted safety glass windows	0
Manual patio awning with vinyl cover	S
Bedroom rear picture window (N/A on SE33B)	S
30" wide radius entrance door with clear glass, shade and screen door	S
Power entrance step with light and anti-skid surface	S
Ventilated windows on sides of slide-out rooms (lounge slides only)	S
Slide-out topper awnings	S
Window in private toilet room (DS32C only)	S
Tinted skylight in bathroom	S

CLIMATE CONTROL

CEMIAIE CONTROL	
Thermostatically controlled 13,500 BTU ducted roof air conditioner	S
11,000 BTU second roof air conditioner (requires optional 5.5 kW generator)	0
35,000 BTU electronic ignition furnaces	S
Ducted heating system	S
Pre-wire for 12V Fan-Tastic® vent with wall thermostat & rain sensor in bedroom	S
12V Fan-Tastic® vent with 3-speed exhaust fan in galley	0
12V roof exhaust fan in bathroom and galley	S
Non-powered roof vent in bedroom	S
Dash automotive heating and air conditioner system with defroster	S


CHASSIS SPECIFICATIONS


Chassis	Ford Super Duty F-53				
Tires	Goodyear RV 245/70R19.5				
Wheels	Steel wheels with stainless steel wheel simulators				
Brakes	4-wheel disc ABS with hydro- boost				
Drive Axle Ratio	5.38:1				
Fuel Capacity	75 gallons				
Hitch	5,000 lbs. class III with 7-pin electrical connector				
Alternator	130 Amp				
Chassis Warranty	3 years/36,000 miles				


DRIVETRAIN SPECIFICATIONS


Engine	Ford Triton V-10 (6.8L)
Peak Horsepower	362HP @ 4,750 RPM
Peak torque	457 lbs./ft. @ 3,250 RPM
Engine Warranty	3 years/36,000 miles
Transmission	Ford Torq-Shift™
Transmission Type	5-speed automatic
Trans Warranty	3 years/36,000 miles











INTERIOR DECORS

EXTERIOR COLORS

BAYCLIFF



BOCA RATON



CARLSBAD



WOOD FINISHES



Natural Maple



Natural Cherry

2007 Surf Side



NATIONAL R.V., INC.

3411 N. Perris Boulevard Perris, California 92571 (800) 322-6007 • Fax (951) 943-8498

www.nationalrv.com

©2006 National R.V., Inc. Colors, equipment and specifications depicted in this brochure are subject to change without notice. Please verify the actual equipment installed on any specific motorhome prior to purchase.



Holdings, Inc., a public company whose shares are traded on NYSE Arca under the symbol NVH. Please see www.nrvh.com for more information.







WEIGHTS & MEASUREMENTS

WEIGHT RATINGS (POUNDS)	DS29A	SE33B	DS32C	DE34D	DE34E
Gross Vehicle Weight Rating (GVWR)	18,000	20,500	20,500	20,500	20,500
Gross Combined Weight Rating (GCWR)	23,000	26,000	26,000	26,000	26,000
Front Gross Axle Rating	7,000	7,000	7,000	7,000	7,000
Rear Gross Axle Rating	11,000	13,500	13,500	13,500	13,500
MEASUREMENTS	DS29A	SE33B	DS32C	DE34D	DE34E
Wheelbase (in)	190	208	208	228	228
Overall Length	29′ 10″	33′ 10″	32′ 10″	34′ 10′	34′ 10′
Overall Height (add 7" for satellite dish)	12′ 1′′	12′ 1′′	12′ 1′′	12′ 1′′	12′ 1′′
Interior Height	82"	82"	82"	82"	82"
Interior Width	97 1/2"	97 1/2"	97 1/2"	97 1/2"	97 1/2"
Exterior Width	101 1/4"	101 1/4"	101 1/4"	101 1/4"	101 1/4"
TANK CAPACITIES (GALLONS)	DS29A	SE33B	DS32C	DE34D	DE34E
Water Heater	6	6	6	6	6
Fresh Water (including water heater)	74	74	74	74	<i>7</i> 4
Gray Tank	45	42	42	42	42
Black Tank	40	40	41	40	40
LP-Gas (liquid volume)	20	20	20	20	20

NOTE: Colors, equipment and specifications depicted in this brochure are subject to change without notice.

YOUR AUTHORIZED SURF SIDE DEALER IS: