### 2009 ARE Toy Hauler

#### Optional Features

Air Conditioning and Heating

15M Penguin Central Air Conditioner Extra 13.5M Penguin Central Air Conditioner in Bedroom

Wire and Brace for Second Air Conditioner

Appliances and Accessories

Icemaker Added to Refrigerator\* Norcold® 10 cu. ft. Refrigerator 30" Convection Microwave and Three-Burner Cooktop Central Vacuum with Floor Port and Deluxe Tool Kit

19" LCD TV in Bunk/Loft Area 19" LCD TV in Garage

KICKER® Sound System

Convenience Package:
Pillow-Top Mattress, Sofa/Bed Pillows and Hair Dryer
Prep for Ground Tripod Satellite Dish with
Phone, TV Jack and Receptacle

Washer/Dryer Prep One-Piece Washer/Dryer

DVD Player in Bedroom High-Definition Wiring with Selector Switch

Cabinets and Furniture
Fall Spice Cabinetry

Titanium Cabinetry
Freestanding Dinette Table with Two Chairs
Two Fixed Dinette Chairs

Two Folding Dinette Chairs

Combination U-Dinette and Sofa

King Bed

Bunk Beds with Electric Bed Loft in Garage

**Electrical Features** 

5.5 kW Cummins Onan® Generator with Auto Changeover and Gen Prep Gen Prep (Includes Energy Command, Start Switch and

Fuel Tank with Gauge)

1,200 Watt Inverter with Four 12V Batteries
Solar Prep

Exterior Features

Fluorescent Ceiling Lights

Painted Graphics

One Exterior Pullout Storage Tray Entry Porch with Collapsible Handrail at Front Entrance Door

Interior Features

Ceramic Tile Floor in Kitchen, Bathroom and Living Room

Vinyl Tile Floor in Kitchen, Bathroom and Living Room

Polished Coviens Kitchen Counterton and

Polished Corian® Kitchen Countertop and Non-Polished Corian® Bathroom Counterto with Integrated Bowls

Plumbing and Bath Features

Fiberglass Tub with Glass Door 12V Heat Pads for Holding Tanks (N/A on CSA)

Windows, Awnings and Vents

Carefree® Power Side Awning
Create-A-Breeze Vent with Automatic Lift
in Kitchen and over Bathroom Sink
Double-Pane Tinted Safety-Glass Windows
Screen for Rear Cargo Door

Chassis Features

MOR/ryde® Rubber Pin Box Electric Over Hydraulic Disc Brakes Rear 12V Power Twin Stabilizer Jacks

#### Standard Features

#### Air Conditioning and Heating

15M Brisk Air Central Air Conditioner with Cold Air Ducted into Garage

Two 30 lb. Propane Gas Bottles with Auto Regulator

35,000 BTU Furnace with In-Floor Ducted Heat

Propane Leak Detector

#### Appliances and Accessories

12 Gal. Gas/Electric Water Heater with Direct-Spark Ignition

Microwave Oven

Three-Burner Cooktop with Oven and Piezo Ignition

Metal Bi-Fold Cooktop Cover

Range Hood with Light and Fan Corian® Knife Block behind Range

40" LCD TV in Living Room\*
26" LCD TV in Living Room Entertainment

Surround Sound System with AM/FM Radio, DVD, CD and Sub Woofer

19" LCD TV in Bedroom Norcold® 8 cu. ft. Refrigerator

Cable TV Connection with RG-6 Coax TV Antenna with Two Interior Jacks and Video Selector Switch

Living Room Ceiling Fan

Black-Panel Refrigerator Front Magazine Rack in Water Closet

Roof-Mounted Satellite Dish Prep

Exterior AM/FM/CD Radio with Two Outside and Two Garage Speakers Fire Extinguisher, Smoke Detector and

#### Cabinets and Furniture

Carbon Monoxide Detector

Baltic Beech Cabinetry with Hardwood Raised-Panel Cathedral Overhead Cabinet Doors

Built-In Booth Dinette

Hide-A-Bed Sofa with ComfortAire Mattress\*
Two Bar Stools\*

Shoe Storage Shelves in Front Wardrobe Metal Drawer Guides

Laminate Countertop with Hardwood Trim in Kitchen with Acrylic Sink

Laminate Countertop with Hardwood Trim in Bathroom with Acrylic Sink

One Teflon® Sink Cover
Kitchen Countertop Extension

Pullout Pantry with Fixed Shelves\*

Molded Silverware Divider Tray Metal Storage Cabinet in Garage

Queen Bed with Quilted Bedspread and Shams

Lifts on Bed Top

Pullout Step-Stool with Storage in Bathroom Cabinet

Your Official X-Aire Dealer:

#### **Electrical Features**

110V Exterior Receptacle 12V Lighting throughout (Except Dinette)

Incandescent Lighting in Garage
Wall Reading Lights in Living Area Slideouts
50 Amp Electrical Service with Flexible

75 Amp Converter
Dual Battery Box Compartment

Three Exterior Security Lights
Extra Exterior TV Jack

Manually Operated Hold-To-Run Slideout Switch

Command Center above Entrance Door

#### **Exterior Features**

Burnt Orange Graphics with Painted Skirt 30" Radius Main Entry Door and 26" Door at Garage

Triple Step at Main Entrance Door
Cargo Hook in Exterior Storage Area
Lighted Exterior Storage Compartment

Extendable Grab Handle at Main Entrance Door with Small Grab Handle at Garage Door

Fueling Station with 30 Gal. Tank Side Ladder

#### Interior Features

Padded Vinyl Ceiling Panels

Deluxe Carpeting with High-Density Padding in Living Room and Bedroom Vinyl Floor in Kitchen, Living Room and Bathroom

Day/Night Pleated Window Shades with Jabots in Living Room and Bedroom Snap Blinds in Garage

Mini Blinds in Kitchen and Bathroom Decorative Wall Border

Interior Assist Handle at Main Entry Door Kitchen Wastebasket

Flat-Panel Interior Passage Doors Quilted Fabric Headboard

Thick-Ply Thermoplastic Olefin Black Diamond Flooring in Garage Built-In Landing Strips in Garage

#### Plumbing and Bath Features

Demand Water System with SHURflo® Pump Bathroom Accessories: Toilet Paper Holder and Towel Bar

Shower with Glass Door Adjustable-Height Shower Head

High-Rise Kitchen Faucet with Pullout Sprayer Medicine Cabinet with Deluxe Lighting

Monitor Panel Sewage Holding Tank Rinse

Sewage Holding Tank Rinse Sewage Hose Storage Tray

#### Plumbing and Bath Features (cont.)

Hot/Cold Exterior Faucet with 15' Coil Hose and Sprayer Thetford™ Aqua Magic II Toilet with

Sprayer Attachment
In-Line Water Filter for Entire Unit

In-Line Water Filter for Entire
Water Heater Bypass

#### Construction Features

12" I-Beam Custom-Built Frame 5/8" Structurwood® Floor Decking Aluminum Framed Sidewalls, Roof, Front and Rear on 16" Centers BriteTEK" Roof with Walkable Decking

and Radius Aluminum Roof Wrap Gelcoated Exterior Sidewalls

Gelcoated Fiberglass Front End Cap and Rear Cargo Door

Enclosed Underbelly with Sheets of Industrial Strength Black Plastic, Ducted Heat and Insulation

PolarPak R-19<sup>™</sup> Insulation in Roof, Floor and Front End Cap

Composite R-Values: Roof: R-21 Floor: R-24 Sidewall: R-8

#### Windows, Awnings and Vents

Create-A-Breeze Vent with Auto Lift in Bathroom and Loft Area

Carefree® Fiesta LTD Armored Side Awning Dark Tinted Safety-Glass Windows Skylight in Bathroom\*

Ram Air Vent System in Garage
Window above Main Slideout Room

#### Chassis Features

Shock Absorbers

16" Tires and Spare Tire MOR/ryde® LRE Suspension with EZ Lube® Axles

Extended Pin Box

Polished Aluminum Wheels
Power Front Jacks

Quick-Release H/D Pin for Front Jack Legs Rear Stabilizer Jacks (1 Pair)

\*Check with Dealership on Floorplan Availability




WHEN YOU KNOW THE DIFFERENCE"

#### NEWMAR CORPORATION

355 N DELAWARE ST PO BOX 30 NAPPANEE IN 46550-0030 574-773-7791 Fax 574-773-2895

www.newmarcorp.com

Some features in our literature are optional. Colors and finishes are photographic representations. The actual materials may look different. Prices, specifications and floorplans are subject to change at Newmar's discretion, without prior notice or obligation. Please see your dealer for actual samples and specifications. ©2008 Newmar Corporation. Litho in USA, NEW21501 3/08-20M





## Grab Some Grub in Style

The loft area, pullout sofa and dinette all convert into sleeping areas (some models sleep up to 12) so there is plenty of room for old and new friends alike to rest their tired bodies after a long day of playing.

The AM/FM stereo with CD player cranks out your favorite tunes from breakfast to nightcap. Enjoy a late-night movie or catch an afternoon talk show on the LCD TV with pre-wired satellite hook-up and optional high-definition wiring.



### Extra Mile Differences

The Newmar-Originated Slideout, with its 2x4 steel rails and massive reinforcement, is the strongest, most reliable and most durable on the market. A superior-strength platform results from welding hefty guide rail tubes to both mainframe rails and welding

extra reinforcement into the system. Closed-channel frames keep small animals and outside debris from entering the coach.





Store all your travel needs in the SuperStorage™ wardrobe, bedroom vanity and underbed storage area.

# but Last Last Con Last Control of the Mark Con

Inbox Reply All Forward Delete Prev Next

From: Mark

To: Tony Subject: Havin' a blast

Man, do I have some stories for you! This trip has been a blast. After spending all day in the sun and dirt, I'm ready to hit the sack. But I tell ya, this X-Aire is like sleeping in a hotel room! Kickin' back on the queen-sized bed in front of the LCD TV is just what my body needs after a day of playing. Tell ya more later.

Outta here, Mark



#### The Total Comfort® Dual In-Roof Ducting System



was engineered by cooling experts especially for Newmar. With multiple strategicallyplaced vents, the system provides true central air conditioning for unparalleled cooling efficiency, balance and whisper-quiet operation.



Convert the garage into a place of rest with two optional beds. The lower bunk can also act as two back-to-back couches so you can enjoy the view or watch your favorite shows on the LCD TV. An optional pull-down screen keeps the area free of insects and debris.







## Come Out and Play

The durable 3,000-pound capacity ramp door with low ramp angle can handle any load brought its way. The ramp features near-effortless opening and closing without pinch-prone springs. The lockable latches are hidden but readily accessible behind the patent-pending cap for a completely finished look.

7/1/5



The spacious garage holds all your toys and gear...from quads to show dogs to antiques, and everything in between. Built-in landing strips securely anchor your valuable cargo.

The thick-ply Thermoplastic Olefin (TPO) black diamond flooring is petro-chemical and slip resistant. It is much tougher than linoleum or painted floors, and it ensures a safe area thanks to its easy clean-up.

Access just got even easier with the optional sliding porch and exterior pullout storage tray.





(optional) Galaxy

(standard) Yellow Flam



**Newmar Builds Walls and Roofs** residential-style, with studs located 16 inches on-center. Extra C-channel aluminum studs and extra welds may cost more, but they provide a superior



wall structure. Stud construction also allows for residential-style wiring and conveniently located switches. Walls and wall studs, ceilings and rafters, are then bonded with a technologically-advanced adhesive, Sikaflex®, that is durable and flexible to absorb and soften the effects of travel.

# Can You Handle This?

#### **Newmar Express Limited Warranty**

As proof of our commitment to you, we at Newmar back every X-Aire fifth wheel with our industry-leading, one-year Newmar Express Limited Warranty. Ask your dealer for details.

#### Your X-Aire fifth wheel reflects Newmar's long history of product innovation and industry "firsts." It's a showcase for Newmar value.

- A. Aerodynamic Gelcoated Fiberglass End Caps
- **B.** Gelcoated Exterior Sidewall
- C. Dark Tinted Safety Glass **D.** Dual Battery Box (4 with option)
- E. Molded Lower Sidewall Skirting and Gooseneck
- F. Pass-Through SuperStorage™
- G. Power Front Jacks with Manual Override
- H. EZ Lube® Hubs
- I. MOR/ryde® LRE Suspension
- J. Thermoplastic Olefin (TPO) Black Diamond Flooring
- K. 12" I-Beam Custom-Built Frame
- L. Full-Height Frame Outriggers M. Heavy-Duty Ramp Door -3,000 lb. Rated Capacity


- N. Recessed Gas Struts for Ramp Door Lift Assist
  - O. 16" O.C. Aluminum Sidewall Studding
  - P. 16" O.C. Aluminum **Roof Rafters**
  - Q. Walkable Roof Decking
  - R. BriteTEK™ Roof
  - S. 15,000 BTU Total Comfort™ **Ducted Air Conditioning**
  - T. Radius Aluminum Roof Wraps

If any part of your Newmar recreational vehicle superstructure (which is the steel/ aluminum structure of the sidewall, roof or frame) fails to perform properly within five years, from the date of purchase, due to faulty workmanship or material supplied by Newmar, it will be repaired without charge for either parts or labor by Newmar. This structural warranty is available only to the original purchaser and is non-transferable.

The Limited Five-Year Structural Warranty



- **RA.** Strong, Durable BriteTEK™ Roof
- **RB.** 9mm Plywood Decking
- RC. Aluminum Rafter Framing
- RD. Central Air Conditioning Ducting
- RE. Sikaflex® Adhesive RF. R-19 Fiberglass Batten Insulation
- **RG.** Aluminum Stringer Framing
- RH. 3/16" Plywood Ceiling Panel
- RI. Vinyl Overlay



**WA.** Gelcoated Fiberglass Exterior Sidewall

**WB.** 3/16" Plywood Exterior Wall

WC. Sikaflex® Adhesive WD. Aluminum Framing

with C-Channels WE. R-7 Fiberglass Batten

Insulation **WF.** 3/16" Plywood

Interior Wall WG. Vinyl Overlay

Wall R Value =

FA. Carpet/Vinyl Floor FB. Residential-Grade Carpet Padding FC. 5/8" Floor Decking FD. Foam Panel for Added Insulation and Noise Reduction FE. Aluminum Heat Ducting FF. 2" x 3" Wood Floor Joists FG. R-19 Fiberglass Batten Insulation

FH. Continuous Corrugated Plastic

Floorplans

• Exterior AM/FM radio with CD player and

remote, two exterior speakers and two

Optional KICKER® sound system upgrade with 350-watt,

4-channel power amplifier, 6-inch coaxial speakers and

in the garage.

Tire Size

App. Length

App. Height

Grey (gal.)

App. Dry Weight

App. Hitch Weight

Sewage Cap. (gal.)

App. Hitch Height Heat Cap. (BTU)

Fresh Water (gal.)

GAWR

GVWR

Width

235/85R16-E

6,000

21.000

40' 8'

12' 11"

14.815

3,405

42

35,000

10-inch subwoofer.



					Heat Cap. (BTL	J)
12'(	SARAGE S	LOFT STORAGE		CHEST OF DRAWERS TV OHC SHELLES	Westerior Brooks	
			REFRIG OHC ®			

_	12	' GARAG		0HC 42" 88" SOFA BUILT-RN HIDE-A-BEID UNETTE	
RAMP DOOR	GARAGE	ЭНО	LOFT STORAGE	TOO STOOL STOOL SHOWE	
-				REFRIG OHC © ©	

#### Inbox Reply All Forward Delete From: Landon To: Trey Subject: Check it Out You asked me what makes the X-Aire different? Well, check it out. Here are just a few examples for ya. Not too shabby, huh? • Standard 16-inch, 8-lug nut, E-rated tires with polished aluminum wheels. Convenient, standard fueling station. • Optional MOR/ryde® pin box for smoother towing.

Compose Sent Mail

XAFW 35CKRG 235/80R16-E

6.000

21,000

12' 11"

14,625

3,365

105

42

35,000

Tire Size

GAWR

GVWR

App. Length App. Height Width

Grey (gal.)


App. Dry Weight

App. Hitch Weight

Fresh Water (gal.)

Sewage Cap. (gal.)

App. Hitch Height





Model	XAFW 39HGSH
Tire Size	235/85R16-E
GAWR	6,000
GVWR	21,000
App. Length	42' 5"
App. Height	12' 11"
Width	101"
App. Dry Weigh	t 15,350
App. Hitch Weig	ht 3,530
Fresh Water (gal	.) 105
Grey (gal.)	84
Sewage Cap. (ga	al.) 42
App. Hitch Heig	ht 47"
Heat Cap. (BTU)	35,000

Model 2	KAFW 39KSTH
Tire Size	235/85R16-E
GAWR	6,000
GVWR	21,000
App. Length	41' 11"
App. Height	12' 11"
Width	101"
App. Dry Weight	15,115
App. Hitch Weigh	t 3,475
Fresh Water (gal.)	105
Grey (gal.)	84
Sewage Cap. (gal	.) 42
App. Hitch Heigh	t 47"
Heat Cap. (BTU)	35,000



Compose Sent Mail Get Mail

Inbox Repty Repty All (Forward ) Deletts Prew Next Take a look at this awesome jump!

Vinyl Flooring -Galaxy Decor


(O<sub>ptional)</sub> Ceramic Tile


(O<sub>ptional)</sub> Ceramic Tile


Baltic Beech

(Optional) Fall Spice












GVWR	21,000
App. Length	43' 4"
App. Height	12' 11"
Width	101"
App. Dry Weight	14,850
App. Hitch Weigl	nt 3,415
Fresh Water (gal.	) 105
Grey (gal.)	84
Sewage Cap. (ga	l.) 42
App. Hitch Heigh	
Heat Cap. (BTU)	35,000
Model	XAFW 41Ck



option available on 39KSTH and 40CKSH.

U-Dinette/Hide-A-Bed option available on 38CKTH

and 39HGSH.

U-Dinette/Hide-A-Bed option available on 41CKEE and 41CKLG.

Vinyl Floor

Model	XAFW 41CKLG
Tire Size	235/85R16-E
GAWR	6,000
GVWR	21,000
App. Length	43'1"
App. Height	12' 11"
Width	101"
App. Dry Wei	ght 14,850
App. Hitch We	eight 3,415
Fresh Water (	gal.) 105
Grey (gal.)	84
Sewage Cap.	(gal.) 42
App. Hitch He	eight 47"
Heat Cap. (BT	U) 35,000



Extra Mile Differen Another Newmar Innovation, the Slideout Cog Wheel,



