

BY PALOMINO



PASSION + PERFORMANCE + INNOVATION



SOLAIRE EXPANDABLES

All new Solaire Expandables represent true quality in the industry with a complete aluminum framed superstructure all floorplans come standard with true queen beds, efficient ride of the torsion axle and a barreled full walk on laminated roof, Palomino has truly hit the target with these 5 remarkable floorplans.

solaire SEVENS

This sleek yet strong and graceful design allows for easy towability and exceptional rear visibility. Our laminated, crowned roof that's fully walkable and allows for increased interior head room. With interiors designed to make your camping experience a relaxing adventure.





solaire ULTRA LITES

The Ultra Lites are the results of superior design and modernization. Striving to meet all the customer's demand this trailer provides a smooth ride with independent suspension axles, aluminum superstructure frame for light weight towing and barreled ceilings for a more spacious interior.

SOLAIRE WITH ECLIPSE PACKAGE

Our Eclipse package brings additional luxury into our Ultra Lite floorplans. From a fiberglass front cap with LED lighting and Line X[®] rock guard, frameless windows, aluminum wheels and upgraded Serta Trump [®] Mattress and several other features we have all the amenities encompassed.

** This package will increase trailer weight by approximately 250 lbs.





SOLAIRE EXPANDABLES

Expandables are available in 5 spacious floorplans to meet all the needs of the consumer with both mocha and white fiberglass exterior available.





WEIGHTS & MEASURES

Hitch Dry Weight	315 lbs.	Exterior Width	8'
Dry Axle Weight	2720 lbs.	Travel Length	18'6"
Total Dry Weight	3011 lbs.	Fresh Water Capacity	32 gals.
GVWR	3815 lbs.	Gray Water Capacity	30 gals.
Interior Height	6'8"	Black Water Capacity	30 gals.
Exterior Height	9'3"	Cargo Carrying Capacity	746 lbs.
Open Length	23'1"		

147 X *



WEIGHTS & MEASUF	RES		190 X
Hitch Dry Weight	620 lbs.	Exterior Width	8'
Dry Axle Weight	3990 lbs.	Travel Length	22'10"
Total Dry Weight	4622 lbs.	Fresh Water Capacity	32 gals.
GVWR	7620 lbs.	Gray Water Capacity	30 gals.
Interior Height	6'8"	Black Water Capacity	30 gals.
Exterior Height	9'3"	Cargo Carrying Capacity	2976 lbs.
Open Length	27' 6"		



WEIGHTS & MEASURES

605 lbs.

3675 lbs.

4280 lbs.

7605 lbs.

6'8"

9'3"

29'9"

Hitch Dry Weight
Dry Axle Weight
Total Dry Weight
GVWR
Interior Height
Exterior Height
Open Length

Exterior Widtl
Travel Length
Fresh Water (
Gray Water Ca
Black Water (
Cargo Carryin

8' 25'2"

213 X

32 gals. Capacity apacity 30 gals. 30 gals. Capacity g Capacity 3291 lbs.



WEIGHTS & MEASURES

Hitch Dry Weight	
Dry Axle Weight	
Total Dry Weight	
GVWR	
Interior Height	
Exterior Height	
Open Length	

400 lbs. 3060 lbs. 3392 lbs. 7400 lbs. 6'8" 9'3" 24' 9"

163 X

Exterior Width	8'
Travel Length	20'2"
Fresh Water Capacity	32 gals.
Gray Water Capacity	30 gals.
Black Water Capacity	30 gals.
Cargo Carrying Capacity	3906 lbs



WEIGHTS & MEASURES

Hitch Dry Weight	485 lbs.
Dry Axle Weight	3880 lbs.
Total Dry Weight	4297 lbs.
GVWR	7485 lbs.
Interior Height	6'8"
Exterior Height	9'3"
Nnen Lenøth	28' 3"

Exterior Width
Travel Length
Fresh Water Capacity
Gray Water Capacity
Black Water Capacity
Cargo Carrying Capacity

199 X


wiutii	U
ngth	23'8"
ater Capacity	32 gals.
ter Capacity	60 gals.
ater Capacity	30 gals.
irrying Capacity	3086 lbs



ALL EXPANDABLES HAVE A 19" TV OPTION.

* 147 X SINGLE AXLE WITH 5 CU. FT. REFRIGERATOR AND NO DUCTED A/C.





SOLAIRE SEVENS

These innovative 7' wide travel trailers allow for a more aerodynamic towing experience. Suited for all your camping needs and creatively designed to be your home away from home.



6



Show in toffee interior. Three available floor plans all standard with hard wood cherry cabinetry and LED interior lighting and optional 32" LED TV.



Show in toffee interior. Three available floor plans all standard with hard wood cherry cabinetry and LED interior lighting and optional 32" LED TV.



WEIGHTS & MEASURES

 Hitch Dry Weight
 545 lbs.

 Dry Axle Weight
 4220 lbs.

 Total Dry Weight
 4690 lbs.

 GVWR
 7545 lbs.

 Interior Height
 6'6"

 Exterior Height
 9'3"

Exterior Width7'Travel Length29'5"Fresh Water Capacity32 gals.Gray Water Capacity60 gals.Black Water Capacity30 gals.Cargo Carrying Capacity2746 lbs.

25 BHSS



WEIGHTS & MEASURES

Hitch Dry Weight	Į
Dry Axle Weight	4
Total Dry Weight	4
GVWR	
Interior Height	(
Exterior Height	

570 lbs. 4190 lbs. 4695 lbs. 7570 lbs. 6'6" 9'3"

Futeries Width	-,
Exterior Width	7'
Travel Length	29'5"
Fresh Water Capacity	32 gals.
Gray Water Capacity	60 gals.
Black Water Capacity	30 gals.
Cargo Carrying Capacity	2776 lbs.

26 RBSS



WEIGHTS & MEASURES

Hitch Dry Weight Dry Axle Weight Total Dry Weight GVWR Interior Height Exterior Height 610 lbs. 4390 lbs. 4990 lbs. 7610 lbs. 6'6" 9'3"

Exterior Width	7'
Travel Length	33'5"
Fresh Water Capacity	32 gals.
Gray Water Capacity	30 gals.
Black Water Capacity	30 gals.
Cargo Carrying Capacity	2576 lb

28 QBSS



SOLAIRE ULTRA LITE

Exceptional elegance with all the residential features you could desire. These Ultra Lite travel trailers are light weight with plenty of comforts to make your family camping trips a dream come true.





SOLAIRE ULTRA LITE FLOORPLANS & SPECIFICATIONS **SPECIFICATIONS**



192 RB *

8'

22'7"

32 gals.

30 gals.

30 gals.

WEIDING O MEADONED		
Hitch Dry Weight	400 lbs.	
Dry Axle Weight	3390 lbs.	
Total Dry Weight	3742 lbs.	
GVWR	7400 lbs.	
Interior Height	6'8"	
Exterior Height	9'3"	

WEIGHTS & MEASURES

Exterior Width Travel Length Fresh Water Capacity Gray Water Capacity Black Water Capacity Cargo Carrying Capacity 3576 lbs.



WEIGHTS & MEASURES

Hitch Dry Weight	550 l
Dry Axle Weight	3325
Total Dry Weight	3851
GVWR	7550
Interior Height	6'8"
Exterior Height	9'3"

bs. lbs. lbs. lbs. **Exterior Width** 8' 24'5" Travel Length Fresh Water Capacity 32 gals. Gray Water Capacity 30 gals. **Black Water Capacity** 30 gals. Cargo Carrying Capacity 3641 lbs.

229 BHS

209 BH *



WEIGHTS & MEASURES

Hitch Dry Weight	730 lbs.	Exterior Width	8'
Dry Axle Weight	3985 lbs.	Travel Length	26'1"
Total Dry Weight	4691 lbs.	Fresh Water Capacity	32 gals.
GVWR	7730 lbs.	Gray Water Capacity	76 gals.
Interior Height	6'8"	Black Water Capacity	30 gals.
Exterior Height	9'3"	Cargo Carrying Capacity	2981 lbs.



WEIGHTS & MEASURES

Hitch Dry Weight 460 lbs. Dry Axle Weight 3390 lbs. Total Dry Weight 3826 lbs. GVWR 7460 lbs. Interior Height 6'8" Exterior Height 9'3"

Exterior Width	8'
Travel Length	23'4"
Fresh Water Capacity	32 gals.
Gray Water Capacity	38 gals.
Black Water Capacity	30 gals.
Cargo Carrying Capacity	3576 lbs



WEIGHTS & MEASURES

Hitch Dry Weight
Dry Axle Weight
Total Dry Weight
GVWR
Interior Height
Exterior Height

710 lbs. 4305 lbs. 4991 lbs. 7710 lbs. 6'8" 9'3"

Exterior Width Travel Length Fresh Water Capacity Gray Water Capacity **Black Water Capacity** Cargo Carrying Capacity 2661 lbs.

8' 25'10" 32 gals. 76 gals. 30 gals.



Ext

Tra

Fre

Gra

Bla

WEIGHTS & MEASURES

Hitch Dry Weight 885 lbs. Dry Axle Weight 4475 lbs. Total Dry Weight 5290 lbs. GVWR 7885 lbs. Interior Height 6'8" **Exterior Height** 9'3"

erior Width	8'
vel Length	30'11"
sh Water Capacity	32 gals.
ay Water Capacity	76 gals.
ack Water Capacity	38 gals.

Cargo Carrying Capacity 2491 lbs.

267 BHSK

9

* 192 RB & 209 BH HAVE MURPHY BEDS

SOLAIRE ULTRA LITE FLOORPLANS & **SPECIFIC**ATIONS



WEIGHTS & MEASURES Hitch Dry Weight 955 lbs. Dry Axle Weight 4655 lbs. Total Dry Weight 5590 lbs. GVWR 8955 lbs. Interior Height 6'8" 9'3"

269 BHDSK Exterior Width Travel Length Fresh Water Capacity Gray Water Capacity **Black Water Capacity**

32'3" 32 gals. 76 gals. 38 gals. Cargo Carrying Capacity 3311 lbs.

8'



292 QBSK

8'

33'3"

32 gals.

38 gals.

38 gals.

Exterior Width 780 lbs. Travel Length 4955 lbs. Fresh Water Capacity 5683 lbs. 7780 lbs. Gray Water Capacity 6'8" Black Water Capacity 9'3" Cargo Carrying Capacity 2011 lbs.



WEIGHTS & MEASURES

WEIGHTS & MEASURES Hitch Dry Weight

Dry Axle Weight

Total Dry Weight

Interior Height

Exterior Height

GVWR

Hitch Dry Weight	835 lbs.
Dry Axle Weight	5290 lbs.
Total Dry Weight	5960 lbs.
GVWR	8835 lbs.
Interior Height	6'8"
Exterior Height	9'3"

307 QBDSK

h٩

IS.	Exterior Width	8'
lbs.	Travel Length	33'11"
lbs.	Fresh Water Capacity	32 gals
lbs.	Gray Water Capacity	38 gals
	Black Water Capacity	38 gals
	Cargo Carrying Capacity	2676 ll



278 RBK

WEIGHTS & MEASURES Hitch Dry Weight 645 lbs. Dry Axle Weight 4700 lbs.

Total Dry Weight 5357 lbs. GVWR 7645 lbs. Interior Height 6'8" **Exterior Height** 9'3"

Exterior Width	8'
Travel Length	30'11"
Fresh Water Capacity	32 gals.
Gray Water Capacity	76 gals.
Black Water Capacity	30 gals.
Cargo Carrying Capacity	2266 lb



297 RLDS

8'

32'9"

32 gals.

76 gals.

30 gals.

2691 lbs.

WEIGHTS & MEASU	RES	201
Hitch Dry Weight	615 lbs.	Exterior Width
Dry Axle Weight	5275 lbs.	Travel Length
Total Dry Weight	5773 lbs.	Fresh Water Capacity
GVWR	8615 lbs.	Gray Water Capacity
Interior Height	6'8"	Black Water Capacity
Exterior Height	9'3"	Cargo Carrying Capacity



OUTSIDE KITCHEN

9'3"

WEIGHTS & MEASURES 625 lbs.

AIICH DIY WEIGHT	625 LDS.
Dry Axle Weight	6200 lbs.
lotal Dry Weight	6726 lbs.
GVWR	8625 lbs.
nterior Height	6'8"
Exterior Height	ם'ז"

Exterior Width	8'
Travel Length	35'1"
Fresh Water Capacity	32 gals
Gray Water Capacity	76 gals
Black Water Capacity	30 gals
Cargo Carrying Capacity	/ 1766 lb:

317 BHSK



SOLAIRE WITH ECLIPSE PACKAGE

Upgrade your Ultra Lite trailer with the quality and durability of our Eclipse package which offers the elements of a fiberglass front cap with LED lights and Line X[®] rock guard, solid surface counter tops and much more.





FLOORPLANS & SPECIFICATIONS SOLAIRE WITH ECLIPSE PACKAGE



WEIGHTS & MEASURES

Hitch Dry Weight Dry Axle Weight Total Dry Weight Interior Height **Exterior Height**

- 710 lbs. 4305 lbs. 4991 lbs. 7710 lbs. 6'8" 9'3
- **Exterior Width** 8' Travel Length 25'10" Fresh Water Capacity 32 gals. Gray Water Capacity **Black Water Capacity** 30 gals. Cargo Carrying Capacity 2661 lbs.

226 RBK

76 gals.



WEIGHTS & MEASURES

Hitch Dry Weight Dry Axle Weight Total Dry Weight GVWR Interior Height Exterior Height

730 lbs. 3985 lbs. 4691 lbs. 7730 lbs. 6'8" 9'3"



xterior Width	8'
ravel Length	26'1"
resh Water Capacity	32 gals.
ray Water Capacity	76 gals.
llack Water Capacity	30 gals.
argo Carrying Capacity	2981 lbs.



WEIGHTS & MEASURES

Hitch Dry Weight	885 lbs.
Dry Axle Weight	4475 lbs.
Total Dry Weight	5290 lbs.
GVWR	7885 lbs.
Interior Height	6'8"
Exterior Height	9'3"

267 BHSK

Exterior Width	8'
Travel Length	30'11"
Fresh Water Capacity	32 gals
Gray Water Capacity	76 gals
Black Water Capacity	38 gals
Cargo Carrying Capacity	2491 lb



WEIGHTS & MEASURES

Hitch Dry Weight 955 lbs. Dry Axle Weight 4655 lbs. Total Dry Weight 5590 lbs. GVWR 8955 lbs. Interior Height 6'8" Exterior Height 9'3"

Exterior Widtl Travel Length Fresh Water Gray Water C Black Water Cargo Carryii

	0
	32'3"
Capacity	32 gals.
apacity	76 gals.
Capacity	38 gals.
ıg Capacity	3311 lbs.



lbs.

lbs.

lbs.

OUTSIDE KITCHEN

MEIGUIS Q MICASOKES		
Hitch Dry Weight	780 lbs.	
Dry Axle Weight	4955 lbs	
Total Dry Weight	5683 lbs	
GVWR	7780 lbs	
Interior Height	6'8"	
Exterior Height	9'3"	

Exterior Width	8'
Travel Length	33'3"
Fresh Water Capacity	32 gal
Gray Water Capacity	38 gal
Black Water Capacity	38 gal
Cargo Carrying Capacity	2011 lb



WEIGHTS & MEASURES Hitch Dry Weight 615 lbs. Dry Axle Weight 5275 lbs. Total Dry Weight 5773 lbs. GVWR 8615 lbs. Interior Height 6'8" Exterior Height 9'3"

297	RI	.DS
-----	----	-----

Exterior Width	8'
Travel Length	32'9"
Fresh Water Capacity	32 gals.
Gray Water Capacity	76 gals.
Black Water Capacity	30 gals.
Cargo Carrying Capacity	2691 lbs

ECLIPSE PACKAGE AVAILABLE

- 1. Residential Style Wood Valances
- 2. Fiberglass Front Cap w/ LED Lights and Line X[®] Rock Guard
- 3. Power Stablizer Jack Pack (Includes Hitch)
- 4. Frameless Windows
- 5. Serta® Trump Metropolitan Mattress
- 6. Solid Surface Countertops
- 7. Aluminum Wheels

Note: The Eclipse package will add approximately 250 lbs.



WEIGHTS & MEASURES

Hitch Dry Weight	835 lbs.	Exterior Width
Dry Axle Weight	5290 lbs.	Travel Length
Total Dry Weight	5960 lbs.	Fresh Water Capacity
GVWR	8835 lbs.	Gray Water Capacity
Interior Height	6'8"	Black Water Capacity
Exterior Height	9'3"	Cargo Carrying Capacity



WEIGHTS & MEASURES

Hitch Dry Weight	625 lbs.
Dry Axle Weight	6200 lbs
Total Dry Weight	6726 lbs
GVWR	8625 lbs
Interior Height	6'8"
Exterior Height	9'3"

317 BHSK

8'

33'11" 32 gals. 38 gals. 38 gals. 2676 lbs.

625 lbs.	Exterior Width	8'
6200 lbs.	Travel Length	35'1"
6726 lbs.	Fresh Water Capacity	32 gals.
8625 lbs.	Gray Water Capacity	76 gals.
6'8"	Black Water Capacity	30 gals.
9'3"	Cargo Carrying Capacity	1766 lbs.



MORTISE AND TENON CHERRY Hard wood cabinet doors



CHESTNUT



HEATHER



TOFFEE



INDIGO

SOLAIRE ROCK-SOLID CONSTRUCTION

C

D

E

(M)

Ľ

& &.

SOLAIRE

K

Ρ

- A. Alphasuperflex Membrane
- B. Luan Substrate
- C. Fiberglass Exterior
- D. Luan substrate
- E. High density block foam insulation
- F. Fiberglass exterior
- G. High density block foam
 - insulation
- H. Luan substrate

- I. Fiberglass front cap w/LED lights and Line X® Rock Guard (Eclipse Package only)
- J. Residential Style Carpeting
- K. Fully welded aluminum super structure
- L. High density block foam
- insulation
- M. Luan substrate top

N. Luan substrate – bottom

A

В

H

SOLANI

G

F

J

(N)

 \bigcirc

- 0. Beau Flor® -vinyl flooring
- P. Under floor holding tanks
- Q. Upgraded aluminum wheels (Eclipse package only)

14

SOLAIRE POPULAR FEATURES



Swivel TV allows for viewing in both the bedroom and kitchen area of the trailer. Optional TV, sizes vary, see floorplans for available sizes.



Solaires include a standard torsion axle with independent wheel suspension (N/A on Sevens) and includes rubber cushioning to eliminate the metal on metal contact.



Optional Serta Trump® Mattress upgrade – provides a restful sleep with the most advanced 900 coil support system. The superior quality of the Serta Trump® helps provide the luxuries of home in your R.V.



The electric awning with self-contained LED light strip provides quick and easy set-up.

OUR SIDE WALLS HAVE MASSIVE STRENGTH Vacuum bonded radius roof with

vaulted ceiling providing superior insulation and more interior height.



VACUUM-BONDED LAMINATED CONSTRUCTION Solaire provides a fully 6 sided vacuum-bonded trailer. Our walls, floors, roof, fronts and backs are all built vacuum-bonded to ensure a light weight strong structural trailer.



VAULTED RADIUS ROOF Structurally engineered materials makes our vacuum-bonded walls some of the strongest in the industry.

SOLAIRE STANDARDS & OPTIONS

STANDARD FEATURES

6 Sided vacuum bonded construction Dexter or AL-KO torsion axle (N/A Sevens) Laminated full walk on barreled roof Full welded aluminum super structure Storage tube bumper Filon Fiberglass Exterior Tinted Safety glass windows Outside shower w/hot and cold water Beau Flor® - vinyl flooring Mortise and Tenon Cherry hard wood cabinet Pocket screw lumber core cabinets Laminated roof w/ducted A/C (Except 147 X) Pleated fabric window shades Box valances Pantries w/removable shelves and clothes rods

COMMONLY ORDERED OPTIONS

Aluminum wheels Counter top extension (N/A on all floorplans) High gloss white fiberglass exterior RVQ grill w/ bumper mount (bumper mount N/A on X's) Roof Ladder (N/A on X's and 297 RLDS) Spare tire, carrier and cover LED TV (sizes vary depending on floorplan) Solid surface counter tops Serta Trump® Mattress Upgrade Power front jack Power Stabilizer Jacks Water Tank Heaters Tri-Fold Hide A Bed

•See our website for a complete list of available options




Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.



PALOMINO RV 1047 East M-86 | Colon, MI 49040 P: 269.432.3271 | F: 269.32.2516 www.palominorv.com

All illustrations and specifications contained in this literature are based on the latest product information at time of publication. Forest River, Inc. reserves the right to make changes in prices, colors, materials, equipment and specifications at anytime without notice and assumes no responsibility for any error in this literature. All weights shown are approximate. All units are shipped F.O.B. point of manufacture. CONSULT YOUR LOCAL DEALER FOR WA RRANTY INFORMATI ON. Litho U.S.A. 2012.08.31 FOR 1039