

TREK° 2005

Live out loud.



LIFE IN THE FUN LANE

Come see why outdoors enthusiasts across the country are choosing the remarkable Trek. This shorter Class-A gas motorhome is easy to drive while making no sacrifices when it comes to livability. Thanks to the exclusive Electro-Majic[™] bed, the sleeping area drops from the ceiling at the touch of a button, returning neatly out of sight by day. For 2005, the Trek sports a number of exciting features, including full-body paint, side-hinged baggage doors, flatscreen CRT TVs, and an optional 2,000 watt inverter all at an amazing value.



Windjammer

Latin Beat






Carpet Bedspread Dinette Sofa



Manufactured in, not added on. For added protection against stains, Dupont Teflon^{*} soil repellant is applied to virtually all upholstery fabric during the finishing process for superior coverage.*

* Brand and application of upholstery fabric protection may vary depending on date recreational vehicle was manufactured.

02





TREK FLOORPLANS


Safari craftsmanship. At Safari, we're always giving you more of what you want in a coach — and less of last year's thinking. Take our floorplans. They come straight from you to the drawing board — they're livable, up-to-date and loaded with options. The 2005 Trek offers five imaginative floorplans from which to choose, including single and double slide-outs.














TREK FLOORPLANS

www.safarimotorcoaches.com





www.safarimotorcoaches.com Visit our website for the latest Safari news, product details, rally information and much more.



Body Construction

Standard Features

Alumaframe[®] Superstructure Steel Cage Cockpit Construction Peaked Aluminum Roof with Fiberglass Insulation Smooth Gel Coat Fiberglass Exterior Walls Front and Rear Molded Fiberglass Cap New Taillights Aluminum Framed Floor on Steel Trusses Laminated Structurwood™ Flooring Interior Paneling with 3/4″ Insulation One-Piece Engine Cover Power Heated Remote Exterior Mirrors, Taller with Bottom Convex Headlamps with Turn Signals Fog Lights Side-Hinged Baggage Doors (Where Available) One-Piece Polyethylene Storage Compartment Wheel Mud Flaps Integrated Metal Fuel Door with Lock Deluxe Full-Body Paint Interior Rubber Entry Steps Exterior Double Entry Steps Slide-Out Battery Tray Undercoating

Options

Rear Ladder Mural on Rear Cap Chrome Power Heated Mirrors Full-Length Mud Flap

Workhorse Chassis, Engine and Suspension

Standard Features

8.1L V-8 Gasoline Engine with Electronic Fuel Injection Engine Displacement: 8.1L/496 Cu. In.
Power: 340 HP; Torque: 455 lbs./ft.
4-Speed Automatic Transmission with Overdrive (27RB, 28RB2)
5-Speed Automatic Transmission with Overdrive (29RBD, 30PBS, 31SBD)
Fuel Tank Capacity 60 Gallon (27RB, 28RB2)
Fuel Tank Capacity 75 Gallon (29RBD, 30PBS, 31SBD)
145 Amp Alternator
Rear Axle Ratio 4.63:1 (27RB, 28RB2)
Rear Axle Ratio 4.88:1 (29RBD, 30PBS, 31SBD)
Radial Tires: 225/70R/19.5 (27RB, 28RB2)
Radial Tires: 245/70R/19.5 (29RBD, 30PBS, 31SBD) Stainless Steel Wheel Liners

Leaf Spring Suspension Rear and Coil Front (27RB, 28RB2) Leaf Spring Suspension (30PBS, 31SBD)

ABS Brake System

- 4,000 Lb. Hitch Receiver with Seven-Point Connector (27RB, 28RB2)
- 5,000 Lb. Hitch Receiver with Seven-Point Connector (29RBD, 30PBS, 31SBD)

SmartStructure II

Options

Manual Hydraulic Leveling System Workhorse 20,700 Lb. Chassis (28RB2

Ford Chassis, Engine and Suspension

Standard Features

6.8L V-10 Gasoline Engine with Electronic Fuel Injection (N/A: 27RB, 28RB2)
Engine Displacement: 6.8L/415 Cu. In. (N/A: 27RB, 28RB2)
Power: 310 HP; Torque: 425 lbs./ft. (N/A: 27RB, 28RB2)
4-Speed Automatic Transmission with Overdrive (N/A: 27RB, 28RB2)
Fuel Tank Capacity 75 Gallon (N/A: 27RB, 28RB2)
130 Amp Alternator (N/A: 27RB, 28RB2)
Rear Axle Ratio 5.38:1 (N/A: 27RB, 28RB2) Chrome Wheel Covers (N/A: 27RB, 28RB2) Leaf Spring Suspension (N/A: 27RB, 28RB2) ABS Brake System (N/A: 27RB, 28RB2) 5,000 Lb. Hitch Receiver with Seven-Point Connector (N/A: 27RB, 28RB2) SmartStructure II (N/A: 27RB, 28RB2)

Options

Manual Hydraulic Leveling System

Cockpit

Standard Features

Fiberglass Two Toned Automotive Dash with Gray Hurricane Instrumentation Panel

Radial Tires: 245/70RX/19.5F (N/A: 27RB, 28RB2)

CD Player/Radio with Four Speakers

Multi-Positioned Sunvisors

Pleated Front Privacy Drape with Tie Backs

Rear Vision System with Audio and Adjustable Camera

Tilt Steering Wheel

Cruise Control

Power Steering

Air Horn

- Redesigned Wood Center Console on Engine Cover, Recess Tray with Rubber Mat, and Plastic Two Tier Cup Holders; Front Tip-Door Ford/Front Drawer Workhorse Chassis
- Two-Tier Cup Holder on Co-Pilot Console with Magazine Rack Below
- Soft Touch Vinyl Pilot and Co-Pilot Seats with Six-Way Power Pilot Seat

Carpeted Driver and Passenger Floor Mats Dash Workstation Directional Map Lights on Bottom of TV Cabinet

Options

x-Way Power Co-Pilot Seat ower Sunvisors lot and Co-Pilot Pull-Down Sunshades 3 Radio Prep -Camera Rear Vision System with Audio and Adjustable Center Camera river's Side Door with Full Electric assette Radio Option Includes AM/FM Tuner, CD Player, Weather Band en Disc CD Player

Appliances and Accessories

Standard Features

Large Double-Door Refrigerator with Ice Maker High-Output 3-Burner Cooktop Bi-Fold Range Cover Spacesaver Microwave with Touch Control 24" Flatscreen CRT Stereo Color TV with Remote Control (N/A: 30PBS) 24" Flatscreen CRT Stereo TV with Remote Control in Living Area (30PBS) TV Wired through Ceiling Speakers TV Antenna with TV Jacks VCR Prep and Video Control Box with Booster Exterior Hook-Ups for DSS and Cable

Interior Cable TV Hook-Up and Telephone Jacks

Exterior Gas Line Hook-Up Prep for LP Accessories

Interior

Standard Features

Alder Hardwood Cabinetry Solid Wood Raised Panel Cabinet Doors on Overhead

Cabinets, Base Cabinets and Wardrobes

Black ABS Refrigerator Insert

Decorative Wallboard

Self-Supporting Top-Hinged Overhead Storage Doors and Positive Catches on All Other Doors

Heavy Duty Ball Bearing Drawer Guides

Wood Cabinet Drawer Boxes

Crown Molding on All Open Walls (N/A: 27RB, 28RB2)

Wood Interior Grab Handle on Cabinet at Entry Door (N/A: 27RB, 28RB2)

Black Entry Rail for Stepwell

Antique Brass Cabinetry Hardware and Bath Accessories Solid Surface Kitchen Countertop with Stainless

Steel Sink, Pullout Faucet and Two Sink Covers

V Grooved Mirrors For Backsplash

Kitchen Countertop Extension (N/A: 27RB, 28RB2)

Toe Kicks to Kitchen and Bath Lavatory Base Cabinets

Solid Surface Bath Countertop with Integrated Sink

Antique Brass Shower Door and Enclosure

Silverware Tray in Kitchen Base Cabinet

Kitchen Overhead Cabinets with Adjustable Shelf

Kitchen Pantry next to Refrigerator with Adjustable Shelves in Upper Cabinet and Three Drawers Below (N/A with Four Door Refrigerator Option) (28RB2)

Plank Flooring in Bath, Kitchen and Entry

Options

Large Four-Door Refrigerator with Ice Maker (27RB) Large Double-Door Refrigerator with Ice Maker 10 Cu. Ft. (N/A: 30PBS) High-Output Three-Burner Range with Oven Spacesaver Convection Microwave with Touch Control Washer/Dryer Prep (Requires 10 Gal. Water Heater Option) (31SBD) Combination Washer/Dryer (Requires Washer/Dryer Prep) (31SBD) Combination Washer/Dryer (Requires Washer/Dryer Prep) (31SBD) VCR DVD Player Home Theater System Fully Automatic Digital Satellite System Fireplace (30PBS, 31SBD) Exterior Entertainment Center, CD Player Radio with Two Speakers (N/A: 29RBD)

Nylon Carpeting with Scotchgard[™] Stain Release Pad in Cockpit Area Soft Touch Padded Vinyl Ceiling Decorative Slide-Out Fascia Treatment with Fluted Accent (N/A: 27RB, 28RB2) New Style Window Valances Decorative Picture on Refrigerator Wall or Pantry Wall or Washer/Dryer Cabinet Wall (N/A: 29RBD) Raised Panel Bath Door Hardwood Trim for Bath Door Opening Hallway Side Full-Length Mirror inside Bath djustable Shelves Medicine Cabinet w Wood Louvers on Washer/Dryer Cabinet Doors (31SBD) Towel Bar in Bath Two Rings in Bathroom Sleepsac for Bed Day/Night Pleated Shades Throughout with Blackout Shades in Living Area Mini Blinds in Bathroom Soil Repellant on Fabric, Teflon® Fabric Protection

Options

Decors: Outback Lodge, Latin Beat, Windjammer Island Oasis Wood Choice: Autumn Cherry and Maple Ceramic Tile Flooring in Kitchen and Bath

Furniture

Standard Features

Electro-Majic™ Bed, Mattress Ladder and Sleepsac Hardwood Dinette Table with Two Freestanding Chairs and Two Folding Chairs

Roadside: Fabric Sleeper Sofa, Two Pillows on All Sofas (N/A: 29RBD, 30PBS, 31SBD)

Options

Roadside Furniture: Computer Table with Soft Touch Vinyl Euro-Recliner and Ottoman (29RBD)

Roadside Furniture: Fabric Electric Sofa (N/A: 30PBS, 31SBD)

Roadside Furniture: Fabric Wonder Bed Sofa (N/A: 30PBS)

Rear Furniture: Fabric L-Sofa, Two Pillows, with Drawer and One Barrel Chair (30PBS)

Rear Furniture: Fabric L-Sofa, Two Pillows, with Drawer (31SBD)

Rear Furniture: Fabric Electric Sofa (30PBS, 31SBD)

Rear Furniture: Fabric Wonder Bed Sofa (30PBS, 31SBD) Roadside: Flip-Up Party Table between Barrel Chairs (29RBD) Curbside: Flip-Up Party Table between Barrel Chairs (N/A: 29RBD, 30PBS, 31SBD)

Curbside: Fabric Swivel Barrel Chair (N/A: 29RBD, 31SBD) Curbside: Fabric Sleeper Sofa, Two Pillows on All Sofas (29RBD)

Rear Furniture: Euro-Recliner with Ottoman (30PBS) Curbside Furniture: Fabric Sofa with Drawer (30PBS, 31SBD) Curbside Furniture: Fabric Electric Sofa (N/A: 30PBS, 31SBD) Curbside Furniture: Fabric Wonder Bed Sofa (N/A: 30PBS, 31SBD)

Headboard and Footboard for Electro-Majic[™] Bed Curbside Furniture: Computer Table with Soft Touch Vinyl Euro-Recliner and Ottoman (27RB, 28RB2) Kitchon Tcland (20PRD, 21SRD)

Electrical System and Lights

Standard Features

30 Amp 120V Distribution Panel and Power Cord 60 Amp Electronic 12V Converter Onan[®] 4.0 kW Generator Two 6V House Batteries **Battery Disconnect Switches** 12V and 110V Outlets in Cockpit Area Porch Light and Exterior Step Light on Same Switch Exterior Power Entry Step with Light Interior Stepwell Entry Step Lights Water Pump Switch in Service Bay Area, Kitchen and Bath Lights in Outside Storage Compartments 120V Receptacles in Outside Storage Compartment Underhood Utility Light Computer Hook-Up with Phone Jack in Dinette Area Pilot and Co-Pilot Map Lights Snake Light for Pilot and Co-Pilot Seat Locations Systems Control Center

Fluorescent Light(s) with Night Light Function, under Kitchen Overhead Fluorescent Ceiling Lights Throughout Decorative Framed Galley Fluorescent Light Decorative Lighting Dinette Overhead and Cosmetic Vanity Lights Antique Brass Finish Antique Brass Bullet Lights in Living Area

Halogen Lights under Living Room Overhead Cabinets

Options

50 Amp Service with Energy Management System 50 Amp 12V Distribution Panel and Cord Storage Compartment Tank Monitor Gauges 2,000 Watt Inverter with Two Additional 6V House Batteries Onan® Gold 5.5 kW Gas Generator

Plumbing and LP Systems

Standard Features

Kitchen Stainless Steel Sink with Single Lever Chrome Faucet with Pullout Sprayer Separate Faucet for Filtered Water Bath Faucet and Bath Hardware Antique Brass Demand Water System and Water Pump 6-Gallon LP Gas/Electric Water Heater with Electronic Ignition Winterization Valving System Water Heater By-Pass Valve China Toilet No-Fuss Flush Holding Tank Rinsing System Insulated Systems Compartment with Easy Access to Hook-Up Shower inside Wet Bay with Hot/Cold Water Soap Dispenser inside Utility Bay Gravity and Pressurized Water Fill

Heating, Vents and Air Conditioning

Standard Features

One 13.5M BTU Air Conditioner with Ducted Air and Wall Digital Thermostat, Low Profile Ford and Workhorse 31M BTU Electronic Ignition Furnace

Electronic Dash Air Conditioner/Heat Climate Control System In-Floor Ducted Heating System with Metal Floor Registers 12V Attic Fan in Kitchen 12V Roof Vent in Bath

Windows, Doors and Awnings

Standard Features

Radius Flush Mount Dual Pane Safety Glass Dark Tinted Slider Windows

Radius Entrance Door with Clear Glass, Roller Shade, Screen Door and Anti-Skid Steps

Interior Grab Handle and One Exterior Grab Handle

Topper Slide-Out Awning (27RB, 28RB2)

Protecta Glaze Tinted Plexiglas® Skylight in Bathroom Awning Rail

Safety

Standard Features

Fire Extinguisher Deadbolt Lock on Entrance Door 120V GFI Protected Circuit, Kitchen, Bath and Exterior LP Gas Detector Smoke Detector Contained Storage Area for Sewer Hose One-Piece Fiberglass Shower

Shower Diverter, Hose and Head Antique Brass Finish with Slide Bar for Shower Head with Soap Dish Shower Light on Ceiling inside Shower

Antique Brass Framed Shower Door with Obscure Glass

Options

Bathtub

RV Sani-Con 2 System, Holding Tank Flush System Insta-Hot[®] Water System 10 Gallon Gas/Electric Water Heater with Electronic Ignition

12V Attic Fan with Rain Sensor above Electro-Majic[™] Bed Metal Floor Registers Antique Brass

Options

One 13.5M BTU Air Conditioner with Heat Pump, Ducted Air and Wall Digital Thermostat, Low Profile Ford and Workhorse

12V Wet Bay Heater

Options

Patio Awning Automatic Patio Awning Window Awnings to Slide-Out House Windows (N/A: 27RB, 28RB2) Window Awning on Sidewall

Carbon Monoxide Detector Pilot and Co-Pilot Three-Point Seat Belts Third Brake Safety Light Egress Windows

N. MORE AREAS						
Weight Ratings Workhorse (Lbs.)	27RB	28RB2	29RBD	30PBS	31SBD	
Gross Vehicle Weight Rating	18,000	18,000	20,700	20,700	20,700	
Gross Combined Weight Rating*	22,000	22,000	25,700	25,700	25,700	
Front Gross Axle Weight Rating	6,000	6,000	7,500	7,500	7,500	
Rear Gross Axle Weight Rating	12,000	12,000	13,500	13,500	13,500	
Weight Ratings Ford (Lbs.)	27RB	28RB2	29RBD	30PBS	31SBD	
Gross Vehicle Weight Rating	20,500	20,500	20,500	20,500	20,500	
Gross Combined Weight Rating*	25,500	25,500	25,500	25,500	25,500	
Front Gross Axle Weight Rating	7,000	7,000	7,000	7,000	7,000	
Rear Gross Axle Weight Rating	13,500	13,500	13,500	13,500	13,500	
Weight Ratings Optional Workhorse (Lt	os.) 27RB	28RB2	29RBD	30PBS	31SBD	
Gross Vehicle Weight Rating	N/A	20,700	N/A	N/A	N/A	
Gross Combined Weight Rating*	N/A	25,700	N/A	N/A	N/A	
Front Gross Axle Weight Rating	N/A	7,500	N/A	N/A	N/A	
Rear Gross Axle Weight Rating	N/A	13,500	N/A	N/A	N/A	
Measurements						
Wheelbase	178″	178″	190″	190″	190″	
Overall Length	27´ 6″	29´1″	30′ 1″	30′ 9″	31′9″	
Overall Height with A/C, Ford	11´ 6″	11′6″	11′ 6″	11´ 6″	11´6″	
Overall Height with A/C, Workhorse	11´10″	11´10″	11´10″	11′10″	11´10″	
Interior Height	74″/78″	74″/78″	74″/78″	74″/78″	74″/78″	
Interior Width	94.5″	94.5″	94.5″	94.5″	94.5″	
Exterior Width	100.5″	100.5″	100.5″	100.5 <i>″</i>	100.5″	
Tank Capacities**						
Water Heater	6	6	6	6	6	
Gray Tank	40	40	40	40	40	
Black Tank	40	40	40	40	40	
Fresh Tank	60	60	60	60	60	
LP Tank***	24	24	24	24	24	

Towing capacity is limited by GCWR; your vehicle's towing capacity is the difference between the GCWR and the actual vehicle weight, including all water, fuel, passengers and cargo. Your towed vehicle should be equipped with auxiliary brakes if the weight of the towed vehicle exceeds 1,000 lbs. Consult your Owner's Manual for further towing information.

All tank capacities are estimated based upon calculations provided by the tank manufacturers and represent approximate capacities. The actual "usable capacity" may be greater or less than the estimated capacities based upon fabrication and installation of the tanks.

*** Actual filled LP capacity is 80% of listing due to safety shut-off required on tank.

Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Safari provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult your local Safari dealer for unit availability and further information. The information printed in this brochure reflects product design, fabrication, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name, which will result in comparable performance. All information printed in this brochure is subject to change after the date of printing. Some features shown or mentioned in this brochure are optional and may only be available in selected floorplans. Photographs may show props or decorations that are not standard equipment on Safari models. Safari, the Safari logo and its design, are registered trademarks. All other products and company names are trademarks and/or registered trademarks of their respective holders. While the color of the motorhome's exterior and the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photo-processing and variances caused by inserting the photographs within the sales brochure. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within this brochure may not be accurate at the time of your purchasing decision, please confirm the information with your dealer prior to submitting your oder. The actual overall length of the recreational vehicle may differ from that indicated in the brochure due to variances in the manufacturing process and/or installed components. The actual length may be Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Safari provides a