



Standard



Painted Skirt Option

PLUM CREEK

BODY CONSTRUCTION: FEATURES		OPTIONS		
<ul> <li>Alumaframe' Superstructure</li> <li>Peaked One Piece Fiberglass Roof with Fiberglass Insulation</li> <li>Aluminum Exterior Walls</li> <li>Upper Front Radius Cap with Transition Application to Roof Line</li> <li>ABS Radius Rear Cap Transition Application to Roof Line</li> <li>Steel Framed Floor Framing on Steel Trusses</li> <li>Laminated Structurwood Flooring</li> <li>Interior Paneling with 3/4" Insulation</li> </ul>	<ul> <li>Foam Insulated Floor Framing with 3-Ply Underbelly</li> <li>Exterior Baggage Doors with Latches. Doors located Below Floor Line</li> <li>Wheel Mud Flaps</li> <li>Vinyl Exterior Graphics</li> <li>Rear Ladder</li> <li>Interior Rubber Entry Step</li> <li>Powered Exterior Single Entry Step</li> <li>Aluminum Running Boards</li> <li>Undercoating</li> </ul>	• Exterior Pa	-Out (29 PBO) aint Package with Fiberglass Boards and Aluminum Bumper Cover	
CHASSIS/ENGINE/SUSPENSION: FEATURES		OPTIONS		
<ul> <li>FORD E450 CHASSIS</li> <li>Electronic Fuel Injection Gasoline Engine 6.8L V10</li> <li>Cubic Inch Displacement 415"/6.8L</li> <li>4-Speed Automatic Transmission with Overdrive</li> <li>Fuel Tank Capacity 55 Gallon</li> <li>130 Amp Alternator</li> <li>Rear Axle Ratio 4.56:1</li> </ul> FORD & GM CHASSIS	<ul> <li>CHEVY GMT610 CHASSIS (N/A CANADA)</li> <li>GM Vortec 6000 6.0L V8</li> <li>Cubic Inch Displacement 364"/6.0L</li> <li>GM Hydra-matic 4L85E Automatic 4-Speed with Overdrive &amp; Auxiliary Oil Cooler</li> <li>Fuel Tank Capacity 57 Gallon</li> <li>145 Amp</li> <li>Rear Axle Ratio 4.10</li> <li>Uniroyal LTX M/S LT 225/75/R16E</li> </ul>		Steel Wheel Simulators e with Carrier, and Lug Nut Wrench ystem	
<ul> <li>Radial Tires</li> <li>Chrome Wheel Covers</li> <li>Rear Multi-Leaf Spring Suspension</li> <li>ABS Brake System</li> <li>5,000 lb. Hitch Receiver with Dual Connector 4-Pin or 7-Pin</li> </ul>	<ul> <li>Dash Heating and Air Conditioner System with Defroster</li> <li>One 12V Chassis Battery</li> <li>Auxiliary Start Circuit</li> </ul>			
COCKPIT: FEATURES		OPTIONS		
<ul> <li>CD Player/Radio with Sirius Ready Compatibility, Weather Band, and Four Speakers</li> <li>Multi-Positioned Sun Visors</li> <li>Slim-line Center Console Below Dash</li> <li>Tan Interior Cock-pit Color</li> <li>Intermittent Windshield Wipers</li> <li>Tilt Steering Wheel</li> <li>Cruise Control</li> </ul>	<ul> <li>Power Steering</li> <li>Electric Automotive Horn</li> <li>Engine Cover Drink Tray</li> <li>White Exterior Mirrors</li> <li>Tan Vinyl with Fabric Insert Two Tone Pilot &amp; Co-Pilot Recliner Cock-pit Seats</li> <li>Carpeted Driver and Passenger Floor Mats</li> </ul>	<ul> <li>Six-Way F</li> <li>CB Prep</li> <li>Instrume</li> <li>Rear Vision</li> </ul>	Power Pilot Seat Power Co-Pilot Seat Int Panel Appliqué on System wer Heated Remote Exterior Mirrors	
APPLIANCES AND ACCESSORIES: FEATURES	OPTIONS			
<ul> <li>Large Double Door Refrigerator</li> <li>High Output 3-Burner Range with Oven</li> <li>Microwave with Touch Control and Under Mounted Range hood</li> <li>TV Antenna</li> <li>DVD Prep</li> <li>Exterior Hook-ups for DSS Dish and Cable</li> <li>Phone Hook-up Curb Side Rear of Coach</li> <li>Interior Cable TV Hook-Up</li> </ul>	<ul> <li>High Output 3-Burner Cook top with Cabinet Drawers Below Cook Top</li> <li>Convection Microwave with Touch Control and Under Mounted Range hood</li> <li>Video Control Box with Booster, Required with TV Options</li> <li>20" TV with Magnadyne Dash Stereo with DVD Player Option Available with Standard Cab Over Sleeping (Video Control Box with Booster Option Required)</li> </ul>	Magnady Wrap Arc Over Slee Booster C 13" Color (Video Co Required Satellite I Exterior E		
FURNITURE: FEATURES		OPTIONS		
<ul> <li>Queen Bed (N/A: 25RBS)</li> <li>Cab Over Sleeping Area with Bunk Ladder</li> <li>Arched Back Wood Booth Dinette</li> </ul>	<ul> <li>Forward Facing Seat Belts at Booth Dinette (N/A: 31PKS, 31SBD)</li> <li>Jack Knife Sleeper Sofa with One Pillow</li> </ul>	Free-Standing Dinette with Two Freestanding Chairs and Two Folding Chairs		
ELECTRICAL SYSTEMS AND LIGHTS: FEATURES			OPTIONS	
<ul> <li>30 Amp 120V Distribution Panel and Cord</li> <li>55 Amp Electronic 12V</li> <li>Patio Re Power Converter</li> <li>One 12V House Battery</li> <li>Battery Disconnect Switches</li> <li>Porch Light and Exterior Step Light on same Switch</li> <li>Exterior Power Entry Step with Light</li> <li>Water P Area and Patio Re Policit and System</li> <li>Battery Disconnect Switches</li> <li>Decorat Dinetter</li> </ul>	Wall Light droom above I Switch t Light d Cabinet .ights rea, and pinets	<ul> <li>140 Watt Inverter</li> <li>Onan 4.0KW Generator</li> <li>Second Coach House Battery</li> </ul>		

INTERIOR: FEATURES		OPTIONS
<ul> <li>New Vintage Oak Cabinetry</li> <li>Raised Panel Cabinet Doors on Overhead Cabinets, Living Area, Bath and Bedroom, Flat Panel Doors on Base Cabinets and Wardrobes</li> <li>Cabinet End Panels</li> <li>Woven Raffia Insert on all Kitchen Overhead Cabinet Doors</li> <li>Woven Raffia Inserts on Refrigerator Door</li> <li>Decorative Wall Board</li> <li>Wallpaper Border Living Area below Arched Mirror (N/A: 25RBS, 31SBD)</li> <li>Mini-Struts on all Top Hinged Overhead Storage Doors and Positive Catches on all Other Doors</li> <li>Heavy Duty Ball Bearing Drawer Guides</li> <li>Wood Interior Grab Handle on Cabinet at Entry Door</li> <li>Satin Nickel Cabinetry Hardware and Bath Accessories</li> <li>Integrated Cup Holder Next to Sofa</li> <li>Laminate Kitchen Countertop with Decorative Backsplash, Wood Grain Countertop Edge Treatment, White Sink with Chrome Hi-Rise Faucet and One Sink Cover</li> <li>Kitchen Countertop Extensions (N/A: 25RBS, 31PKS)</li> </ul>	<ul> <li>Kitchen Countertop End Splash (29 PBO)</li> <li>All Other Countertops Laminated with Wood Grain Edge Treatment</li> <li>Kitchen Overhead Cabinets with Center Shelf (N/A: 29PBO, 31PKS)</li> <li>Linoleum Flooring in Kitchen and Bath</li> <li>Carpeting with Pad in Living Area and Bedroom</li> <li>Wood Slide-out Fascia with Vinyl Inserts (N/A: 29PBO)</li> <li>Octagon Beveled Edge Mirror in Living Area with Wallpaper Border Below (N/A: 25RBS, 31SBD)</li> <li>Bathroom Door Accent Trim on Hallway Side</li> <li>Medicine Cabinet with Shelves</li> <li>Bathroom Lav Base Mirror</li> <li>Towel Bar in Bath Area</li> <li>Mirrored Wardrobe Doors (31SBD)</li> <li>Bedspread with One Decorative Pillow (N/A: 25RBS)</li> <li>Fabric Headboard (N/A with Rear Window Option) (N/A: 25RBS, 31SBD)</li> <li>Black-Out Day/Night Pleated Shades in Living Area and Bedroom</li> <li>Soil Repellant on Fabric, Teflon Fabric Protection</li> </ul>	<ul> <li>Décor's: Plum Creek, Appletini, Tree Bark</li> <li>Wood Choice: Newport Cherry, Champagne Select</li> </ul>
PLUMBING AND LP SYSTEMS: FEATURES		OPTIONS
<ul> <li>Kitchen Sink with Chrome Hi-Rise Faucet</li> <li>Bath Lav Faucet Double Handle</li> <li>Demand Water System and Water Pump</li> <li>6 Gallon LP Gas Water Heater with Electronic Ignition</li> <li>Water Heater By-Pass Valve</li> </ul>	<ul> <li>Toilet</li> <li>Gravity and Pressurized Water Fill</li> <li>Shower/Step Tub</li> <li>Folding Shower Door</li> </ul>	<ul> <li>Separate Chrome Faucet for Filtered Water</li> <li>Satin Nickel Framed Shower Door with Obscure Glass</li> <li>Outside Shower inside Storage Bay with Hot/Cold Water</li> </ul>
HEATING, VENTS, AND AIR CONDITIONING: FEAT	URES	OPTIONS
<ul> <li>One 15M BTU Air Conditioner with Ducted Air and Analog Wall Thermostat, Living Area or Kitchen Location depending on Floorplan Layout</li> <li>31M BTU Electronic Ignition Furnace</li> <li>Above Floor Ducted Heating System</li> <li>Non-Powered Roof Vent, Living Area or Kitchen Location Depending on Floorplan Layout</li> </ul>	<ul> <li>Non-Powered Roof Vent, Bedroom (N/A: 25 RBS)</li> <li>12V Roof Vent in Bath</li> <li>Metal Air Return Grill Furnace Satin Nickel Finish</li> </ul>	<ul> <li>One 15M BTU Air Conditioner with Heat Pump and Ducted Air and Analog Wall Thermostat, Living Area or Kitchen Location Depending on Floorplan Layout</li> <li>12V Attic Fan above Cab Over Sleeping Area</li> <li>12V Attic Fan Living Area or Kitchen Location Depending on Floor Plan Layout</li> <li>12V Attic Fan Bedroom (N/A: 25 RBS)</li> <li>Heated Drainage System</li> </ul>
WINDOWS, DOORS, AND AWNINGS: FEATURES		OPTIONS
<ul> <li>Tinted Single Pane Windows</li> <li>Radius Entrance Door with Obscure Glass, Screen Door and Anti-Skid Steps</li> <li>Exterior Entry Assist Handle</li> </ul>	<ul> <li>Slide-Out Awnings Living Area and Bedroom</li> <li>Protecta Glaze Tinted Plexiglass Skylight in Bathroom</li> </ul>	<ul> <li>Rear Window, Deletes Headboard (N/A: 25RBS)</li> <li>Vinyl Patio Awning with White Arms</li> </ul>
SAFETY: FEATURES		
<ul> <li>Fire Extinguisher</li> <li>Deadbolt Lock on Entrance Door</li> <li>120V GFI Protected Circuit</li> </ul>	<ul> <li>LP Gas Detector</li> <li>Smoke Detector</li> <li>Carbon Monoxide Detector</li> </ul>	<ul> <li>Pilot and Co-Pilot Three-Point Seat Belts</li> <li>Egress Window's</li> </ul>

Component part and appliance manufacturers issue limited warranties covering those portions of the recreational vehicle not covered by the limited warranties issued by Monaco Coach Corporation. To learn which specific component parts and appliances are excluded from the limited

Component part and appliance manufacturers issue limited warranties covering those portions of the recreational vehicle. Warranties issued by Monaco Coach Corporation. To learn which specific component parts and appliances are excluded from the limited warranties issued by Monaco Coach Corporation, please contact your selling dealership or Monaco Coach Corporation and incredity or review the warranty spacket inside the recreational vehicle. Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Safari provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult your local Safari dealer for unit availability and further information. The information printed in this brochure reflects product design, faircaiton, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name, which will result in comparable performance. All information printed in this brochure are optional and may only be available in selected floorplans. Photographs may show props or decorations that are not standard equipment on Safari models. Safari, the Safari logo and its design, are registered trademarks. All other products and company manes are trademarks and/or registered trademarks of their respective holders. While the earce of the attendence cancel is and the lateriation and unitered to the actual color printer and the lateriation and unitered to attendence cancel and the lateriation and the products and the lateriation and unitered to the actual color printer attendence to the intervence on the lateriation and unitered to the actual color printer and the lateriation and unitered to the socie of the uniterest on advantances or socie of the actual color printery

While the color of the motorhome's exterior and the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photo-processing and variances caused by inserting the The actual overall length of the recreational vehicle may differ from that indicated in the brochure due to variances in the manufacturing process and/or installed components. The actual length may be greater or less than that indicated.


STANDARDS/OPTIONS


		FORD	CHASSIS		GM CHASSIS			
Weights (Lbs.)	25RBS	29PBO	31PKS	31SBD	25RBS	29PBO	31PKS	31SBD
Gross Vehicle Weight Rating	14,050	14,050	14,050	14,050	14,050	14,050	14,050	14,050
Gross Combined Weight Rating*	19,050	19,050	19,050	19,050	17,600	17,600	17,600	17,600
Front Gross Axle Weight Rating	4,600	4,600	4,600	4,600	4,600	4,600	4,600	4,600
Rear Gross Axle Weight Rating	9,450	9,450	9,450	9,450	9,450	9,450	9,450	9,450


183″	192″	208″	218″	TBD	TBD	TBD	TBD
25´11″	29′11″	31′7″	31′11″	TBD	TBD	TBD	TBD
11´ 2.5″	11´ 2.5″	11´ 2.5″	11´ 2.5″	11´2.5″	11´ 2.5″	11´ 2.5″	11´2.5″
6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′6″	6′6″	6´6″
94.5″	94.5″	94.5″	94.5″	94.5″	94.5″	94.5″	94.5″
100.5″	100.5″	100.5″	100.5″	100.5″	100.5″	100.5″	100.5″
	25´ 11″ 11´ 2.5″ 6´ 6″ 94.5″	25' 11"         29' 11"           11' 2.5"         11' 2.5"           6' 6"         6' 6"           94.5"         94.5"	25'11"         29'11"         31'7"           11'2.5"         11'2.5"         11'2.5"           6'6"         6'6"         6'6"           94.5"         94.5"         94.5"	25'11"       29'11"       31'7"       31'11"         11'2.5"       11'2.5"       11'2.5"       11'2.5"         6'6"       6'6"       6'6"       6'6"         94.5"       94.5"       94.5"       94.5"	25' 11"         29' 11"         31' 7"         31' 11"         TBD           11' 2.5"         11' 2.5"         11' 2.5"         11' 2.5"         11' 2.5"           6' 6"         6' 6"         6' 6"         6' 6"         6' 6"           94.5"         94.5"         94.5"         94.5"         94.5"	25'11"         29'11"         31'7"         31'11"         TBD         TBD           11'2.5"         11'2.5"         11'2.5"         11'2.5"         11'2.5"         11'2.5"           6'6"         6'6"         6'6"         6'6"         6'6"         6'6"         6'6"           94.5"         94.5"         94.5"         94.5"         94.5"         94.5"	25' 11"         29' 11"         31' 7"         31' 11"         TBD         TBD         TBD           11' 2.5"         11' 2.5"         11' 2.5"         11' 2.5"         11' 2.5"         11' 2.5"         11' 2.5"           6' 6"         6' 6"         6' 6"         6' 6"         6' 6"         6' 6"         6' 6"           94.5"         94.5"         94.5"         94.5"         94.5"         94.5"         94.5"


Tank Capacities**								
Water Heater	6	6	6	6	6	6	6	6
Gray Tank	40	40	40	40	TBD	TBD	TBD	TBD
Black Tank	40	40	40	40	TBD	TBD	TBD	TBD
Fresh Tank	35	35	35	35	TBD	TBD	TBD	TBD
LP Tank *	18	18	18	18	18	18	18	18
Fuel Tank	55	55	55	55	57	57	57	57

\*Actual filled LP capacity is 80% of listing due to safety shut-off required on tank.













91320 Coburg Industrial Way, Coburg, OR 97408 1.800.458.8735 • www.safarimotorcoaches.com



Monaco is traded on the New York Stock Exchange under the listing MNC. © 2005, Monaco Coach Corporation 11/05 NPN:BROSIVO Litho in USA.





FLOORPLANS