



Live out loud.





WINDJAMMER INTERIOR WITH ALDER HARDWOOD | 28RB2

Welcome to the 2006 Trek. If it's your first look at this remarkable motorhome, you'll be amazed at all the stylish livability it packs into its shorter length. It features beautiful cabinetry with solid wood raised cabinet doors and antique brass finished hardware. The plush furnishings include many options to fit your lifestyle, including the computer table with OptimaLeather<sup>TM</sup> Euro-recliner and ottoman, shown here.



# The heart and soul of a better experience.

A great coach comes down to great details — and that's what you'll find throughout the Trek. The large double-door refrigerator with ice maker is perfect for stocking up for longer trips. To its right is shown the stainless steel sink with a single-lever faucet and a handy pullout sprayer. You also have the convenience of a separate faucet for filtered water.

Shown below, left, is the hardwood dinette table with two beautifully styled chairs. The seating expands to four with two additional folding chairs. On the right, you can see the spaciousness of the galley. The attractive solid surface countertop gives you plenty of workspace, while the cabinets offer impressive storage space.



Dedicated to your love for spontaneous adventures. Standing by for your every whim.



# The living's easy. The driving's easy.

The Trek is truly the best of both worlds — a feature-packed motorhome that's shorter and easy to maneuver. In the cockpit, you'll enjoy the plush comfort of soft touch vinyl seats with six-way power controls. Power tilt steering, cruise control and a rear vision system combine for a better experience behind the wheel. Optional highlights include power sunvisors, a driver's side door with an electric window and a 3-camera rear vision system with audio and an adjustable center camera.

> > Above the cockpit, wood framed cabinets with smoked glass doors house the entertainment center, which features an exciting home theater system with a DVD player and surround sound speakers. The 24" flatscreen TV comes with a Wineguard® antenna, and the coach is prepped for cable and a digital satellite system.

WINDJAMMER INTERIOR WITH ALDER HARDWOOD | 28RB2



WINDJAMMER INTERIOR WITH ALDER HARDWOOD | 28RB2

The Trek owes its ingenious interior layout to the exclusive Electro-Majic<sup>TM</sup> bed that lowers from the ceiling at the touch of a button. It comes with a mattress, a ladder and a cozy sleepsac, and the headboard and footboard, shown here, are optional. Other sleeping arrangements include the standard fabric sleeper sofa or the optional electric sofa or wonder bed sofa.



The Trek's contemporary styling gives it an impressive presence on the road. The optional chrome power heated mirrors are strategically mounted on the front cap, so you don't have to turn your head to see.





ISLAND OASIS INTERIOR WITH ALDER HARDWOOD | 28RB2



The rear cap sports new taillights this year, and you can also see the adjustable camera for the rear vision system.

You're welcome to customize your Trek with an optional rear ladder, as well as with a distinctive Safari wildlife mural.

You can count on Safari to offer a wide range of stylish interiors to fit every taste. Shown above is the beautiful Island Oasis decor with the optional computer table and Euro-recliner. Below, the bright, cheerful bathroom features a solid surface countertop with an integrated sink and plenty of roomy storage space in the vanity and medicine cabinet.







# You can tell a Safari by its good looks AND SMILING FACES.

Deluxe full-body paint gives the Trek its eye-catching looks and durable exterior finish.

The coach also features a new peaked one-piece fiberglass roof for superior strength.

Yes, this beauty will get you noticed!

Our side-hinged baggage doors, shown above, are the easiest to open and give you superior visibility and better access to the luggage and gear you stow below the coach. The spacious one-piece polyethylene compartments are easy to wash down, if necessary.

Come & visit us anytime at:


#### SAFARIMOTORCOACHES.COM





# >>> SmartStructure II: Stronger and Better.

The SmartStructure II achieves overall chassis strength by optimizing the inherent benefits of strain-hardened steel in conjunction with an aerodynamic metal removal principle to allow stress flow in the truss system to evenly distribute both static and dynamic loading across the coach platform. Integrity is stamped into the truss system instead of relying on the welds of the tubular structure. This equates to 40% fewer welds and strategically located metal removal to reduce the overall chassis weight and provide for greater carrying capacity. SmartStructure II is fully integrated with your choice of Workhorse or Ford chassis.






# Multi-Layer Floor:

- A Laminated tile, or plank
- B Structurwood™
- C Blue foam block insulation
- D 1-1/2" aluminum frame
- E 3-layer poly-ply underbelly
  (New material allows for waterproof bottom
  on coach and sound resistant/deadening properties)



#### 5-Layer Exterior Wall:

- A Interior paneling
- B 3/4" bead foam adds comfort, saves energy and provides a thermal insulation barrier
- C Vapor barrier
- D Interlocking C-channel filled with 1-1/2" fiberglass insulation bonded in place so it doesn't sag or leave spaces uninsulated
- E High-gloss gel coat fiberglass



THEIRS

Wood

Aluminum (Butt-Welded) Ours

Alumaframe® (C-Channel)

# The Strength of Alumaframe®

Thanks to our Alumaframe® Superstructure, your Safari coach is built to take on anything the road can dish out. We revolutionized the industry


by replacing outdated wood and tubular aluminum construction with our exclusive system of aluminum

C-Channel crossmembers. These run the full length of the coach, with double-welded intersections for superior strength. This makes your Safari lighter and sturdier than other coaches and gives you

reliability you can count on down the road.


#### 9-Layer Roof Construction:

- One-piece peaked fiberglass roof
- В Luaun backing
- Thick, tapered bead foam insulation C
- Fiberglass insulation
- 3" aluminum double I-beam superstructure
- F Vapor barrier
- Structure foam: thermal insulative barrier
- Н 1/2" bead foam insulation
- Foam padded vinyl ceiling for extra insulation



Alder Hardwood





Outback Lodge





Latin Beat





Island Oasis





Windjammer







#### Another standard feature: Peace of mind.


As a Safari owner, you can be sure we're standing behind you. Wherever your travels lead, you can count on us to be only a phone call away. Our staff is available 24/7/365 to help you with virtually any situation that may arise — with troubleshooting, operational instruction or facilitating repairs at the nearest of our 350 nationwide service centers. In addition, you'll be enrolled in our Owner Advantage Roadside Assistance Program free of charge for your first year of ownership — providing additional emergency assistance, including towing, tire repairs and many more services around the clock. In short, when you purchase an RV from Monaco Coach Corporation, you get a wider array of benefits than any other manufacturer can offer. To see it all for yourself, call I-800-634-0855 or I-800-650-7337 to arrange a tour of one of our state-of-the-art production facilities in Oregon or Indiana.


TREK FLOORPLANS











#### Weights & Measurements

Gross Combined Weight Rating* 22,000 7,000 N/A  Front Gross Axle Weight Rating 7,000 7,000 N/A  Rear Gross Axle Weight Rating 12,000 12,000 N/A  Weights (Ford 20,500 Chassis) (Lbs.)  Gross Vehicle Weight Rating 20,500 25,500 25,500 25,500  Front Gross Axle Weight Rating 7,000 7,000 7,000  Rear Gross Axle Weight Rating 13,500 13,500 13,500  Weights (Workhorse 20,700 Chassis) (Lbs.)  Gross Vehicle Weight Rating 20,700 20,700 20,700 20,700  Gross Combined Weight Rating 20,700 25,700 25,700 25,700  Front Gross Axle Weight Rating 20,700 25,700 25,700 25,700  Front Gross Axle Weight Rating 7,500 7,500 7,500  Rear Gross Axle Weight Rating 13,500 13,500 13,500  Measurements  Wheelbase 178* 178* 190*  Overall Length 27' 10* 29' 5" 30' 5"  Overall Height, Including A/C (Workhorse 18,000) 11' 10* 11' 10* 11' 10* 11' 10* Overall Height, Including A/C (Workhorse 20,700/Ford 20,500) 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 10.5*  Tank Capacities* (Gal.)  Water Heater 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		27RB	28RB2	29RBD	
Gross Combined Weight Rating* 22,000 7,000 N/A  Front Gross Axle Weight Rating 7,000 7,000 N/A  Rear Gross Axle Weight Rating 12,000 12,000 N/A  Weights (Ford 20,500 Chassis) (Lbs.)  Gross Vehicle Weight Rating 20,500 25,500 25,500 25,500  Front Gross Axle Weight Rating 7,000 7,000 7,000  Rear Gross Axle Weight Rating 7,000 7,000 7,000  Rear Gross Axle Weight Rating 13,500 13,500 13,500  Weights (Workhorse 20,700 Chassis) (Lbs.)  Gross Vehicle Weight Rating 20,700 20,700 20,700  Gross Combined Weight Rating 20,700 25,700 25,700 25,700  Front Gross Axle Weight Rating 7,500 7,500 7,500  Front Gross Axle Weight Rating 13,500 13,500 13,500  Measurements  Wheelbase 178* 178* 190*  Overall Length 27' 10* 29' 5" 30' 5"  Overall Height, Including A/C (Workhorse 18,000) 11' 10* 11' 10* 11' 10* 11' 10* Overall Height, Including A/C (Workhorse 20,700/Ford 20,500) 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 12' 0* 10.5*  Tank Capacities** (Gal.)  Water Heater 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Weights (Workhorse 18,000 Chassis) (Lbs.)				
Front Gross Axle Weight Rating 7,000 7,000 N/A Rear Gross Axle Weight Rating 12,000 12,000 N/A  Weights (Ford 20,500 Chassis) (Lbs.)  Gross Vehicle Weight Rating 20,500 20,500 25,700 25,700 2	Gross Vehicle Weight Rating	18,000	18,000	N/A	
Rear Gross Axle Weight Rating         12,000         N/A           Weights (Ford 20,500 Chassis) (Lbs.)         20,500         20,500         20,500           Gross Vehicle Weight Rating         25,500         25,500         25,500           Gross Combined Weight Rating         7,000         7,000         7,000           Front Gross Axle Weight Rating         13,500         13,500         13,500           Weights (Workhorse 20,700 Chassis) (Lbs.)         Cross Vehicle Weight Rating         20,700         20,700         20,700           Gross Vehicle Weight Rating         25,700         25,700         25,700         25,700           Gross Combined Weight Rating         7,500         7,500         7,500           Front Gross Axle Weight Rating         13,500         13,500         13,500           Wheat Gross Axle Weight Rating         13,500         13,500         13,500           Measurements         Veight Rating         13,500         13,500         13,500           Measurements         Verall Length         27' 10"         29' 5"         30' 5"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         12' 0"         12' 0"           Inte	Gross Combined Weight Rating*	22,000	22,000	N/A	
Weights (Ford 20,500 Chassis) (Lbs.)           Gross Vehicle Weight Rating         20,500         20,500         20,500           Gross Combined Weight Rating*         25,500         25,500         25,500           Front Gross Axle Weight Rating         7,000         7,000         7,000           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Weights (Workhorse 20,700 Chassis) (Lbs.)           Gross Vehicle Weight Rating         20,700         20,700         20,700           Gross Combined Weight Rating*         25,700         25,700         25,700           Front Gross Axle Weight Rating         7,500         7,500         7,500           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           E	Front Gross Axle Weight Rating	7,000	7,000	N/A	
Gross Vehicle Weight Rating         20,500         20,500           Gross Combined Weight Rating*         25,500         25,500           Front Gross Axle Weight Rating         7,000         7,000           Rear Gross Axle Weight Rating         13,500         13,500           Weights (Workhorse 20,700 Chassis) (Lbs.)           Gross Vehicle Weight Rating         20,700         20,700           Gross Combined Weight Rating*         25,700         25,700           Front Gross Axle Weight Rating         7,500         7,500           Rear Gross Axle Weight Rating         13,500         13,500           Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"           Tank Capacities** (Gal.)         40         40         40           Water Heater         6         6	Rear Gross Axle Weight Rating	12,000	12,000	N/A	
Gross Combined Weight Rating*         25,500         25,500         25,500           Front Gross Axle Weight Rating         7,000         7,000         7,000           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Weights (Workhorse 20,700 Chassis) (Lbs.)           Gross Vehicle Weight Rating         20,700         20,700         20,700           Gross Combined Weight Rating         25,700         25,700         25,700           Front Gross Axle Weight Rating         7,500         7,500         7,500           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"         100.5"           Tank Capacities** (Gal.)           Water Heater         6	Weights (Ford 20,500 Chassis) (Lbs.)				
Front Gross Axle Weight Rating         7,000         7,000         7,000           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Weights (Workhorse 20,700 Chassis) (Lbs.)           Gross Vehicle Weight Rating         20,700         20,700         20,700           Gross Combined Weight Rating         25,700         25,700         25,700           Front Gross Axle Weight Rating         7,500         7,500         7,500           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)         12' 0"         12' 0"         12' 0"           Interior Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"         100.5"           Tank Capacities** (Gal.) <td colspan<="" td=""><td>Gross Vehicle Weight Rating</td><td>20,500</td><td>20,500</td><td>20,500</td></td>	<td>Gross Vehicle Weight Rating</td> <td>20,500</td> <td>20,500</td> <td>20,500</td>	Gross Vehicle Weight Rating	20,500	20,500	20,500
Rear Gross Axle Weight Rating       13,500       13,500         Weights (Workhorse 20,700 Chassis) (Lbs.)         Gross Vehicle Weight Rating       20,700       20,700         Gross Combined Weight Rating*       25,700       25,700         Front Gross Axle Weight Rating       7,500       7,500         Rear Gross Axle Weight Rating       13,500       13,500         Measurements         Wheelbase       178"       178"       190"         Overall Length       27' 10"       29' 5"       30' 5"         Overall Height, Including A/C (Workhorse 18,000)       11' 10"       11' 10"       11' 10"         Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)       12' 0"       12' 0"       12' 0"         Interior Height, under Electro-Majic Bed/Throughout       74"/78"       74"/78"       74"/78"         Interior Width       94.5"       94.5"       94.5"         Interior Width       100.5"       100.5"       100.5"         Tank Capacities** (Gal.)         Water Heater       6       6       6         Gray Tank       40       40       40         Black Tank       40       40	Gross Combined Weight Rating*	25,500	25,500	25,500	
Weights (Workhorse 20,700 Chassis) (Lbs.)           Gross Vehicle Weight Rating         20,700         20,700         20,700           Gross Combined Weight Rating*         25,700         25,700         25,700           Front Gross Axle Weight Rating         7,500         7,500         7,500           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)         12' 0"         12' 0"         12' 0"           Interior Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"           Tank Capacities** (Gal.)         Water Heater         6         6         6         6           Gray Tank         40         40         40         40         40           Black Tank         40         40	Front Gross Axle Weight Rating	7,000	7,000	7,000	
Gross Vehicle Weight Rating         20,700         20,700         20,700           Gross Combined Weight Rating*         25,700         25,700         25,700           Front Gross Axle Weight Rating         7,500         7,500         7,500           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)         12' 0"         12' 0"         12' 0"           Interior Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"           Tank Capacities** (Gal.)         Water Heater         6         6         6           Gray Tank         40         40         40           Black Tank         40         40         40           Fresh Tank         60         60         60	Rear Gross Axle Weight Rating	13,500	13,500	13,500	
Gross Combined Weight Rating*         25,700         25,700         25,700           Front Gross Axle Weight Rating         7,500         7,500         7,500           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)         12' 0"         12' 0"         12' 0"           Interior Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"         100.5"           Tank Capacities** (Gal.)         6         6         6         6           Water Heater         6         6         6         6           Gray Tank         40         40         40           Black Tank         40         40         40           Fresh Tank         60         60         60	Weights (Workhorse 20,700 Chassis) (Lbs.)				
Gross Combined Weight Rating*         25,700         25,700         25,700           Front Gross Axle Weight Rating         7,500         7,500         7,500           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)         12' 0"         12' 0"         12' 0"           Interior Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"         100.5"           Tank Capacities** (Gal.)         6         6         6         6           Water Heater         6         6         6         6           Gray Tank         40         40         40           Black Tank         40         40         40           Fresh Tank         60         60         60	Gross Vehicle Weight Rating	20,700	20,700	20,700	
Front Gross Axle Weight Rating         7,500         7,500         7,500           Rear Gross Axle Weight Rating         13,500         13,500         13,500           Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)         12' 0"         12' 0"         12' 0"           Interior Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"         100.5"           Tank Capacities** (Gal.)         6         6         6           Water Heater         6         6         6           Gray Tank         40         40         40           Black Tank         40         40         40           Fresh Tank         60         60         60		25,700	25,700	25,700	
Measurements           Wheelbase         178"         178"         190"           Overall Length         27' 10"         29' 5"         30' 5"           Overall Height, Including A/C (Workhorse 18,000)         11' 10"         11' 10"         11' 10"           Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)         12' 0"         12' 0"         12' 0"           Interior Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"         100.5"           Tank Capacities** (Gal.)         6         6         6           Water Heater         6         6         6           Gray Tank         40         40         40           Black Tank         40         40         40           Fresh Tank         60         60         60		7,500	7,500	7,500	
Wheelbase 178″ 178″ 190″ Overall Length 27′ 10″ 29′ 5″ 30′ 5″ Overall Length 11′ 10″ 29′ 5″ 30′ 5″ Overall Height, Including A/C (Workhorse 18,000) 11′ 10″ 11′ 10″ 11′ 10″ Overall Height, Including A/C (Workhorse 20,700/Ford 20,500) 12′ 0″ 12′ 0″ 12′ 0″ Interior Height, under Electro-Majic Bed/Throughout 74″/78″ 74″/78″ 74″/78″ Interior Width 94.5″ 94.5″ 94.5″ Exterior Width 100.5″ 100.5″  Tank Capacities** (Gal.)  Water Heater 6 6 6 6  Gray Tank 40 40 40  Black Tank 40 40 40  Fresh Tank 60 60 60	Rear Gross Axle Weight Rating	13,500	13,500	13,500	
Overall Length         27′ 10″         29′ 5″         30′ 5″           Overall Height, Including A/C (Workhorse 18,000)         11′ 10″         11′ 10″         11′ 10″           Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)         12′ 0″         12′ 0″         12′ 0″           Interior Height, under Electro-Majic Bed/Throughout         74″/78″         74″/78″         74″/78″           Interior Width         94.5″         94.5″         94.5″           Exterior Width         100.5″         100.5″         100.5″           Tank Capacities** (Gal.)         Water Heater         6         6         6           Gray Tank         40         40         40           Black Tank         40         40         40           Fresh Tank         60         60         60	Measurements				
Overall Height, Including A/C (Workhorse 18,000)         II′ 10"         II′ 10"         II′ 10"           Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)         I2′ 0"         12′ 0"         12′ 0"           Interior Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         I00.5"         I00.5"         I00.5"           Tank Capacities** (Gal.)         Compare the state of the	Wheelbase	178″	178″	190″	
Overall Height, Including A/C (Workhorse 20,700/Ford 20,500)       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       12' 0"       74"/78"       74"/78"       74"/78"       74"/78"       74"/78"       94.5"       94.5"       94.5"       94.5"       94.5"       94.5"       100.	Overall Length	27′ 10″	29′ 5″	30′ 5″	
Interior Height, under Electro-Majic Bed/Throughout         74"/78"         74"/78"         74"/78"           Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"         100.5"           Tank Capacities** (Gal.)         6         6         6         6           Gray Tank         40         40         40           Black Tank         40         40         40           Fresh Tank         60         60         60	Overall Height, Including A/C (Workhorse 18,000)	11′ 10″	11′ 10″	11′ 10″	
Interior Width         94.5"         94.5"         94.5"           Exterior Width         100.5"         100.5"         100.5"           Tank Capacities** (Gal.)           Water Heater         6         6         6           Gray Tank         40         40         40           Black Tank         40         40         40           Fresh Tank         60         60         60	Overall Height, Including A/C (Workhorse 20,700/Ford 2	0,500) 12′0″	12′0″	12′ 0″	
Exterior Width         I00.5"         I00.5"           Tank Capacities** (Gal.)         Vater Heater         6         6         6         6           Gray Tank         40         40         40         40           Black Tank         40         40         40         40           Fresh Tank         60         60         60         60	Interior Height, under Electro-Majic Bed/Throughout	74"/78"	74"/78"	74"/78"	
Tank Capacities** (Gal.)         Water Heater       6       6       6         Gray Tank       40       40       40         Black Tank       40       40       40         Fresh Tank       60       60       60	Interior Width	94.5"	94.5"	94.5"	
Water Heater       6       6       6         Gray Tank       40       40       40         Black Tank       40       40       40         Fresh Tank       60       60       60	Exterior Width	100.5″	100.5″	100.5″	
Gray Tank       40       40       40         Black Tank       40       40       40         Fresh Tank       60       60       60	Tank Capacities** (Gal.)				
Black Tank         40         40         40           Fresh Tank         60         60         60	Water Heater	6	6	6	
Fresh Tank 60 60 60	Gray Tank	40	40	40	
	Black Tank	40	40	40	
LP Tank*** 24 24 24	Fresh Tank	60	60	60	
	LP Tank***	24	24	24	

<sup>\*</sup> Towing capacity is limited by GCWR; your vehicle's towing capacity is the difference between the GCWR and the actual vehicle weight, including all water, fuel, passengers and cargo. Your towed vehicle should be equipped with auxiliary brakes if the weight of the towed vehicle exceeds I,000 lbs. Consult your Owner's Manual for further towing information.

Component part and appliance manufacturers issue limited warranties covering those portions of the recreational vehicle not covered by the limited warranties issued by Monaco Coach Corporation. To learn which specific component parts and appliances are excluded from the limited warranties issued by Monaco Coach Corporation, please contact your selling dealership or Monaco Coach Corporation directly, or review the warranty packet inside the recreational vehicle.

Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Safari provides a

Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Safari provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult your local Safari dealer for unit availability and further information. The information printed in this brochure reflects product design, fabrication, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or components specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name, which will result in comparable performance. All information printed in this brochure is subject to change after the date of printing. Some features shown or mentioned in this brochure are optional and may only be available in selected floorplans. Photographs may show props or decorations that are not standard equipment on Safari models. Safari, the Safari logo and its design, are registered trademarks. All other products and company names are trademarks and/or registered trademarks of their respective holders.

and/or registered trademarks of their respective holders.

While the color of the motorhome's exterior and the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photo-processing and variances caused by inserting the photographs within the sales brochure. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within this brochure may not be accurate at the time of your purchase. If certain information is significant to your purchasing decision, please confirm the information with your dealer prior to submitting your order.

The actual overall length of the recreational vehicle may differ from that indicated in the brochure due to variances in the manufacturing process and/or installed components. The actual length may be greater or less than that indicated.

<sup>\*\*</sup> All tank capacities are estimated based upon calculations provided by the tank manufacturers and represent approximate capacities. The actual "usable capacity" may be greater or less than the estimated capacities based upon fabrication and installation of the tanks.

<sup>\*\*\*</sup> Actual filled LP capacity is 80% of listing due to safety shut-off required on tank.

#### **Body Construction**

- Alumaframe® Superstructure
- Steel Cage Cockpit Construction
- Peaked One-Piece Fiberglass Roof with Fiberglass Insulation
- Smooth Gel Coat Fiberglass Exterior Walls
- Front and Rear Molded Fiberglass Caps
- Aluminum Framed Floor on Steel Trusses
- Truss System: Standardize Trusses to 30" Height
- $\bullet \ Laminated \ Structurwood^{^{\text{\tiny TM}}} F looring$
- Interior Paneling with 3/4" Insulation
- Foam Insulated Floor Framing with 3-Ply Underbelly
- One-Piece Engine Cover Lid
- Power Heated Remote Exterior Mirrors
- Fog Lights
- Low-Profile Sealed LED Marker Lights
- New Style Taillights
- Side-Hinged Baggage Doors; All Door Locations with Redesigned Extrusion and Latch Locations

- One-Piece Polyethylene Storage Compartment
- Wheel Mud Flaps
- Integrated Metal Fuel Door with Lock
- Deluxe Full-Body Paint
- Interior Rubber Entry Steps with Stepwell Cover
- Exterior Double Entry Steps
- · Slide-Out Battery Tray
- Undercoating

# **Options**

- Rear Ladder
- Front-Mount Chrome Power Heated Remote Exterior Mirrors
- 3M Film Front Mask
- Full-Length Mud Flap

# Workhorse Chassis/Engine/Suspension (18,000 Lbs.) (N/A: 29RBD)

- 8.1L V-8 Gasoline Engine with Electronic Fuel Injection
- Engine Displacement: 8.1L/496 Cu. In.
- Power: 340 HP
- Torque: 455 lbs./ft.
- 4-Speed Automatic Transmission with Overdrive
- Fuel Tank Capacity 75 Gallon
- 145 Amp Alternator
- Rear Axle Ratio: 4.63:1

- Radial Tires: 225/70R x 19.5F
- · Stainless Steel Wheel Liners
- Leaf Spring Suspension
- ABS Brake System
- Fully Automatic Hydraulic Leveling System
- Pre-Wire for Supplemental Braking System
- Hitch Receiver with Dual Connector 4-Pin or 7-Pin (4,000 Lbs.)
- SmartStructure II

#### Ford Chassis/Engine/Suspension (20,500 Lbs.)

- 6.8L 3-Valve V-10 Gasoline Engine with Electronic Fuel Injection
- Engine Displacement: 6.8L/415 Cu. In.
- Power: 362 HP
- Torque: 457 lbs./ft.
- TorqShift 5-Speed Automatic Overdrive Transmission with Tow/Haul Mode
- New Transmission Oil Temperature Gauge
- Fuel Tank Capacity 75 Gallon
- 130 Amp Alternator
- Rear Axle Ratio: 5.38:1

- Radial Tires: 245/70R x 19.5F
- Wheel/Rims with Chrome Wheel Covers
- Leaf Spring Suspension
- Front and Rear Disc, 4-Wheel Anti-Lock Brakes
- Heavy-Duty Front Track Bar with Bilstein® Shock Absorbers
- Fully Automatic Hydraulic Leveling System
- Pre-Wire for Supplemental Braking System
- Hitch Receiver with Dual Connector 4-Pin or 7-Pin (5,000 Lbs.)
- SmartStructure II

## Workhorse Chassis/Engine/Suspension (20,700 Lbs.)

- 8.1L V-8 Gasoline Engine with Electronic Fuel Injection
- Engine Displacement: 8.1L/496 Cu. In.
- Power: 340 HP
- Torque: 455 lbs./ft.
- 6-Speed Automatic Transmission with Overdrive
- Fuel Tank Capacity 75 Gallon
- 145 Amp Alternator
- Rear Axle Ratio: 5.I3:1
- Radial Tires: 245/70R x 19.5F
- · Stainless Steel Wheel Liners

- Leaf Spring Suspension
- ABS Brake System
- Fully Automatic Hydraulic Leveling System
- Pre-Wire for Supplemental Braking System
- Hitch Receiver with Dual Connector 4-Pin or 7-Pin (5,000 Lbs.)
- SmartStructure II

# **Options**

• Workhorse 2006 Chassis Cost Adjustment (Required Option)

#### Cockpit

- Fiberglass Two-Toned Automotive Dash with Gray Hurricane Instrumentation Panel
- CD Player/Radio with Sirius-Ready Compatibility, Weather Band and Four Speakers
- Multi-Positioned Sunvisors
- Rear Vision System with Audio and Adjustable Camera
- Intermittent Windshield Wipers

- · Tilt Steering Wheel
- Cruise Control
- Power Steering
- Roof-Mounted Air Horn
- Wood Center Console on Engine Cover, Recess Tray with Rubber Mat and Plastic Two-Tier Cup Holders; Front Tip-Door Ford/Front Drawer Workhorse Chassis

continued on page I4

#### Cockpit (continued)

- Soft Touch Vinyl Pilot and Co-Pilot Seats
- Six-Way Power Pilot Seat
- Six-Way Power Co-Pilot Seat
- Carpeted Driver and Passenger Floor Mats
- Wood Framed Cabinet Doors with Smoked Glass over Front Entertainment Center Systems
- Directional Map Lights on Bottom of TV Cabinet
- Secure Front Cab over TVs with Steel Framing

#### Options

- Power Sunvisors
- Pilot and Co-Pilot Side Window Pull-Down Sunshades
- CB Radio Prep
- 3-Camera Rear Vision System with Audio and Adjustable Center Camera
- Driver's Side Door with Electric Window
- Ten Disc CD Player

#### Appliances and Accessories

- Large Double-Door Refrigerator with Ice Maker
- High-Output 3-Burner Cooktop without Oven
- Bi-Fold Range Covers
- Spacesaver Convection Microwave with Touch Control
- 24" Stereo Color TV with Remote Control in Cockpit Overhead
- TV Antenna
- DVD Prep and Video Control Box with Booster
- Exterior Hook-Ups for DSS Dish and Cable
- Interior Cable TV Hook-Up and Telephone Jacks
- Digital Satellite System Prep
- Exterior Gas Line Hook-Up Prep for LP Accessories

 Home Theater System with DVD and VCR Player with Surround Sound Speakers

## **Options**

- Large Four-Door Refrigerator with Ice Maker (27RB)
- · Large Double-Door Refrigerator with Ice Maker 10 Cu. Ft.
- High-Output Three-Burner Range with Oven
- Fully Automatic Digital Satellite System
- Exterior Entertainment Center, CD Player Radio with Two Speakers (N/A: 29RBD)

#### Interior

- Alder Hardwood Cabinetry
- Solid Wood Raised Panel Cabinet Doors on Overhead Cabinets, Base Cabinets and Wardrobes
- · Raised Panel Refrigerator Inserts
- Decorative Wallboard
- Self-Supporting Top-Hinged Overhead Storage Doors and Positive Catches on All Other Doors
- Heavy-Duty Ball Bearing Drawer Guides
- Wood Cabinet Drawer Boxes
- Wood Interior Grab Handle on Cabinet at Entry Door (29RBD)
- Black Entry Rail for Stepwell
- Antique Brass Cabinetry Hardware and Bath Accessories
- Solid Surface Kitchen Countertop with Stainless Steel Sink, Pullout Faucet and Two Sink Covers
- Decorative Design Bevel V-Grooved Mirrors for Backsplash behind the Cooktop
- Beveled V-Grooved Mirrors below Corner Cabinet by Dinette (N/A: 29RBD)
- Kitchen Countertop Extension (29RBD)
- Toe Kicks to Kitchen and Bath Lavatory Base Cabinets
- Solid Surface Bath Countertop with Integrated Sink
- Silverware Tray Kitchen Base Cabinet
- Kitchen Overhead Cabinets with Adjustable Shelf (N/A: 29RBD)

- Kitchen Pantry next to Refrigerator with Adjustable Shelves in Upper Cabinet and Three Drawers Below (N/A with Four-Door Refrigerator Option) (N/A: 28RB2)
- Laminated Tile Flooring in Bath and Kitchen, Flooring to Include Entry Door
- · Nylon Carpeting with Pad
- Soft Touch Padded Vinyl Ceiling
- Wood Slide-Out Fascia with Vinyl Inserts (29RBD)
- Decorative Picture on Refrigerator Wall, Pantry Wall or Washer/Dryer Cabinet Wall
- Raised Panel Bath Door
- Hardwood Bath Door Casing
- Full-Length Mirror inside Bath
- Medicine Cabinet with Adjustable Shelves
- · Sleepsac for Bed
- Pleated Day/Night Blackout Shades Throughout
- Soil Repellant on Fabric

#### **Options**

- Decors: Outback Lodge, Latin Beat, Windjammer, Island Oasis
- Plank Flooring Back of Cockpit Seats to Rear of Coach
- · Plank Flooring in Kitchen and Bath

#### **Furniture**

- Electro-Majic™ Bed, Mattress Ladder and Sleepsac
- Hardwood Dinette Table with Two Freestanding Chairs and Two Folding Chairs
- Roadside: Fabric Sleeper Sofa, Two Pillows on All Sofas (N/A: 29R RD)
- Roadside: Flip-Up Party Table between Two Barrel Chairs (29RBD)
- Curbside: Fabric Sleeper Sofa, Two Pillows on All Sofas (29RBD)
- Curbside: Flip-Up Party Table between Two Barrel Chairs (N/A: 29RBD)

# Options

- Roadside: Fabric Electric Sofa (N/A: 29RBD)
- Roadside: Fabric Wonder Bed Sofa (N/A: 29RBD)
- Roadside: Computer Table with Hardwood Top and OptimaLeather™ Euro-Recliner Chair with Ottoman (29RBD)
- Curbside: Fabric Electric Sofa (29RBD)
- Curbside: Fabric Wonder Bed Sofa (29RBD)
- Curbside: Computer Table with Hardwood Top and OptimaLeather™ Euro-Recliner Chair with Ottoman (N/A: 29RBD)
- Headboard and Footboard for Electro-Majic<sup>™</sup> Bed

#### Electrical Systems and Lights

- 30 Amp 120V Distribution Panel and Power Cord
- 60 Amp Electronic 12V Converter
- Onan® 4.0 kW Generator
- Two 6V House Batteries
- Battery Disconnect Switches
- 12V and 110V Outlets in Cockpit Area
- Porch Light and Exterior Step Light on Same Switch
- · Exterior Power Entry Step with Light
- Interior Stepwell Entry Step Lights
- Water Pump Switch in Service Bay Area and Kitchen Area
- Lights in Outside Storage Compartments
- 120V Receptacles in Outside Storage Compartment
- Underhood Utility Light
- Receptacle and Phone Jack in Dinette Area
- Directional Map Lights Pilot and Co-Pilot Seats
- Snake Light Pilot and Co-Pilot Side Seat Locations
- Systems Convenience Center

- $\bullet$  Fluorescent Light(s) with Night Light Function, under Kitchen Overhead
- Fluorescent Ceiling Lights Throughout
- Decorative Framed Galley Fluorescent Light
- Antique Brass Decorative Lighting Dinette Overhead
- Cosmetic Vanity Light 3 Bulb
- Antique Brass Bullet Lights in Living Area
- Halogen Lights under Living Room Overhead Cabinets

## **Options**

- 50 Amp Service with Energy Management System
- 50 Amp 12V Distribution Panel and Cord
- Storage Compartment Tank Monitor Gauges
- 2,000 Watt Inverter with Two Additional 6V House Batteries
- Onan<sup>®</sup> Gold 5.5 kW Gas Generator (Requires 50 Amp Service Option)

#### Plumbing and LP Systems

- Kitchen Stainless Steel Sink with Single Lever Satin Nickel Faucet with Pullout Sprayer
- · Separate Satin Nickel Finish Faucet for Filtered Water
- Bath Faucet and Bath Hardware Antique Brass
- Demand Water System and Water Pump
- 6-Gallon LP Gas/Electric Water Heater with Electronic Ignition
- Winterization Valving System
- Water Heater Bypass Valve
- Style Plus Porcelain Toilet with Sprayer
- No-Fuss Flush Holding Tank Rinsing System
- Insulated Systems Compartment with Easy Access to Hook-Up
- New Style Shower inside Wet Bay with Hot/Cold Water
- Soap Dispenser inside Utility Bay

- · Gravity and Pressurized Water Fill
- Contained Storage Area for Sewer Hose
- One-Piece Fiberglass Shower
- Shower Diverter, Hose and Head Antique Brass Finish, with Slide Bar for Shower Head with Soap Dish
- · Shower Light on Ceiling inside Shower
- Antique Brass Framed Shower Door with Obscure Glass

## **Options**

- Bathtul
- RV Sani-Con 2 System, Holding Tank Flush System
- Insta-Hot® Water System
- I0-Gallon Gas/Electric Water Heater with Electronic Ignition

#### Heating, Vents and Air Conditioning

- One 13.5M BTU Air Conditioner with Ducted Air and Wall Digital Thermostat, Low-Profile Ford and Workhorse
- 31M BTU Electronic Ignition Furnace
- Electronic Dash AC/Heat Climate Control System
- In-Floor Ducted Heating System with Metal Floor Registers
- Kitchen Powered Attic Fan with Wall Control of Automatic Dome and Fan Power
- Bath Powered Attic Fan with Wall Control of Automatic Dome and Fan Power
- Attic Fan with Rain Sensor with Electronic Wall Thermostat, Fan Located above Electro-Majic™ Bed

- Metal Floor Registers Antique Brass
- I2V Wet Bay Heater

#### Options

- One I3.5M BTU Air Conditioner with Heat Pump, Ducted Air and Wall Digital Thermostat, Low-Profile Ford and Workhorse
- Fantastic 12V Attic Fan with Rain Sensor with Electronic Wall Thermostat Kitchen
- Fantastic I2V Attic Fan with Rain Sensor with Electronic Wall Thermostat Bath

#### Windows, Doors and Awnings

- Radius Flush-Mount Dual Pane Safety Glass Dark Tinted Slider Windows
- Radius Entrance Door with Clear Glass, Roller Shade, Screen Door and Anti-Skid Steps
- Interior Grab Handle and One Exterior Grab Handle
- · Eclipse Automatic Patio Awning

- Topper Slide-Out Awning (29RBD)
- Protecta Glaze Tinted Plexiglas® Skylight in Bathroom

#### Options

- Window Awnings to Slide-Out House Window (29RBD)
- Window Awning on Sidewall

#### Safety

- Fire Extinguisher
- Deadbolt Lock on Entrance Door
- 120V GFI Protected Circuit, Kitchen, Bath and Exterior
- LP Gas Detector
- Smoke Detector

- Carbon Monoxide Detector
- Pilot and Co-Pilot Three-Point Seat Belts
- Third Brake Safety Light
- Egress Windows

# Live out loud.

Now we've done it. We've taken the luxury motorhome and given it a fun streak. And to top that, we've made it exceedingly affordable. Yes, we're happy to introduce the rebellious new 2006 Safari lineup. While we invite you to compare these super-sized values with other motorhomes, we won't be surprised if you cut to the chase and hit the road in a new Safari. Because we know how you love a great deal.





Cheetah Trek® Simba®



www.safarimotorcoaches.com 91320 Coburg Industrial Way, Coburg, OR 97408 1.800.458.8735