







## PULL UP A TRAILER AND STAY AWHILE.

They may be light weight and less costly, but Solantas are big when it comes to pleasure. You get more for your money, starting at the Lite Aluminum Superstructure. Each travel and fifth wheel trailer comes with a standard screwed and bonded, all-aluminum frame,



HERE'S BIG STORAGE Large storage compartments This lockable, sliding stor-(select models) are plentiful. age tray is unique and Now you can take everything along on the next trip! select Solanta models.



SLIDING TRAY STORAGE functional. It's available on



FIFTH WHEEL QUAD STEPS They are easy to pull out and put away, but best of all, they make entering and exiting your RV a simple task.

similar to Titan models. And when you consider how we've added luxurious appointments inside and out, you don't have to travel too far down the dusty road to realize you're pulling the best deal around. Your adventures may now begin!





For affordable family luxury, the Solanta stands alone. We overbuild these trailers and pack them full of amenities that make this house on wheels feel like home. The quality materials we use assure that your Solanta will keep towing well and looking good. And with new upgrades in this year's models, your money goes even further, making it an ideal choice for first-time buyers looking for affordable RV adventures. Get the best attention to detailing and quality materials in this price category.











RESIDENTIAL-STYLE SINK Here is Solanta's standard and large lavatory sink. Notice the conveniently placed switch and receptacle.



Optional Day/Night shades are now available for Solantas. They add class and convenience to your trailer's interior.



AFFORDABLE LUXURY The standard dinette area converts to a bed. Noticed the extra standard on select models and storage under seating. We give you a lot for the money!



**BUNK BEDS** Quad bunks, actually. They're allow you to sleep up to ten! See details on pages 9 and 10.



**EVEN MORE STORAGE** Select models come with this large outside storage door and fold-up bunk. See floorplans on pages 8 and 9 for details.



















We set our standards high, and so should you. That's why we created and developed the famous Lite Aluminum Superstructure. This ultra-light structure means a smoother ride, less gas consumption, and a stronger body. By the looks of other brands, it's clear that they thought our idea was pretty good, too. Of course, if you look closer, you'll see they use far less aluminum and structural support. We pioneered the Superstructure over 10 years ago because we care about quality. And the first is still the best.



















ALL ALUMINUM Like Titan models, Solantas feature our famous, sturdy Lite Aluminum Superstructure construction.



**BUILT BETTER** Floors, sidewalls and roofs come standard with R-7 insulation. Stay warm during the fall and cooler in summer.



CABINET CONSTRUCTION door faces versus staples like other brands. Just another example of hidden differences!



**OUR WARRANTY** We use screws to secure cabinet A 2-year limited warranty covers trailer's workmanship and parts. OEM items come with their own warranties and coverage periods.



**INSULATED TANKS** We insulate holding tanks down to the details—that means we even heat the valves! Available on select models.


















REFRESH SNUGGLE EXPLORE HANG UP



2004 TRAVEL TRAILER Available with Option:

2709 TRAVEL TRAILER Available with Options: N and T






2406 TRAVEL TRAILER Available with Options: N and T


2716 TRAVEL TRAILER Available with Options: N and T






2706 TRAVEL TRAILER Available with Options: N and U

2726 TRAVEL TRAILER Available with Options: F, N and U








2708 TRAVEL TRAILER Available with Options: N and T


2816 TRAVEL TRAILER Available with Options: N and U













## TRAVEL TRAILER FLOORPLANS BY MODEL TRAVEL TRAILER AND FIFTH WHEEL FLOORPLAN OPTIONS








2450 FIFTH WHEEL Available with Options: F, N and V


2850 FIFTH WHEEL Available with Options: F, N and V





 $\begin{array}{c} 2750 \\ \text{FIFTH WHEEL} \\ \text{Available with Options:} \\ \text{F and V} \end{array}$ 

3150 FIFTH WHEEL Available with Options: F, N and V



## SOLANTA TRAVEL & FIFTH WHEELTRAILER SPECIFICATIONS

|                        | 2004        | 2406        | 2706        | 2708         | 2709         | 2716         | 2726         | 2816         | 3006         | 3009         | 3310         | 3610         | 2450         | 2750         | 2850         | 3150         |
|------------------------|-------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| EXTERIOR LENGTH*       | 21'- 5"     | 24'- 9"     | 27'- 8"     | 27'- 8"      | 27'- 8"      | 27'- 6"      | 28'- 3"      | 28'- 8"      | 30'- 8"      | 30'- 8"      | 33'- 9"      | 36'- 11"     | 25'- 0"      | 27'- 11"     | 29'- 10"     | 33'- 1"      |
| EXTERIOR HEIGHT**      | 10'- 2"     | 10'- 2"     | 10'- 2"     | 10'- 2"      | 10'- 2"      | 10'- 2"      | 10'- 9"      | 10'- 2"      | 10'- 9"      | 10'- 9"      | 10'- 9"      | 10'- 9"      | 11'- 11"     | 11'- 11"     | 11'- 11"     | 11'- 11"     |
| EXTERIOR WIDTH         | 8'- 0"      | 8'- 0"      | 8'- 0"      | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       | 8'- 0"       |
| INTERIOR HEIGHT        | 6'- 5"      | 6'- 5"      | 6'- 5"      | 6'- 5"       | 6'- 5"       | 6'- 5"       | 6'- 5"       | 6'- 5"       | 6'- 5"       | 6'- 5"       | 6'- 5"       | 6'- 5"       | 7'- 5"       | 7'- 5"       | 7'- 5"       | 7'- 5"       |
| DRY HITCH WEIGHT***    | 490         | 520         | 585         | 560          | 570          | 640          | 735          | 640          | 960          | 1085         | 995          | 1198         | 1235         | 1590         | 1525         | 1765         |
| DRY GROSS WEIGHT***    | 3690        | 4130        | 4600        | 4450         | 4618         | 4813         | 5947         | 4900         | 6300         | 6538         | 6646         | 7471         | 6377         | 6820         | 7188         | 7943         |
| GVWR                   | 7840        | 7840        | 7840        | 7840         | 7840         | 7840         | 9632         | 9632         | 9632         | 9632         | 10,000       | 11,500       | 8750         | 10,750       | 10,750       | 12,700       |
| CARRYING CAPACITY      | 4150        | 3710        | 3240        | 3390         | 3222         | 3027         | 3685         | 4732         | 3332         | 7094         | 3354         | 4029         | 2373         | 3930         | 3562         | 4656         |
| AXLES                  | Dual        | Dual        | Dual        | Dual         | Dual         | Dual         | Dual         | Dual         | Dual         | Dual         | Dual         | Dual         | Dual         | Dual         | Dual         | Dual         |
| TIRE SIZE              | ST205/75R1C | ST205/75R1C | ST205/75R1C | ST205/75R15C | ST205/75R15C | ST205/75R15C | ST225/75R15C | ST225/75R15C | ST225/75R15C | ST225/75R15C | LT225/75R16E | LT225/75R16E | ST225/75R15C | ST225/75R15C | ST225/75R15C | LT225/75R16E |
| HITCH HEIGHT           | 22"         | 22"         | 22"         | 22"          | 22"          | 22"          | 22"          | 22"          | 23"          | 23"          | 23"          | 23"          | 46"          | 46"          | 46"          | 46"          |
| OPTIONAL AWNING SIZE   | 11'- 6"     | 15'         | 20'         | 20'          | 20'          | 20'          | 20'          | 20'          | 20'          | 20'          | 20'          | 20'          | 16'          | 16'          | 16'          | 19'          |
| FURNACE SIZE           | 25M BTU     | 25M BTU     | 25M BTU     | 25M BTU      | 25M BTU      | 25M BTU      | 25M BTU      | 25M BTU      | 31M BTU      | 31M BTU      | 31M BTU      | 35M BTU      | 25M BTU      | 31M BTU      | 31M BTU      | 35M BTU      |
| DOMETIC GAS/EL. REFER. | Dbl. Door   | Dbl. Door   | Dbl. Door   | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    | Dbl. Door    |
| FRESH WATER CAPACITY   | 50          | 50          | 50          | 50           | 50           | 50           | 50           | 50           | 50           | 50           | 50           | 50           | 50           | 50           | 50           | 50           |
| BLACK WATER TANK CAP.  | 41          | 41          | 41          | 41           | 41           | 41           | 41           | 41           | 41           | 41           | 41           | 100          | 41           | 41           | 41           | 41           |
| GRAY WATER TANK CAP.   | 34          | 34          | 34          | 34           | 34           | 34           | 69           | 34           | 34           | 34           | 69           | 113          | 34           | 34           | 69           | 69           |
| SLEEPING               | 4           | 6           | 6           | 8            | 9            | 6            | 6            | 6            | 6            | 9            | 10           | 10           | 6            | 6            | 9            | 10           |

<sup>\*</sup> Measured from center of ball or king pin to rear bumper \*\*\* Includes air conditioner on roof \*\*\*\* Does not include optional equipment

## STANDARD FEATURES & OPTIONAL EQUIPMENT

| CONSTRUCTION                                |   |
|---|---|
| All-Aluminum Bonded Superstructure          | S |
| Tube Steel Chassis                          | S |
| 5/8" Tongue-And-Groove Exterior-Grade       |   |
| Plywood Floors                              | S |
| Floor Bonded and Screwed to Aluminum        |   |
| Floor Joist                                 | S |
| 3/8" Roof Decking (1/2" with Rack and       |   |
| Ladder Option)                              | S |
| Tapered Aluminum Truss-Type Roof Rafters    | S |
| R-7 Fiberglass Floor/Walls/Roof Insulation  | S |
| Fome-Cor® Insulation on Aluminum-Sided      |   |
| Models                                      | S |
| INTERIOR                                    |   |
| Congoleum® Residential Grade Floor          |   |
| Covering                                    | S |
| Wood-Look Vinyl Floor Covering Upgrade      | ō |
| Ceramic-Look Vinyl Floor Covering Upgrade   | ō |
| Nylon Carpeting (FHA Approved) with         | _ |
| Rebond Pad on Select Models                 | S |
| Solid Oak-Framed Cabinet Doors and          |   |
| Drawer fronts                               | S |
| Mini Blinds                                 | S |
| Color Coordinated Day/Night Shades          |   |
| Available on Any or All Windows             | 0 |
| Fifth Wheel Slide Rooms have 6'-3" of       |   |
| Interior Height (Std. on Fifth Wheels only) | S |
| All Cabinet Faces are Made with             |   |
| Screwed-Together Construction               | S |
| Below Floor Water Tanks for More Inside     |   |
| Storage                                     | S |
|   |   |
| LIVING ROOM                                 | _ |
| Sofa Bed (N/A on 2004)                      | S |
| Hide-A-Bed (on Most Models with Large       | _ |
| Slide Room)                                 | 0 |
| Swivel Rocker (One Standard on 2750)        | 0 |
| Reclining Swivel Glider Chair               | 0 |
| Overhead Cabinets in Slide Rooms            | S |
| Wallpaper Border                            | S |
| BATHROOM                                    |   |
| Acrylic Bathroom Lavatory Sink              | S |
| Thetford® Hand-Flush Toilet                 | S |
| Create-A-Breeze® Power Roof Vent            | S |
| Skylight in Tub/Shower (N/A 2004, 2406)     | 0 |
| Shower Curtain                              | S |

| Glass Tub/Shower Door (N/A on 2450)                                   | 0       |
|---|---------|
| Folding Tub/Shower Door   | 0       |
| Shower Option (See Floorplan for Details)                             | 0       |
| /inyl Floor Covering  | S       |
|   |         |
| BEDROOM   | 0       |
| Queen Bed (Width) with Mattress                                       | S       |
| Deluxe Pillow-Top Mattress  | S       |
| Deluxe Curtains and Bedspread Deluxe Oak Headboard (Some Models TT's) |         |
| Edge-Trimmed Bed Board  | S<br>S  |
| Piston-Lift Beds (Queen Only)   | 0       |
| Shirt Wardrobes (Available on Most                                    |         |
| Fravel Trailers and Fifth Wheels)                                     | S       |
| Twin Beds   | Ö       |
| Fantastic® Fan or Create-A-Breeze®                                    | _       |
| Roof Vent   | 0       |
|   | _       |
| KITCHEN   |         |
| arge Acrylic Double Sink with Cover                                   | S       |
| Dometic® Double-Door Refrigerator                                     | S       |
| Dometic Large Double-Door Refrigerator                                | 0       |
| Raised Oak Refrigerator Door Panels                                   | 0       |
| Microwave Oven  | S       |
| Three-Burner Range and Oven   | S       |
| Dak Table and 4 Chairs  | 0       |
| Roof Vent   | S       |
| Fantastic Fan with Rain Sensor or                                     |         |
| Create-A-Breeze Fan   | 0       |
| ENITEDTA INIMENIT   |         |
| ENTERTAINMENT  TV Antenna with Power Booster                          | 0       |
| AM/FM Stereo with CD Player   | S       |
| Surround Sound AM/FM Stereo with CD                                   |         |
| and DVD (Most Models)   | $\circ$ |
| Cable TV Hookup   | 0<br>S  |
| TV Outlet in Bedroom  | 0       |
| TV Shelf with Outlet in Bedroom (N/A 2004)                            | Ö       |
| Satellite Dish  | Ō       |
| Prewire for Satellite to Side of Trailer                              | Ō       |
|   |         |
| SYSTEMS   |         |
| AC/DC Power Converter with Charger                                    | S       |
| Floor-Ducted Forced-Air Furnace                                       | S       |
| Oual 30 lb. L.P. Tanks with Auto                                      |         |
| Change-Over Regulator   | S       |

Enclosed, Insulated and Heated Fresh

Water Tanks

| Enclosed, Insulated and Heated Holding                          |   |
|---|---|
| Tanks (N/A on 2004, 2406, 2706, 2708, 2709, 2716 and 2816)      | S |
| Atwood® Gas 6-Gallon Water Heater                               | S |
|   |   |
| Atwood Gas/Electric 6-Gallon Water Heater                       | 0 |
| Atwood Direct-Spark Ignition Gas/Electric                       | _ |
| 6-Gallon Water Heater   | 0 |
| Atwood 10-Gallon Water Heaters (Standard                        | _ |
| on 3610, Opt. on 3006, 3310 and 3150)                           | 0 |
| Water Heater By-Pass System                                     | 0 |
| Dometic® 13,500 BTU Ducted Air Conditioner with 2-Speed Control | S |
| Dometic 15,000 BTU Ducted Air Conditioner                       |   |
| with 2-Speed Control  | 0 |
| Cool Air Diverter with All Air Conditioners                     | S |
| Washer/Dryer Prep or Installed (3006 only,                      |   |
| Includes 10-Gallon Water Heater & 50 Amp                        |   |
| Service)  | 0 |
| 30 Amp Service w/Detachable Power Cord                          | S |
| 50 Amp Service w/Detachable Power Cord                          |   |
| (Available on Select Models)                                    | 0 |
| ,   |   |
| EXTERIOR  |   |
| .024 Mesa Aluminum on Sidewalls                                 | S |
| Gel-Coat Fiberglass Sidewalls                                   | 0 |
| Gel-Coat Fiberglass Front Cap                                   |   |
| (Standard on Fifth Wheels only)                                 | S |
| Dead-Bolt Locks on Entry Doors                                  | S |
| 30" Main Entry Door   |   |
| (Wheelchair Accessible)   | S |
| Main Entry Porch Light  | S |
| Radius Corner Front Window Awning                               | Ť |
| (Only on Select Travel Trailer Models)                          | S |
| White Framed Radius Doors (Entry,                               |   |
| Baggage) and Windows  | S |
| Daggage, and villaovis  | 0 |

| 12V Power Front Jack                   | 0      |
|--|--------|
| 12V Power Rear Stabilizer Jack         |        |
| (Only Available on Fifth Wheels)       | 0      |
| A&E® Sunchaser Awnings                 | S      |
| Center Rafter and Slide Room Awnings   |        |
| (Slide Awning N/A on 2716 and 2816)    | 0      |
| Leveling Jacks (Option on TT's)        | S      |
| Molded Bottle Cover (on TT's Only)     | S      |
| Outside Shower                         | 0      |
| Reinforced Rubber Roof with 3/8"       |        |
| Roof Decking                           | S      |
| Reinforced Rubber Roof Rack and Ladder |        |
| with 1/2" Decking (Rack/Ladder N/A on  |        |
| 2709 with Skylight Option)             | 0      |
| Safety Glass Windows                   | 0      |
| Deep Tint Windows                      | 0      |
| Spare Tire, Carrier and Vinyl or       |        |
| Solid Cover                            | 0      |
| Deluxe Chrome Steel Wheels             | 0      |
| Folding Assist Handle                  | 0      |
| Extended Pin Box                       |        |
| (on Fifth Wheels Only)                 | S      |
|  |        |
| SAFETY                                 |        |
| Name Brand Radial Tires                | S      |
| Four-Wheel Electric Brakes             | S      |
| Break-Away Switch                      | S      |
| Smoke Detector                         | S<br>S |
| L.P. Leak Detector                     | S      |
| GFI Electrical Circuit Protection      |        |
| E-Z Lube Axles                         | S      |
| Shock Absorbers (All Units with        |        |
| Slide Room Except 2716, 2816)          | S      |
| Shock Absorbers (2716, 2816 and All    |        |
| Models without Slide Room)             | 0      |
|  |        |







www.sunnybrookrv.com (574) 825-5250 201 14th Street Middlebury, IN 46540 Printed in the USA © 2004 SunnyBrook RV, Inc

All illustrations and specifications contained in this literature are based on the latest product information available at the time of printing. SunnyBrook RV, Inc. reserves the right to make changes to colors, materials, specifications and pricing without notice or obligation. Photography may show optional equipment available at an additional cost. Items used as props in photography are not part of the packages. All liquid capacities and weights are approximate and dimensions are nominal. SunnyBrook reserves the right to make changes and improvements without incorporating these changes into similar models produced at an earlier date. Consult your local, authorized SunnyBrook or Mobile Scout dealer for the latest information and changes. SunnyBrook RV is a member in good standing of the RVIA.