Topaz









Bringing indoor comfort to the great outdoors.

Don't let the outdoors cramp your style when you can camp in style inside the well-appointed Topaz. Every square inch of modern living area has been thoughtfully designed with your contentment and convenience in mind, from harmonized bedding to sleek oak cabinetry that brightens the naturally-lit surroundings. Create the ambience of home wherever you may roam.





www.tripleerv.com







	TRAVEL TRAILER				FIFTH WHEEL		
TOPAZ 2007	T26255	T2825F	T283F5	T322FB	F2515F	F2535F	F25455
GVWR – Ib. (kg)	7,600 (3 448)	7,800 (3 538)	8,900 (4 038)	9,990 (4 531)	TBD	8,900 (4 038)	9,190 (4 169)
UVW – lb. (kg)	6,138 (2 785)	6,496 (2 947)	6,731 (3 054)	8,274 (3 753)	TBD	7,238 (3 284)	7,522 (3 413)
Hitch/Pin Weight — lb. (kg)	703 (319)	771 (350)	784 (356)	1,337 (606)	TBD	1,158 (525)	1,323 (600)
NCC – lb. (kg)	1,462 (663)	1,204 (547)	2,169 (984)	1,716 (778)	TBD	1,662 (754)	1,578 (716)
Tire Size	ST225/75R-15C	ST225/75R-15C	ST235/75R-15D	ST235/75R-15D	ST235/80R-16D	ST235/80R-16D	ST235/80R-16D
Length – ft. (mm)	27' 8" (8 432)	28' 9" (8 763)	29' 10" (9 093)	32' 10" (10 008)	25' 7" (7 798)	25' 10" (7 874)	25' 10" (7 874)
Width – ft. (mm)	8' 0" (2 438)	8' 0" (2 438)	8' 0" (2 438)	8' 0" (2 438)	8' 0" (2 438)	8' 0" (2 438)	8' 0" (2 438)
Height* — ft. (mm)	9' 8" (2 945)	9' 8" (2 945)	9' 8" (2 945)	9' 8" (2 945)	9' 8" (2 945)	11' 4" (3 454)	11' 7" (3 531)
Water Tank Capacity — U.S. gal. (L)	50 (190)	50 (190)	50 (190)	54 (204)	50 (190)	50 (190)	50 (190)
Grey Waste Capacity — U.S. gal. (L)	32 (121)	64 (242)	32 (121)	64 (242)	64 (242)	64 (242)	32 (121)
Solid Waste Cap Capacity — U.S. gal. (L)	32 (121)	32 (121)	32 (121)	32 (121)	32 (121)	32 (121)	32 (121)
Propane Capacity Capacity – U.S. gal. (L)	17 (64.8)	17 (64.8)	17 (64.8)	17 (64.8)	17 (64.8)	17 (64.8)	17 (64.8)

^{*}Not Including Air Conditioner

GVWR (GROSS VEHICLE WEIGHT RATING)

The maximum permissible weight of this trailer. The GVWR is equal to or greater than the sum of the unloaded vehicle weight (UVW) plus the net carrying capacity (NCC).

UVW (UNLOADED VEHICLE WEIGHT)

The weight of the trailer as built at the factory. The UVW does not include cargo, fresh water, LP gas, factory or dealer installed accessories.

FLOOR PLANS TRAVEL TRAILER



Carpet

FLOOR PLANS FIFTH WHEEL



F5280RK	F5301RB	F 5 305RL	F5306RL	F5321RL
10,900 (4 946)	10,900 (4 946)	10,900 (4 946)	11,900 (5 399)	12,900 (5 853)
8,965 (4 068)	8,418 (3 819)	8,623 (3 911)	9,492 (4 307)	10,088 (4 577)
1,703 (773)	1,724 (782)	1,434 (650)	1,632 (740)	1,821 (826)
1,935 (878)	2,482 (1 127)	2,277 (1 035)	2,408 (1 092)	2,812 (1 276)
ST235/80R-16D	ST235/80R-16D	ST235/80R-16D	ST235/80R-16D	ST235/80R-16D
29'4 " (8 941)	30' 6" (9 296)	30' 7" (9 322)	30' 7" (9 322)	31' 6" (9 600)
8' 0" (2 438)	8' 0" (2 438)	8' 0" (2 438)	8' 0" (2 438)	8' 0" (2 438)
11' 9" (3 582)	11' 9" (3 582)	11' 9" (3 582)	11' 9" (3 582)	12' 1" (3 683)
54 (204)	54 (204)	54 (204)	54 (204)	54 (204)
64 (242)	32 (121)	64 (242)	64 (242)	64 (242)
32 (121)	32 (121)	32 (121)	32 (121)	32 (121)
17 (64.8)	17 (64.8)	17 (64.8)	17 (64.8)	17 (64.8)

NCC (NET CARRYING CAPACITY)


The maximum weight of personal belongings, food, fresh water, LP gas, tools, tongue weight of towed vehicle, factory and dealer installed accessories, etc., that can be carried by this motorhome. (NCC is equal to or less than GVWR minus UVW.) Please see your dealer for weights of factory installed options.























	TR/ TR/	AVE AILI	L ER		FII WI	TH IEE	L					
RUNNING GEAR/CHASSIS	T26255	T2825F	T283F5	T322FB	F2515F	F2535F	F25455	F5280RK	F5301RB	F5305RL	F5306RL	
Axle – 5 Bolt EZ Lube Tandem with Four Wheel Electric Brakes	S	S	-	-					-			
Axle – 6 Bolt EZ Lube Tandem with Four Wheel Electric Brakes Axle – 8 Bolt EZ Lube Tandem with Four Wheel Electric Brakes	- -		S -	S -	S	- S	- S	- S	S			
Axle — 8 Bolt EZ Lube Tandem with Four Wheel Electric Brakes	-	-	-	-	-	-	-	-	-	-	SS	
Chassis – High Strength Structural Tubular Steel	S	S	S	5	S	S	S	S	S	S	SS	
Landing Gear — Electric Front Snap Jacks	-	-	S	-	S S	S	S	S S	S S	S S	S S S S	
Shock Absorbers Spare Wheel and Tire — 15", 5 Bolt White Spoke Steel Modular with 6 Ply Radial Tire	S	S S	-	-	-	-	-	-	-	-	ა ა - -	1
Spare Wheel and Tire -15 ", 6 Bolt White Spoke Steel Modular with 8 Ply Radial Tire	-	-	S	S	-	-	-	-	-	-	- -	
Spare Wheel and Tire — 16", 8 Bolt White Steel Modular with 8 Ply Radial Tire	-	-	-	-	S	S	S	S	S	S	SS	
Stabilizer Jacks — Front	S	S	S	S	-	-	-	-	-	-		
Stabilizer Jacks – Rear	S	S	S	S	S	S	S	S	S	S	SS	
Wheels and Tires — 15", 5 Bolt White Spoke Steel Modular with 6 Ply Radial Tires	S	S	-	-								
Wheels and Tires – 15", 6 Bolt White Spoke Steel Modular with 8 Ply Radial Tires				S								
Wheels and Tires — 15", 6 Bolt Aluminium Modular with 8 Ply Radial Tires Wheels and Tires — 16", 8 Bolt Aluminium Modular with 8 Ply Radial Tires			0	0	0	0	0	-	0	0	0 0	
Wheels and Tires — 16", 8 Bolt White Steel Modular with 8 Ply Radial Tires		-	-	-	S		S	S	S		S S	
CONSTRUCTION File a least test of Figure 4 Prof.	0	0	0	0	0	0		0	0	0	0 0	
Fibreglass Insulated Floor and Roof	2	S S	S S	S	S	S	S	S	S	S	SS	
Filon® "FRP Plus" Exterior Gelcoat Fibreglass Front and Rear Mask	S	2	5	2	S	S S	S S S	S	S S	S	S S S S	Ļ
Roof – Domed One Piece EPDM Roof with Drip Rail and Runoff Spout	-	S	S	-	S S	9	2	S S	S	S S	5 5 S S	
Slide-Out System – Dual Rack and Pinion	S	S	ა	3	S	S	0	S	3	3	ა ა - §	
Slide-Out System – Flush Floor, Dual Rack and Pinion	3	ى -	S	S	3	ى -	3	S	S	S	SS	
Vacuum Bonded Aluminium Framed Insulated Sidewall with Thermal Break	S	S	S	S	S	S	S	S	S	S	S S	
Window – Front Window with Rock Guard	ა -	ა -	ى -	S	-	-	-	ა -	ى -	- -	ა ა - -	
EXTERIOR												
Barbecue – Exterior with Quick Connect Fitting (Chrome Finish)	0	0	0	0	0	0	0	0	0	0	0 0	
Bumper Cover – Aluminium	S	S	S	S	-	-	-	-	-	-	- -	
Cargo Slide-In Front Baggage Compartment				-	0	-	0	0	0	0	0 0	
Door — Exterior Entry Door into Bedroom		-		0		-	-		-			
Door — Large Exterior Storage Door with Flip-Up Lower Bunk	-	S	-	-	-	S		-	S	-		
Doors – Radius Corners on Entrance Door with Diagonally Reinforced Screen Door with Kick Panel	S	S			S	S		S			SS	
Flush Type Baggage Doors with Locks	S	3	S	S	S	S	5	S	S		SS	
Handle – Swing-Out Exterior Assist Handle	S S	SSS	S S	S S	S S	5	2	S S	S S	S S	S S S S	
Lighting – Exterior Patio Light with Yellow Lens and Interior Wall Switch	2	0			2	3	2	0	2	S	5 5 S S	L
Lighting — Exterior Scare Light with Interior Wall Switch Lighting — Hitch Area and Sewer Termination Area with Interior Wall Switch	S S	2	S S	S S	S S S S	S S S S S S	S S S S S S S	S S	S S	S	S S S S	
Pre Plumbed for RV Que Installation	S	S	S	S	3	S	2	S	S	S	s s S S	
Radiused Coloured Lower Skirts	S	S	S	S	9	2	2	S	S	S	3 3 S S	
Receptacle – G.F.I. Protected 120 Volt Duplex Patio Receptacle	S	S	S	S	2	S	S	S S	S	S	3 3 S S	
Skirts – Fibreglass Molded Wheel Skirts	S	5555555	S	S	S	S	S	S	S	S	SS	
Step – Retractable Entry Step	S	S	S	S	S	S S	S S	S	S	S	SS	
,												

		TRAVEL TRAILER			ŀ	FIFTH WHEEL								
	INTERIOR	752921 0000000	T2825F	T283F5	T322FB		resist	8 8 8 F2535F	000 F25455	SOSSOSS	SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	F5305RL	F5306RL	F5321RL
	Borders – Wall Borders in Galley, Slide and Living Areas	S	S	S	S		S	S	S	S	S	S		S
	Cabinet – Large Overhead Storage in Slide-Out Area with Spring Struts	S	S	S	S		s	S	S	S	S	S	S	S
	Cabinet Doors – Solid Oak Raised Panel	S	S	S	S		S S	S	S	S	S	S	Š	S
	Cabinets – Oak Finish Cabinet Construction	S	S	S	S		S	S	S	S	S	S	S	S
	Clock in Living Area	S	S	S	S		S	S	S	S	S	S	S	S
	Drawers — Full Extension Ball Bearing Drawer Tracks	S	S	S	S		S S S	\$ \$ \$	\$ \$ \$	S	S	S	S	S
	Fire Extinguisher — Dry Chemical	S	S	S	S		S	S	S	S	S	S	S	S
	Fireplace — Electric Fireplace with Adjustable Flame, Heat and Fan Control				0					-			-	0
	Flooring – Additional Carpet in Living Area with Foam Underlay as per Floor Plan (Pre Production Only)	-	-	-	0		-	-	-	0	-	-	-	-
	Flooring — Linoleum in Galley, Bath and Living Area, Carpet in Bedroom and Lounge Area (as shown in Floor Plan)	S	S	S	S		S	S	S	S	S	S		S
	Lighting – Wall Mounted 12 Volt Décor	S	S	S	S		S	S	S	5	S 0	S	S	S
	Shelf for TV in Bedroom Smoke and LP Detectors – Electronic	0	0 S	0	-		0 S	0	0	5	0	S		S
17	Valance – Wrapped Window Treatments Throughout Living Area	S	S	S S	S		s S	S S	S S	S S S	S S	S S	S S	S
	valalice – Wiappeu Willuow Heatillelits Tilloughout Livilig Alea	S	S	S	<u>ي</u>		ა	<u>ა</u>	S	ა	S	ა	S	<u>ی</u>
	FURNITURE													
	Booth Dinette with Slide-Out Drawers	S	S	S	S		S	S	S	S	S	S	S	S
	Computer Workstation	-	-	-	_		-	-	-	-	-	-	-	S
	Hide-A-Bed			S	S					S	S	S S	S	S
	Recliner – Euro Recliner(s) with Ottoman			S	S			-	S	S S	-	S	S	S
	Sofa — Jackknife Sofa with Bayonet Arms	S	S		-		S	S	-	-				-
	Sofa — Jackknife Sofa with Bayonet Arms in lieu of Euro Recliner Chairs								0	0			-	-
	Table — Relocateable Solid Oak Free Standing with Oak Slat Back Chairs			-	-					-	-	-	_	0
	Table — Solid Oak Free Standing with Sliding Hidden Leaf with Oak Slat Back Chairs		-	0	0			-	-	0	0	0	0	-
	GALLEY													
	Bi-Fold Range Cover	S	S	S	S		S	\$ \$	S	S S	8	S	S	S
	Blinds – Venetian Window Covering in Galley	S	S	S S	S		S	2	S S	5	5	S S	S S	S S
	Counter Extensions — Flip-Up Countertop and Dinette Table — Laminate with Solid Oak Radiused Edge	-	S	S	S		- C	S	2	- د	2	S	S	S S
	Faucet – Brushed Nickel Galley Faucet with Pull-Out Sprayer	0	S	S	S		S S	S	0	S C	S	S	S	S
	Knife Rack (Built In)	S S	S	S	S		S	S S	S S S	S	S	S	S	S
	Light – Fluorescent Light in Galley	-	-	-	-		_	_	_	00000000000	5 5 5 5 5 5 5 5 5 5 5 5 5	S	S	S
	Microwave Oven	S	S	S	S		S	S	S	S	S	S	S	S
	Range – Three Burner with High Output Burner with Oven, 22"	\$ \$ \$ \$	S	S	S		S	S	\$ \$ \$	S	S	S	S	S
	Range Hood with 12 Volt Light and Exhaust Fan	S	S	S	S		S S	S S	S	S	S	S	S	S
	Refrigerator – Dometic LP/Electric 6 cu. ft. with Oak Finished Insert	S	S S	S	S		S S	S S	S S	S	S	S S	S	S
	Sink – Nickel Look Large Acrylic Deep Bowl Sink with Cutting Board Sink Cover	S	S	S	S		S	S	S	S	S	S	S	S
	LAVATORY													
	Garden Tub/Shower with ABS Enclosure	-	-	-	-		-	-	-	-	-	-		S
	Medicine Cabinet – Deluxe Oak Finished	S	S	S			S	S	S	S	S	S		S
	Neo Angle Shower – 2 Piece ABS	-	-	-	S		-	-	-	S		S	S	
	Shower Curtain – Folding Tailet Seeland Travellar Lite Chine Feet Flush with Sprayer	S	S S	S S	S S		S	2	S	-	-	-	-	-
	Toilet – Sealand Traveller Lite, China, Foot Flush with Sprayer Tub/Shower Enclosure – 2 Piece ABS	S S	S	S	3		S	\$ \$ \$	S S	S S	S S	S S	S S	S
	TUD/ OHOMOL EHOLOSUIG - Z I IGOG ADS	3	J	J			J	J	-O	ว	J	ا	J	

		TR.	AVE AILI	ER		FI	FTH HEE	L					
	BEDROOM	T26255	T2825F	T283F5	T322FB	F2515F	F2535F	F25455	F5280RK	F5301RB	F5305RL	F5306RL	F5321RL
	Bed – Jack and Jill Bed at Rear with Bunk Windows				_	_			_		_		
	Bedspread – Decorative	S	S S S	S	S	S	S S S	S	S	\$ \$ \$ \$	S	S	S
	Decorative Throw Pillows in Bedroom	S	S	S S	S S S	S	S	S S	S	S	S S	S	S S
07	Headboard – Fabric Wrapped	S S S	S 0	S	S	S	S	S	S	S	S		S
	Mattress – Upgrade (Coil Spring) 60" x 74"	0	0	-	-	-	-	-	-	-	-	-	-
	Mattress — Upgrade (Coil Spring) 60" x 80"	-	-	0	0	0	0	0	0	0	0	0	0
	Mattress – Innerspring (60" x 74")	S	S	-	-	-	-	-	-	-	-	-	-
	Mattress – Innerspring (60" x 80")		-	S	S	S		S	S	S	S	S	S
	Organizer — Vinyl Pouch Mounted to Wall in Bunks		0		-		0	-		0			
	ENTERTAINMENT												
	Cabinet – Entertainment Cabinet (TV and DVD not Included)							S		5	ς	S	S
	Satellite Dish/Cable TV Exterior Hook-Up	S	S	S	S	S	S	S	S	S S	S S	S	S
	TV – AC 20" Colour with Remote	-	-	-	0	-	-	-	-	0	-	-	_
	TV – AC 27" Flat Screen Colour TV with Remote				-			0	0	-	0	0	0
	TV - LCD in Living Area 20"			0				-	-		-	-	-
	TV Antenna — Roof Top Retractable	S	S	S	S	S	S	S	S	S	S	S	S
	HEATING, VENTILATING AND AIR CONDITIONING	0	0		0					0	0	٥	0
07	Air Conditioner – Ducted 13,500 BTU Roof	S	S	S	S	5	S	S	S	S	S	S	S
44	Fan – Non Reversible Create-A-Breeze with Wall Switch in Shower Area Fan – Non Reversible Create-A-Breeze with Wall Switch in Toilet Room										5	S	S
44	Furnace — Forced Air D.S.I. with Thermostat (35,000 BTU) with In-Floor Ducting	S	S	S	S	S	-	S	S		S S S	S S	S S
	Vent – 12 Volt Power Roof Exhaust in Lavatory	S	S	3	0	د و	0	0	0	S	ა _	ა	<u>ی</u>
	Vent – 12 voice were noof Exhaust in Edvatory Vent – Manual Screened Roof Vent in Galley or Living Area and Bedroom	S	S	S S	S S	S	\$ \$ \$	S S	S S	\$ \$ \$	S	S	S
	Tone manual colocities for the manual of Eliting finds and Education	Ť	Ĭ	Ť	Ť		Ĭ	Ť		Ĭ	Ŭ		Ĭ
	ELECTRICAL												
	Battery — RV Battery	0	0	0	0	0	0	0	0	0	0		0
	Battery Box – Polyethylene with Sliding Tray, Space for 2 Batteries)					S	S	S	S	S	S	S	-
	Battery Box – Space for 2 Batteries	-	-	-	-							-	S
	Battery Box Mounting Brackets – Dual	S	S	S	S	-	-	-	-	-	-	-	-
	Converter – Electronic with Battery Charger and 12 Volt Fuse Panel (Amp Rating Shown)	45	45	45	22	45	45	45	22	22	22	22	22
	Lighting – Wall Switched Interior Lights	S	S	S	S	S	S	S	S	S	S	S	S
	Pre-Wire for Solar Panel	S		S S	\$ \$ 0	S	S	S	S	\$ \$ 0	S	S	S
07	Solar Panel — 3.15 Amp, Self Regulating	0	S 0	0	0	0	S 0	S 0	S 0	0	S 0	0	0
	PLUMBING AND LP SYSTEMS												
U/	Black Tank Flush with Atmospheric Break	S	S	S	S	S	S	S	S	S	S	S	S
	By Pass Valve – Water Heater	S S	SSS	S S	\$ \$ \$	S S S	S S S	S S S	\$ \$ \$	\$ \$ \$	S S	S S	S S
	Exterior Shower Manitor Panel Croy Black Fresh Water and Battery Charge												
	Monitor Panel – Grey, Black, Fresh Water and Battery Charge Pick-Up Kit – Antifreeze Pick-Up Kit	S S	S S	S S	S S	S S	\$ \$ \$	\$ \$ \$	S S S	\$ \$ \$	\$ \$ \$	S S	S S
U/	Tank LP – Dual 30 lb. with Change Over Regulator	J	J	ა _	ა _	S	2	2	2	S	S		S
	Tank LP — Dual 30 lb. with Change Over Regulator with Hard Plastic Cover	S	S	S	S	_	-	-	-	-	-	_	J
	Waste Termination – Single Point	S S	S	S	S	S	S	S	S	S	S	S	S
	Water Heater – 120 Volt/LP Fast Recovery DSI 10 U.S. gal.	-	-	-	S	-	-		S	S S	S S	S	S
	Water Heater – 120 Volt/LP Fast Recovery DSI 6 U.S. gal.	S	S	S		S	S S	S	-	-	-	-	-
	Water Pump	S	S	S	S	S	S	S	S	S	S	S	S

	TR.	TRAVEL TRAILER			í	TH EEL							
OPTIONAL AWNING PACKAGE	T26255	T2825F	T283F5	T322FB		recist	F2535F	F25455	F5280RK	F5301RB	F5305RL	F5306RL	F5321RL
Awning — Deluxe Slide Topper A&E 8500 (number of awnings shown)	1	1	1	2		1	1	1	1	1	1	2	3
PACKAGES													
XL Package — Enclosed/Insulated/Heated Holding Tanks and Fresh Water Tank, Tinted Radius Corner Thermal Pane Windows, Light Package in Baggage Compartments	S	S	S	S		S	S	S	S	S	S	S	S
Customer Value Package (Mandatory Option) — Colour Coordinated A&E Patio 8500 Awning, Exterior Ladder, Reversible Thermostatically Controlled Create-A-Breeze Fan in Bedroom ILO Manual Vent, Throw Pillows in Living Area, Dometic LP/Electric Refrigerator 9 cu. ft. with Temp Control ILO 6 cu. ft., Oak Framed Raised Panel Fridge Inserts, Day/Night Pleated Shades in Bedroom and Living Area ILO Venetian Blinds, Large Skylight in Living Area with Blind, AM/FM/DVD/CD/Tuner Home Theatre with Stereo Cube Speakers	М	M	M	M		M	M	M	M	M	M	M	М
F. d. DDI /' - I d. O. DV D. H I D \	0	0	_										
Factory PDI (includes One RV Battery and Box)	U	U	0	U	٠,	_	_	-	-	-	-	-	-
Factory PDI (includes One RV Battery)						U	U	0	U	U	U	U	U

New for 07 S Standard O Optional M Mandatory

www.tripleerv.com





Triple E Recreational Vehicles P.O. Box 1230, Winkler, Manitoba, Canada R6W 4C4 Telephone: (204) 325-4361 Fax: (204) 325-5241

Triple E Recreational Vehicles meet or surpass CSA-CRVA-RVIA standards covering electrical services, gas services, plumbing services and vehicular safety. Thus, we reserve the right to change specifications on any or all products without prior notice; errors and omissions excepted. Triple E Recreational Vehicles is under no obligation to undertake modification to units manufactured prior to changes on specifications. Brochure pictures may be shown with optional equipment. Colours may not be exactly as shown due to the printing process. Please see your dealer for specific colours.









