FLEETWOOD.RV



OTHING BUT SUNSHINE AHEAD.

At Fleetwood RV, we've been making America's favorite recreational vehicles for nearly 50 years. We've done it by building honest value, rugged dependability and peace of mind into every one of them. And the forecast for this year's Southwind Storm couldn't be better: record highs in comfort and value. A spacious living area, dreamy master bedroom, and unique touches like beautiful cabinetry make Storm the perfect way to travel the world – without ever leaving the comforts of home. The kitchen includes a Dometic® double-door refrigerator and Magic Chef® microwave oven. There's even a floor plan with our new EZ GlideTM Room Slide-out System that makes your Storm roomier at the touch of a button. Our EZ StoreTM Storage System moves with the slide-out room, so you have easy access to storage below. Storm provides all the reliability and durability found in higher priced brands. So go ahead and plan that vacation you've been dreaming of. When you hit the road in Southwind Storm, there are plenty of beautiful days on the horizon.

1999 SOUTHWIND STORM SPECIFICATIONS

Chevrolet Chassis	29V	30H	32Y	34K	34S
Engine CID	454	454	N/A	454	N/A
Wheel Base	178"	178"	N/A	208"	N/A
GVWR lbs1	14,800	14,800	N/A	16,500	N/A
GCWR lbs ²	18,300	18,300	N/A	20,000	N/A
GAWR (front) lbs ³	5,500	5,500	N/A	5,500	N/A
GAWR (rear) lbs ³	10,000	10,000	N/A	11,000	N/A
Hitch Rating/Tongue wt. lbs	3,500/250	3,500/250	N/A	3,500/250	N/A
Fuel Capacity (gal/lbs)	75/450	75/450	N/A	75/450	N/A

Ford Chassis	29V	30H	32Y	34K	34S
Engine LD	6.8	6.8	6.8	6.8	6.8
Wheel Base	178"	178"	208"	208"	208"
GVWR lbs1	18,000	18,000	18,000	18,000	20,500
GCWR lbs ²	21,500	21,500	21,500	21,500	24,000
GAWR lbs (front) lbs ³	7,000	7,000	7,000	7,000	7,000
GAWR lbs (rear) lbs ³	11,000	11,000	11,000	11,000	13,500
Hitch Rating/Tongue wt. lbs	3,500/250	3,500/250	3,500/250	3,500/250	3,500/250
Fuel Capacity (gal/lbs)	75/450	75/450	75/450	75/450	75/450

Dimensions	29V	30H	32Y	34K	34S
Length	29' 9"	30' 9"	32' 9"	34' 3"	34' 3"
Height (w/roof A/C)	11' 10"	11' 10"	11' 10"	11' 10"	11' 10"
Width	102"	102"	102"	102"	102"
Interior Height	79"	79"	79"	79"	79"
Interior Width	96"	96"	96"	96"	96"

Liquid Capacities (gallons)	29V	30H	32Y	34K	34S
Fresh Water	80	80	80	80	80
Black Water Holding	50	42	42	46	46
Grey Water Holding	58	58	58	58	58
Appliance LPG Tank*	25	25	25	25	25

¹ GWWR (Gross Vehicle Weight Rating): Maximum permissible weight of this motor home. The GWWR is equal to or greater than the sum of the unloaded vehicle weight plus the net carrying capacity.


² GCWR (Gross Combination Weight Rating): Value specified by the motor home manufacturer as the maximum allowable loaded weight of this motor home with its towed trailer or towed vehicle.

³ GAWR (Gross Axle Weight Rating): Maximum permissible loaded weight a specific axle is designed to carry.


^{*}Tank manufacturer's listed water capacity (WC) actual filled. LP capacity is 80% of listing due to safety shut off required on tank.



- Island queen bed
- Private toilet/shower
- Refrigerator w/pantry
- Opt'l lounge chair w/table
- Opt'l twin beds









- Island queen bed
- Private toilet/tub/shower
- Swivel chair
- Sofa bed and dinette
- Opt'l twin beds








- Island queen bed
- Private toilet/tub/shower
- Swivel chair
- Sofa bed and dinette
- Opt'l twin beds






- Island queen bed
- Private toilet/tub/showerSwivel chair
- Sofa bed and dinette
- Opt'l twin beds





- Living room slide-outWardrobe slide-out
- ■Island queen bed
- Swivel chair w/tablePrivate toilet



- 1333 BOOTHWIND BIONWILLAIONES AND AVELLADED BOOTHWEN	1999 Southwind	STORM FEATURES AND A	VAILABLE EOUIPMENT
--	----------------	----------------------	--------------------

Exterior Automotive and Electrical, Standa	ard Equipment					Interior, Standard Equipment Cont.						
Tinted Windshield	Undercoating		Wheel Cov	vers .		Solid Divider Doors	Trash Basket in Galley				Bath Acces	
Valve Extenders (Chevy only)	Steel Surface on Bulkhead		Mud Flaps			Entry Rail (oak & brass)	Convertible Sofa		La	rge Double	e Stainless	Steel Sink
Trailer Hitch w/4-point Electrical Hook-up	Halogen Headlights		Underfloor	Spare Tire	e Carrier	Carpet Pad	Slide-out Dinette Bins	v/Locks	3			
Dual Battery Charge Control	Windshield Wipers w/Wet Ar	rm										
						Interior, Options	29		30H	32Y	34K	34\$
Interior Automotive, Standard Equipment						Glass Shower Door w/Bright Frame	S		N/A	N/A	Std	Std
Intermittent Wiper Control	Swivel Sun Visors w/Map Po	ocket	Auto A/C/I			Pleated Shower Door	N		Std	Std	N/A	N/A
Engine Cover Convenience Tray	Reclining Captains Chairs		3-point Fro		elts	Molded Shower w/One-piece Shower Enclos			Std	Std	Std	Std
Auxiliary Start Circuit	Battery Disconnect System		Cruise Control Convection Microwave		N		N/A	N/A	Std	N/A		
Driver/Passenger Magazine Racks	Radio Switch-Main/Aux.		Tilt Steerin	ng Wheel		Reclining Bucket Seat	0		Std	Std	Std	Std
Computer Workstation in Dash	Radio w/Cassette AM/FM/M	X Electro	nic Tuner			VCR	0		Opt	Opt	Opt	Opt
						Lounge Chair w/Table	0		N/A	N/A	N/A	N/A
Automotive, <i>Options</i>	29V	30H	32Y	34K	34S	Sofa & Lounge Chairs w/Table	0		N/A	N/A	N/A	N/A
Stainless Steel Wheel Simulators	Opt	Opt	Opt	Opt	Opt	Twin Bed w/Nightstand	0		Opt	N/A	Opt	N/A
Remote/Heated Ext. Rear View Mirror	Opt	Opt	Opt	Opt	Opt	Free Standing Dinette	N.	'A	N/A	N/A	Opt	N/A
Slide-out, Options	29V	30H	32Y	34K	34S	Platform Construction and Body Structure	e. Standard Fauinment					
Galley	N/A	N/A	N/A	Std	N/A	Basement Floor Configuration	Heated Water & Holdin	n Tank (Compart	ments		
Living Room	N/A	N/A	Std	N/A	Std	Polyethelyene Luggage Compartment Boxes		9		Steel Outri	agers	
Bedroom	N/A	N/A	N/A	N/A	Std	Vacubond Walls w/Smooth Ext. Fiberglass	Vacubond Floor			Vibration Is		
Boardoni	1071	1471	14//	14//	Ota	Aluminum Wall/Ceiling Framing	Interlocking Aluminum	Extrusio		Rubber Ro		
Exterior, Standard Equipment						Radius Roof w/Ducted for A/C	miconociang radiimidii		,,,,			
One-piece Swingdown Engine Access Door	Full Fiberglass Front-end Ca	nn	Gas Lift St	rut Suppor	ts.							
Radius Door Entry w/Deadbolt Latch	Slider Windows Throughout	Ψ	Roof Ladd			Appliances, Standard Equipment						
Steel Seal Frames	Integrated Luggage Door Sy	stem	20' Sewer			Front 20" TV in Overhead	Furnace 34m BTU			Liaht/Powe	er Rangeho	ood
Continuous One-piece Bulb Seal	TV Antenna/Park Cable Rec		Power Ent			16" 3-burner, High-output Range w/Oven	Demand Water Pump v	v/Filter		Power Bat		
Awning Rail/Drip Molding (both sides)	Lower Body Accent Paint	opt.	Porch Ligh			Folding Range Cover	TV Antenna	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Monitor Pa		
2 Colorway Graphics to Match Decor	Single Paddled Metal Latche	2S	Entry Assis			Wall Clock-Battery Operated	Microwave w/Elec. Tou	ch Pad		Marine Toil		
2 colorway arapimos to materi 2 coo.	onigio i addica motal Eatone	30	2.10) 7 10010	or i iai iai		6-cu. ft. Refrig. (lg. dbl. door)	6-gallon Quick Recover				.00	
Exterior, Options	29V	30H	32Y	34K	34S	Single Lever Galley Faucet	Single High Efficiency A					
Hydraulic Levelers	Opt	Opt	Std	Std	Std	Video Control Box	Orngio Frigit Emolority 7	v O vv/ O	olai i aii	OI .		
Awning	Opt	Opt	Opt	Opt	Opt	VIGOO GONGOI DOX						
Fantastic® Power Roof Vent	Opt	Opt	Opt	Opt	Opt	Electrical, Options	29	W	30H	32Y	34K	34S
Satellite Dish	Opt	Opt	Opt	Opt	Opt	ECC w/Dual A/Cs w/Gen. Upgrade	0		Opt	Opt	Opt	Opt
Electrical, Standard Equipment						Safety Equipment, Standard	1505					
Patio Receptacle (GFI)	Water Pump Switch		4.0kw Ger	nerator		Smoke Detector	LPG Detector w/Auto S		-	Carbon Mo	onoxide De	etector
Dash Workstation 120v Recept.	Rear TV Recept.		12v Jack			Fire Extinguisher	Emergency Exit Window	V				
30-amp Service	120v/12v AC/CD Convert. C		ect. Panel w	/Charger								
VCR Ready	High Efficiency A/C w/Solar					Sleeping Accommodations, <i>Standard</i>	29		30H	32Y	34K	34S
Talanhana laak	Dual 6v/Deep Cycle 217-am	np House	Batteries			Convertible Sofa Dinette	46">			60"x75"	46"x72" 40"x74"	
Telephone Jack												
·						Queen Bed	60")	74" 6	60"x74"	60"x74"	60"x74"	00 X/4
Interior, Standard Equipment 2 Interior Decors	Skylight in Tub/Shower		Wall-to-wa	all Carpet		Queen bea	607	(/4" b	60"x74"	60"x74"	60"x74"	00 174
Interior, Standard Equipment 2 Interior Decors	Skylight in Tub/Shower Solid Wood Drawers		Wall-to-wa							60"x74"		
Interior, Standard Equipment	Solid Wood Drawers	dware	Wall-to-wa Sink Cuttir Miniblinds	ng Board		Sleeping Accommodations, Options Sofa	29 46"))V	30H N/A		60"x74" 34K N/A	34S N/A

When the dust settles, there's not an RV in the world that's tested like a Fleetwood RV.

If anyone loves to tear an RV apart, it's us. Because at Fleetwood RV nothing's more important than your safety and comfort. While our improvements aren't all visible to the eye, we commit millions of

dollars a year in product development and research to build what we believe are the finest RVs in the world.

It all starts with advanced computer analysis of new prototype designs. Once built, the prototypes undergo rigorous load bearing and weight distribution stress tests.

Stringent load analysis software ensures improved reliability.

Then the relentless testing and re-testing of components begins. In a couple of weeks we can simulate years of real world

Vacubond construction

roof, wall and floor is

ensures that every

completely sealed.

We only use steel and aircraft-grade aluminum frames, giving you more strength and less weight.

use. Slide-out mechanisms have to open and shut thousands of times without a complaint. Seat belts must withstand more than three-ton stress levels without a whimper. And doors have to endure tens of thousands of slammings without losing their composure.

At the end of the day, we've thrown just about anything and everything we can at our units, just to make sure we have the best designed and most thoroughly tested RVs in the world. Then we back them with a limited 1-year/3-year warranty supported by Fleetwood RV dealers throughout the U.S. and Canada. So you have what we believe to be the best-handling, safest, most comfortable RV anywhere.

Dear Friend.

Here at Fleetwood RV, we have over 200 people working on research and development. But we get our best ideas when we hit



the road in our recreational vehicles. Talking to people like you and noticing for ourselves little ways to make RVing more comfortable, more convenient and more fun.

If I had two pieces of free advice to give a friend in the market for an RV, the first would be to get a Fleetwood RV. Not because we need to sell one more. Heck, we sell more than anyone else. But because I know we build the best product out there for the money.

Second, really think about your dealer. He has to be someone you trust for advice, service and accessories. Only the best get to be Fleetwood RV dealers in the first place. Then we work with them to continually improve customer satisfaction. That's why 9 out of 10 owners would recommend their Fleetwood RV to a friend and 9 out of 10 of them would also recommend their Fleetwood RV dealer.

I hope that helps. And I also hope I see you out there, somewhere in this beautiful world, enjoying your new Fleetwood RV while I'm out there doing the same.

John C. Crean

Chairman Emeritus and Founder Fleetwood Enterprises, Inc. Your local Fleetwood RV dealer is:

If your local dealer is not indicated, write to the address below, or call us toll free 24 hours a day at 1-800-444-4905. Or visit our Website at http://www.fleetwood.com



America's Favorite Recreational Vehicles

Fleetwood Enterprises,Inc. P.O. Box 2875, Van Nuvs, CA 91404-2875

Product information and photography included in this brochure were as accurate as possible at the time of publication. Subsequent refinements may be evident in the actual product. Prices and specifications are subject to change without notice. All fuel and liquid capacities are approximate and dimensions are nominal. Fleetwood has designed its motor home brands to provide a variety of potential uses for its customers. Each unit features the optimum storage, fluid, seating and sleeping capabilities. Though the customer enjoys this potential, he/she also has the responsibility to select the proper combinations of loads without exceeding the chassis weight capacities.