

INTRODUCING  
THE  
ALL NEW

# TERRY LX



**FLEETWOOD**  
*Driven to Explore*

## WHAT'S NEW!

TERRY LX

### INTERIOR


- Mission Styled Cabinet Doors w/Hidden Hinges
- Solid Surface Countertops
- Halogen Ceiling & Accent Lights
- Deluxe Shower Wall & Glass Enclosure

### EXTERIOR

- Aluminum Frame Construction
- Aluminum Wheels
- Centralized Convenience Center
- Beautiful Front (std.) & Rear (opt.) Fiberglass Caps

# TERRY LX FIFTH WHEEL FLOOR PLANS


**305RKDS**  
Double Slide-Out • Sleeps 6




**305RLTS**  
Triple Slide-Out • Sleeps 6




**335RLDS**  
Double Slide-Out • Sleeps 6



**355SAQS**  
Quad Slide-Out • Sleeps 6



**345RLQS**  
Quad Slide-Out  
Sleeps 6



\* Sleeping capacity is a variable number and is affected by items such as size of occupant, options and floor plan. Some models are not available in all areas of the country. Please see your local dealer for model availability.  
▲ = Exterior Storage

## INTERIOR DECOR CHOICES

**TROPICAL BUNGALOW**  
Living Room



Bedroom



**IVY GREEN**  
Living Room



Bedroom



**TERRACOTTA CLAY**  
Living Room



Bedroom



**WOODS**




Plantation  
Cherry



Symphony  
Cherry

- HIGH GLOSS FIBERGLASS SIDING** - This durable and glossy surface is easy to clean, and adds beauty and structural integrity.
- FIBERGLASS FRONT CAP** - Provides aerodynamics and styling.
- 1-1/2" ALUMINUM TUBING** - Lightweight, structural studs blend proven framing methods with technologically superior materials.
- SOLID BLOCK EPS (Expanded Polystyrene) INSULATION** - Provides strength and durability while helping to ensure interior comfort in every season.
- WOOD SUBSTRATE** - Adds structural reinforcement to the exterior fiberglass siding.
- INTERIOR WALL PANEL** - Features a durable, easy to clean, decorative finish.
- 2" x 3" ALUMINUM FLOOR JOISTS** - Provides a lightweight floor construction without compromising strength.
- ENGINEERED 5/8" FLOOR DECK** - Provides the dependable decking needed to ensure an adequate foundation. Further stability is added by interlocking these sheets using tongue in groove construction.
- DURABLE VINYL FLOORING** - From the best name in residential flooring.
- FULLY ENCLOSED CHASSIS** - Provides a barrier from ground debris and allows for the holding tanks to be heated.
- R7 FIBERGLASS INSULATION** - As in your home, helps to ensure interior comfort in every season.

- ENGINEERED RADIUSED STEEL CEILING TRUSS** - Helps to ensure strength, water runoff and reduced weight.
- ENGINEERED ROOF DECK** - Is designed to maximize strength, is sealed to ensure moisture resistance and provides a solid backbone for the rubber roof construction.
- ARCTIC WHITE SEAMLESS SYNTHETIC ROOF MEMBRANE** - Provides the ideal weather seal and is warranted for 12 years.
- REINFORCED CAMBERED STEEL CHASSIS** - Provides optimal strength, durability, and towing performance.
- DUCTED IN-CEILING AIR CONDITIONING** - Efficiently distributes cool air.



Drawing is for illustrative purposes only to highlight aspects of Terry LX construction. Actual RV design depends on model and is subject to change.

TERRY LX WEIGHTS & MEASUREMENTS	FIFTH WHEELS				
	305RKDS	305RLTS	335RLDS	355SAQS	345RLOS
<b>WEIGHTS</b>					
GVWR (lbs) <sup>1</sup>	TBD	TBD	TBD	TBD	TBD
Gross Dry Weight (lbs) <sup>2, 6</sup>	TBD	TBD	TBD	TBD	TBD
Cargo Carrying Capacity (lbs) <sup>3, 6</sup>	TBD	TBD	TBD	TBD	TBD
Hitch Dry Weight (lbs) <sup>2, 6, 9</sup>	TBD	TBD	TBD	TBD	TBD
<b>DIMENSIONS &amp; CAPACITIES</b>					
Length (Feet & Inches) <sup>4, 6, 8</sup>	33' 2"	35' 5"	36' 9"	38' 6"	39' 4"
Height (Feet & Inches) <sup>5, 6</sup>	12' 5"	12' 5"	12' 5"	12' 5"	12' 5"
Fresh Water Holding Tank (gal) <sup>6, 7</sup>	65	65	65	65	65
Grey Water Holding Tank (gal) <sup>6, 7</sup>	61	61	61	80	61
Black Water Holding Tank (gal) <sup>6, 7</sup>	40	40	40	40	40
Propane Capacity (lbs) <sup>6, 7</sup>	60	60	60	60	60
Tire Size (Load Range)	ST235/ 80R/16D	ST235/ 80R/16D	ST235/ 80R/16D	ST235/ 80R/16D	ST235/ 80R/16D

- GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this trailer when fully loaded. It includes all weight at the trailer axle(s) and tongue or pin.
- All dry weights are based on the standard model and do not include optional features or equipment.
- Cargo Carrying Capacity is determined by subtracting Gross Dry Weight from GVWR. Cargo includes all fluids, optional features, equipment, and personal cargo.
- Length is measured from hitch or pin box to rear bumper (excludes accessories). Trailer length includes hitch; fifth wheel includes standard pin box.
- Actual height may be lower, based on option offerings. Consult with your dealer to obtain actual height for the unit you are interested in.
- Approximate.
- Water weight equals 8.3 lbs per gallon. Propane weight equals 4.2 lbs per gallon.
- Add 10" if equipped with optional spare tire and carrier.

- Hitch weights are dependant upon how the trailer is equipped with options, on-board cargo, and tank fluid levels. Actual hitch weights may be higher or lower than shown. It is recommended that the tow vehicle and hitch for your trailer have sufficient capacity to accommodate the Gross Vehicle Weight Rating of the selected trailer.

TBD – Not available at the time of printing.

**IMPORTANT – PLEASE READ:** Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at [www.fleetwoodrv.com](http://www.fleetwoodrv.com) or contact your local Fleetwood dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood has designed its recreational vehicles to provide a variety of uses for customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e., equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

# TERRY LX FEATURES

## STANDARD

### INTERIOR THROUGHOUT

- 13,500 Btu Air Conditioner
- 10-Gallon LP/110V/DSI (Direct Spark Ignition) Water Heater
- AM/FM DVD/CD Home Theater System w/ Surround Sound
- 32" HD LCD Television Std (Most Models)
- Cable TV Hook-Up
- Free Standing Lounge Recliners
- Hydro Flame® Forced Air, Direct Spark Ignition Furnace w/ Thermostat
- Mission Grooved Solid Wood Insert Cabinet Doors
- Hidden Hinged Cabinet Doors
- Solid Surface Galley and Lavy Tops
- Halogen Ceiling and Overhead Cabinet Lighting
- Oversized Light Switches
- Satellite Jack
- Slide-Out End Wall Ventilated Windows
- Solid State Converter w/Built-In Battery Charger
- Wall Mount 12V Decor Light
- Water Heater Bypass
- Day/Night Shades

### GALLEY

- Water Purifier
- Galley Skylight
- 12V Dinette Decor Light
- 4 Galley Drawers (Most Models)
- 60/40 Sink
- Solid Surface Top w/Sink Covers
- Stainless Steel Sink
- Deluxe Full Extension Roller Bearing Drawer Guides
- Double Door Propane/Electric Refrigerator
- Solid Surface Flip-Up Galley Extension (Most Models)

- 3-Burner Range w/22" Oven
- Single Lever w/Pull-Out Sprayer Faucet in Weathered Copper
- Microwave w/Electronic Touch Pad
- Pantry w/Fixed or Removable Shelves
- Pots & Pans Drawer
- Range Cover
- Range Hood w/12V Light & Exhaust Fan
- Residential Height Countertops
- Toe Kick
- Upgraded Vinyl Flooring

### BEDROOM

- Walk-In Closet w/Pole, Shelf and Shoe Rack
- King Bed w/Innerspring Mattress and Lift-Up Bed Platform w/Below Bed Storage
- Bedroom Carpet
- Night Shades
- Pillow Shams
- Residential Size Wardrobe

### BATHROOM

- Solid Surface Lavy Top
- 12V Power Exhaust Roof Vent
- Glass Shower Enclosure
- ABS Colored Tub/Shower Enclosure
- Wood Frame Medicine Cabinet w/ Mirrored Door
- Porcelain Toilet
- Wood 2 Panel Bath Door
- Wall-Switched Ceiling Light
- 3 Bulb Vanity Light
- Weathered Copper Fixtures

### SAFETY/CONVENIENCE

- 120V GFI Circuit Protection (Galley/Bath/Patio)
- 4-Wheel Electric Brakes
- Axle Equalizer
- Break-Away Emergency Disconnect Brake

- Carbon Monoxide Detector/Alarm
- Exit Assist Handle
- Fire Extinguisher
- Lend-a-Hand Entry Assist Handle
- Propane Detector/Alarm
- Security Light
- Smoke Detector/Alarm
- Dark Tinted Safety Glass Windows
- Wall Mounted Systems Monitor Panel
- Water System Winterization Port

### EXTERIOR THROUGHOUT

- Front Fiberglass Two Tone Cap
- Radius Transition to Sidewalls at Roof Line
- Exterior Convenience Center
- Rear Ladder
- Aluminum Wheels
- Spare Tire w/Cover
- One Step Electric Awning
- 120V Patio Receptacle
- 30" Radius Entry Door
- Fifth Wheel Power Landing Gear
- Dual 30 lb. Propane Cylinders w/ Regulator & Auto-Changeover
- Fully Enclosed Chassis
- Extended Pin Box & Power Landing Gear
- High Gloss Fiberglass (Gel Coat) Sidewalls
- Front & Rear Colored Skirt End Caps
- Front Diamond Plate Gravel Guard
- Heated & Enclosed Holding & Water Tanks
- Hitch Light
- Laminated Sidewalls
- Molded Wheel Well Skirts (Color Coordinated to Match Radius Skirt)
- Quick Drain Holding Tank (Fresh Water)
- Radiused Steel Ceiling Truss
- Rear Bumper w/Sewer Hose Carrier
- Satellite Ready
- Split Tank Propane System

- Stabilizer Jacks
- TV Antenna
- Joy Ride Rubberized Suspension

### BODY STRUCTURE

- Cambered Chassis
- I-Beam Main Rails
- One-Piece Seamless Rubber Roof Storage
- Finished Luggage Door Openings
- Locking, Lined Luggage Compartments w/Lights
- Radius Luggage Doors

## OPTIONS

### INTERIOR THROUGHOUT

- 15,000 Btu Air Conditioner
- Secondary A/C 13.5M
- Living Room Carpet (Most Models)
- Deluxe Refrigerator Insert
- Stainless Steel Appliances
- Electric Fireplace (Most Models)
- Sofa Bed w/Air Mattress
- Washer/Dryer Ready
- Free Standing Dinette and Chairs

### BEDROOM

- HD LCD Bedroom TV
- Electric Fireplace (Select Models)

### EXTERIOR THROUGHOUT

- Rear Fiberglass Cap
- Dual Pane Windows
- Extreme Edition Package (Double Thickness Insulation in Floor & Ceiling w/Astro-Foil™ in Slide Floor & Around Holding Tanks)
- Slide-Out Toppers

## CONTACT US

To locate a dealer near you, visit our website at [www.fleetwoodrv.com](http://www.fleetwoodrv.com) or call 1-800-444-4905. We can also be contacted at Fleetwood Customer Relations, P.O. Box 1007, Decatur, IN 46733.

## FLEETWOOD TRAVELCADE CLUB

As a Fleetwood owner, you're invited to become a member of the Fleetwood Travelcade Club. It's the perfect way to meet other Fleetwood owners who love to travel across America and share in the RV lifestyle. Visit our website at [www.fleetwoodrv.com/owners\\_clubs](http://www.fleetwoodrv.com/owners_clubs) to learn more and join the fun.

## RV OWNERCARE

See your local dealer for complete details.

Your Local Fleetwood Dealer is:

## TO OUR CUSTOMERS...

To make sure that you get the maximum satisfaction out of your recreational vehicle purchase, there are several things you should know:

1. Learn all you can about the travel trailer or fifth wheel you're planning to buy. Don't rely on word of mouth. Get the facts about the actual trailer length, width, unloaded weight with options, Gross Vehicle Weight Rating, and Cargo Carrying Capacity. These are usually available in the manufacturer's sales literature or from the Cargo Carrying Capacity Label located in each trailer. Be sure to check this information before you decide which unit to buy.

2. Verify the towing capacity of your tow vehicle. If you don't know, or aren't sure, you can ask at your automotive dealership or contact your tow vehicle manufacturer. Be sure to match your tow vehicle's tow rating to the Gross Vehicle Weight Rating (not dry weight) of the trailer you are considering. To help Fleetwood travel trailer customers estimate this total weight, our Gross Vehicle Weight Ratings reflect the maximum weight of the trailer when fully loaded for camping. Be sure the weight of the tow vehicle plus the Gross Vehicle Weight of your trailer does not exceed the Gross Combined Weight Rating (GCWR) of the tow vehicle.

Taking these simple steps before you buy will help ensure that your trailer and tow vehicle combination is just what you wanted.

See you on the trail!

