FLEETWOOD.RV



THE MOTOR HOME THAT REALLY WORKS.

At Fleetwood RV, we've been making America's favorite recreational vehicles for nearly 50 years. We've done it by building honest value, rugged dependability and peace of mind into every one of them. Which is probably why Bounder is the best-selling motor home in North America. Bounder not only has a proud heritage of quality craftsmanship, but also a long tradition of innovation. It's built for people who know exactly what they expect from their RV. The inviting spaciousness of every Bounder interior makes it feel more like a family home than an RV. And you've probably heard from friends how perfect it is for entertaining when you're traveling or camping with fellow Bounder enthusiasts. By balancing comfort, function and convenience, Bounder always makes sense. Some floor plans feature our EZ GlideTM Room Slide-out System which effortlessly makes your RV even roomier. Our new EZ Store[™] Storage System moves with the slide-out room, so you have easy access to the storage area below, even when the slide-out room is extended. Practical amenities include brand-name appliances, maximized storage space, stylish furnishings and functional touches throughout the coach. In the end, they're all good reasons why there's a good chance Bounder will be number one with your family this year.

1999 BOUNDER SPECIFICATIONS

| Chevrolet Chassis | 28T | 30E | 32H | 34J | 34V | 36S |
|--|-----------|-----------|-----|-----------|-----------|-----------|
| Engine CID | 454 | 454 | N/A | 454 | 454 | 454 |
| Wheel Base | 178" | 190" | N/A | 208/247" | 208/247" | 208/247" |
| GVWR lbs ¹ | 16,500 | 16,500 | N/A | 16,500 | 20,000 | 20,000 |
| GCWR lbs ² | 20,000 | 20,000 | N/A | 20,000 | 21,000 | 21,000 |
| GAWR lbs (front) lbs ³ | 5,500 | 5,500 | N/A | 5,500 | 5,500 | 5,500 |
| GAWR lbs (rear) lbs ³ (incl. tag) | 11,000 | 11,000 | N/A | 11,000 | 14,500 | 14,500 |
| Hitch Rating/Tongue wt. lbs | 3,500/250 | 3,500/250 | N/A | 3,500/250 | 3,500/250 | 3,500/250 |
| Fuel Capacity (gal/lbs) | 75/450 | 75/450 | N/A | 75/450 | 75/450 | 75/450 |
| | | | | | | |

| Ford Chassis | 28T | 30E | 32H | 34J | 34V | 36S |
|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Engine CID | 415 | 415 | 415 | 415 | 415 | 415 |
| Wheel Base | 178" | 190" | 208" | 208" | 208" | 228" |
| GVWR lbs ¹ | 18,000 | 18,000 | 20,500 | 20,500 | 20,500 | 20,500 |
| GCWR lbs ² | 21,500 | 21,500 | 24,000 | 24,000 | 24,000 | 24,000 |
| GAWR lbs (front) lbs ³ | 7,000 | 7,000 | 7,000 | 7,000 | 7,000 | 7,000 |
| GAWR lbs (rear) lbs ³ | 11,000 | 11,000 | 13,500 | 13,500 | 13,500 | 13,500 |
| Hitch Rating/Tongue wt. lbs | 3,500/250 | 3,500/250 | 3,500/250 | 3,500/250 | 3,500/250 | 3,500/250 |
| Fuel Capacity (gal/lbs) | 75/450 | 75/450 | 75/450 | 75/450 | 75/450 | 75/450 |

| Dimensions | 28T | 30E | 32H | 34J | 34V | 36S |
|-----------------------------|---------|---------|---------|---------|---------|---------|
| Length | 28' 10" | 30' 10" | 32' 10" | 34' 10" | 34' 10" | 36' 10" |
| Height (w/roof A/C) | 11' 8" | 11' 8" | 11' 8" | 11' 8" | 11' 8" | 11' 8" |
| Width | 102" | 102" | 102" | 102" | 102" | 102" |
| Interior Height | 79" | 79" | 79" | 79" | 79" | 79" |
| Interior Width | 96" | 96" | 96" | 96" | 96" | 96" |
| | | | | | | |
| Liquid Capacities (gallons) | 28T | 30E | 32H | 34J | 34V | 36S |
| Fresh Water | 100 | 100 | 100 | 100 | 100 | 100 |
| Water Heater | 6 | 6 | 6 | 6 | 6 | 6 |
| Black Water Holding | 50 | 50 | 50 | 50 | 50 | 50 |
| Grey Water Holding | 50 | 50 | 50 | 50 | 50 | 50 |

25

34m

25

34m

25

34m

25

42m

25

42m

25

34/20m

Appliance LPG Tank*

Furnace-BTUs

¹ GWR (Gross Vehicle Weight Rating): Maximum permissible weight of this motor home. The GWR is equal to or greater than the sum of the unloaded vehicle weight plus the net carrying capacity.

² GCWR (Gross Combination Weight Rating): Value specified by the motor home manufacturer as the maximum allowable loaded weight of this motor home with its towed trailer or towed vehicle.

³ GAWR (Gross Axle Weight Rating): Maximum permissible loaded weight a specific axle is designed to carry.

^{*}Tank manufacturer's listed water capacity (WC) actual filled. LP capacity is 80% of listing due to safety shut off required on tank.



- Island queen bed
- Fully enclosed bathroom
- ■Extra large tub/shower
- Swivel chair w/table
- Opt'l table w/chairs




- Living room slide-out
- 3 bedroom configurations
- Sofa bed and dinette
- Fully enclosed bathroom
- Opt'l side-by-side refrigerator



- Living room slide-out
- 3 bedroom configurations
- Swivel chair w/table
- Private toilet
- Opt'l side-by-side refrigerator











- Island queen bed
- Dinette w/opt'l sofa
- Fully enclosed bathroom
- Swivel chair w/table
- Opt'l twin beds





- Island queen bed
- Split bathroom
- Large wardrobe
- Opt'l sofa w/swivel chairs
- Opt'l twin beds





- Island queen bed
- Fully enclosed bathroom
- Swivel chair w/table
- Large wardrobe
- Opt'l twin beds



1999 Bounder Features and Available Equipment

| Exterior Automotive and Electrical, Sta | ndard Equipment | |
|--|-------------------------------------|--------------------------------|
| Underhood Utility Light | Large Curved Aerodynamic Windshield | Valve Extenders |
| Large Single Headlamps w/Turn Signal | Steel Surface Firewall | Remote Heated Rearview Mirrors |
| Undercoating | Windshield Wipers w/Wet Arm | Rear Camera Ready |
| Trailer Hitch w/4-point Electrical Hook-up | | |

| Interior Automotive, Standard Equipme | nt | |
|---------------------------------------|--------------------------------------|--------------------------|
| Intermittent Wiper Control | Multi-position Sun Visors | Engine Cover Conv. Tray |
| Battery Disconnect | Cruise Control | Low Profile Engine Cover |
| Auxiliary Start Circuit | Auto A/C/Heater Combo | Radio Switch-Main/Aux. |
| Soft Surface Automotive Dash | Tilt Steering Wheel | Tilt-up Instrument Panel |
| Reclining Captains Chairs | Radio w/Cassette/MX Electronic Tuner | |

| Automotive, Options | 28T | 30E | 32H | 34J | 34V | 36S |
|----------------------------|-----|-----|-----|-----|-----|-----|
| 4-point Hydraulic Levelers | Opt | Opt | Opt | Opt | Std | Std |

| Exterior, Standard Equipment | | |
|---------------------------------------|---------------------------------------|----------------------------------|
| Roto-cast Front Quarter Panels | Dual Pane Slider Windows | Full Fiberglass Front Cap |
| Roto-cast Rear Wheel Well Trims | One-piece Swingdown Engine Access Do | oor |
| Radius Door Entry w/Deadbolt Latch | Aerodynamic Bus Styling | Roof Ladder |
| Pass-through Storage | Utility Compartment | 20' Sewer Hose |
| Awning Rail/Drip Molding (both sides) | Exterior Assist Handle | Power Entry Step |
| Spare Tire | Park Cable Receptacle | Lower Body Accent Paint |
| Dual Battery Charge Control | Single Paddle/Metal Latches (luggage) | Porch Light |
| 2 Colorway Graphics to Match Decor | Hidden Lift Strut Supports (luggage) | Insulated Luggage Doors |
| Continuous One-piece Bulb Seal | Steel Seal Frames (luggage) | Lights in Compartments |
| Carpeted Luggage Compartments | Hidden Stainless Steel Latch Rods | Stainless Steel Wheel Simulators |
| Aluminum Front Grill | Polyethylene Luggage Compartment Box | es |

| Exterior, Options | 28T | 30E | 32H | 34J | 34V | 36S |
|-------------------------------|-----|-----|-----|-----|-----|-----|
| Awning | Opt | Opt | Opt | Opt | Opt | Opt |
| Satellite Dish | Opt | Opt | Opt | Opt | Opt | Opt |
| Rear Vision Camera | Opt | Opt | Opt | Opt | Opt | Opt |
| Dual High Efficiency Roof A/C | Opt | Opt | Opt | Opt | Opt | Opt |
| Climate Control w/Solar Panel | Opt | Opt | Opt | Opt | Opt | Opt |

| Safety Equipment, Standard Equipment | t | |
|--------------------------------------|--------------------------|--------------|
| Smoke Detector | Carbon Monoxide Detector | LPG Detector |
| Fire Extinguisher | Emergency Exit Window | Spare Tire |
| Alarm Buzzer (Slide-outs only) | | |

| Interior, Standard Equipment | | |
|-----------------------------------|--------------------------------------|--------------------------|
| 2 Interior Decors | Velvet Feature Fabrics | Skylight In Tub/Shower |
| Large Double Stainless Steel Sink | Wall-to-wall Nylon Carpet | Wood Drawers |
| Vinyl Floor Covering | Radius Corner Cabinetry | 3-point Front Seat Belts |
| Brass-finished Cabinet Hardware | Roller Guide Drawer Slides w/Transit | Ship Locks |
| Reclining Bucket Seats | Oak Cabinet Doors & Drawers | Miniblinds |
| Bedspread w/Decor Pillows | Innerspring Mattress | Residential Seat Styling |
| Window Coverings | Bath Door/Trims | Solid Divider Doors |
| Bright Brass Bath Accessories | Entry Rail (oak & brass) | Sink Cutting Board |
| Adjustable Cabinet Shelves | Carpet Pad | |
| Raised Panel Cabinet Doors | Molded Tub/Shower w/One-piece En | closure |

| Interior, Options | 28T | 30E | 32H | 34J | 34V | 36S |
|-------------------------------|-----|-----|-----|-----|-----|-----|
| Glass Shower Door | N/A | N/A | N/A | N/A | N/A | Std |
| w/Bright Brass Frame | | | | | | |
| Shower Curtain | Std | Std | Std | Std | Std | N/A |
| Rear TV w/Island Queen Bed | N/A | N/A | N/A | Opt | Opt | Opt |
| DSS Manual Lift | Opt | Opt | Opt | Opt | Opt | Opt |
| Rear Television w/Remote | Opt | Opt | Opt | Opt | Opt | Opt |
| VCR | Opt | Opt | Opt | Opt | Opt | Opt |
| Convertible Sofa Bed w/Tables | Opt | N/A | N/A | N/A | N/A | N/A |
| Lounge Chairs w/Conv. Table | N/A | Opt | N/A | N/A | N/A | N/A |
| Freestanding Dinette & Chairs | N/A | Opt | Opt | Opt | Opt | Opt |
| Twin Beds/Nightstands | Opt | Opt | Opt | Opt | Opt | Opt |

1999 Bounder Features and Available Equipment

| Interior, Options Cont. | 28T | 30E | 32H | 34J | 34V | 36S | | |
|--|---------------------|---|----------------|-------------|-------------|-----|--|--|
| Island Bed w/Full Wardrobe | N/A | N/A | N/A | Std | Opt | Opt | | |
| Interior Lighting, Standard Equipment | | | | | | | | |
| Incandescent Lighting | Fluorescent Ceiling | Fluorescent Ceiling w/Dual Bulb (in living area and galley) | | | | | | |
| Wardrobe Lighting | Decor Lighting | | | | | | | |
| Slide-out | 28T | 30E | 32H | 34J | 34V | 36S | | |
| Living Room | N/A | N/A | N/A | N/A | Std | Std | | |
| Electrical, Standard Equipment | | | | | | | | |
| Patio Receptacle | TV/VCR Ready | | | Water Pum | p Switching | | | |
| 4.0kw Generator | ICC Switch | | | Single Roof | A/C | | | |
| 120v/12v Wire Raceway | Wall Switches | | | 30-amp Se | rvice | | | |
| Dual 6v/Deep Cycle 217-amp House Batt. | 120v/12v AC/DC Co | onvert. Cent | tral Elect. Pa | nel w/Charç | ger | | | |
| Electrical, Options | 28T | 30E | 32H | 34J | 34V | 36S | | |
| 7.0kw Generator | Opt | Opt | Opt | Opt | Opt | Opt | | |
| 5.5kw Generator | Opt | Opt | Opt | Opt | Opt | Opt | | |
| ECC Climate Control | Opt | Opt | Opt | Opt | Opt | Opt | | |
| Dual High Efficiency A/C | Opt | Opt | Opt | Opt | Opt | Opt | | |
| w/Solar Battery Charger | | | | | | | | |
| ECC w/High Efficiency A/C | Opt | Opt | Opt | Opt | Opt | Opt | | |
| w/5.5kw Gen. Upgrade | | | | | | | | |
| ECC w/High Efficiency A/C | Opt | Opt | Opt | Opt | Opt | Opt | | |
| w/7.0kw Gen. Upgrade | | | | | | | | |
| 5.5kw GenOnan®/Dual A/C | Opt | Opt | Opt | Opt | Opt | Opt | | |
| Ready Upgrade | | | | | | | | |
| 7.0kw GenOnan®/Dual A/C | Opt | Opt | Opt | Opt | Opt | Opt | | |
| Ready Upgrade | | | | | | | | |

| Appliances, Standard Equipment | |
|--|-----------|
| Front 20" TV in Overhead Rear Speakers in Bedroom Monitor Panel | |
| Phone Jack 6-gallon Quick Recovery Water Heater w/D.S.I. | |
| TV Antenna 22" 3-burner, High-output Cooktop w/Oven | |
| Light/Power Rangehood Power Bath Vent Microwave | |
| Demand Water Pump w/Filter Single Lever Galley Faucet Water Filter w/Faucet | |
| Single High Efficiency A/C w/Solar Panel 8-cu. ft. Refrigerator (lg. dbl. doors) Marine Toilet | |
| Folding Range Cover Water Heater Bypass Fantastic® Power Roof Ver | nt |
| A/C Ready in Bedroom | |
| | |
| Appliances, Options 28T 30E 32H 34J 34V | 36S |
| Furnace 20m BTU/34m (dual) N/A N/A N/A N/A N/A | Std |
| Furnace 34m BTU Std Std N/A N/A | Std |
| Furnace 42m BTU N/A N/A N/A Std Std | N/A |
| Washer/Dryer N/A N/A N/A N/A N/A | Opt |
| Side-by-side Refrigerator N/A N/A N/A N/A Opt | Opt |
| w/lce Maker | |
| Convection Microwave Opt Opt Opt Opt Opt | Opt |
| | |
| Platform Construction and Body Structure, Standard Equipment | |
| Basement Floor Configuration Heated Water & Holding Tank Compartment | |
| Steel Truss System Vacubond Lower Floor Vacubond Upper Floor | |
| Radius Roof w/Duct for A/C Vacubond Walls w/Smooth Ext. Fiberglass | |
| Steel Wall/Ceiling Framing Rubber Roof Steel Outriggers | |
| | |
| Sleeping Accommodations, Standard 28T 30E 32H 34J 34V | 36S |
| Convertible Sofa N/A 46"x76" 46"x76" 46"x76" 60"x80" 4 | 6" x 76" |
| Dinette 42"x74" 42"x74" 42"x74" 42"x74" 42"x74" 4 | 2"x74" |
| Queen Bed 60"x80" 60"x80" 60"x80" 60"x80" 60"x74" 6 | 0" x 80" |
| Sleeper Sofa N/A N/A N/A N/A 52"x72" | N/A |
| | |
| Sleeping Accommodations, <i>Options</i> 28T 30E 32H 34J 34V | 36S |
| Twin Beds w/Nightstand 38"x74" | 38" x 74" |
| Convertible Sofa 46" x 76" N/A N/A N/A N/A | N/A |
| | |

When the dust settles, there's not an RV in the world that's tested like a Fleetwood RV.

If anyone loves to tear an RV apart, it's us. Because at Fleetwood RV nothing's more important than your safety and comfort. While our improvements aren't all visible to the eye, we commit millions of

dollars a year in product development and research to build what we believe are the finest RVs in the world.

It all starts with advanced computer analysis of new prototype designs. Once built, the prototypes undergo rigorous load bearing and weight distribution stress tests.

Stringent load analysis software ensures improved reliability.

Then the relentless testing and re-testing of components begins. In a couple of weeks we can simulate years of real world

Vacubond construction

roof, wall and floor is

ensures that every

completely sealed.

We only use steel and aircraft-grade aluminum frames, giving you more strength and less weight.

use. Slide-out mechanisms have to open and shut thousands of times without a complaint. Seat belts must withstand more than three-ton stress levels without a whimper. And doors have to endure tens of thousands of slammings without losing their composure.

At the end of the day, we've thrown just about anything and everything we can at our units, just to make sure we have the best designed and most thoroughly tested RVs in the world. Then we back them with a limited 1-year/3-year warranty supported by Fleetwood RV dealers throughout the U.S. and Canada. So you have what we believe to be the best-handling, safest, most comfortable RV anywhere.

Dear Friend.

Here at Fleetwood RV, we have over 200 people working on research and development. But we get our best ideas when we hit



the road in our recreational vehicles. Talking to people like you and noticing for ourselves little ways to make RVing more comfortable, more convenient and more fun.

If I had two pieces of free advice to give a friend in the market for an RV, the first would be to get a Fleetwood RV. Not because we need to sell one more. Heck, we sell more than anyone else. But because I know we build the best product out there for the money.

Second, really think about your dealer. He has to be someone you trust for advice, service and accessories. Only the best get to be Fleetwood RV dealers in the first place. Then we work with them to continually improve customer satisfaction. That's why 9 out of 10 owners would recommend their Fleetwood RV to a friend and 9 out of 10 of them would also recommend their Fleetwood RV dealer.

I hope that helps. And I also hope I see you out there, somewhere in this beautiful world, enjoying your new Fleetwood RV while I'm out there doing the same.

John C. Crean

Chairman Emeritus and Founder Fleetwood Enterprises, Inc.

Your local Fleetwood RV dealer is:

If your local dealer is not indicated, write to the address below, or call us toll free 24 hours a day at 1-800-444-4905. Or visit our Website at http://www.fleetwood.com



Fleetwood Enterprises,Inc. P.O. Box 2875, Van Nuys, CA 91404-2875

Product information and photography included in this brochure were as accurate as possible at the time of publication. Subsequent refinements may be evident in the actual product. Prices and specifications are subject to change without notice. All fuel and liquid capacities are approximate and dimensions are nominal. Fleetwood has designed its motor home brands to provide a variety of potential uses for its customers. Each unit features the optimum storage, fluid, seating and sleeping capabilities. Though the customer enjoys this potential, he/she also has the responsibility to select the proper combinations of loads without exceeding the chassis weight capacities.