



HOLIDAY RAMBLER®




Campmaster®





Due to continuous product improvement, please see the website for the latest in standards and options, specifications, and technical data. Go to www.holidayrambler.com.

| Weights* | 21RB | 21RD | 28RDS | 28RLS |
|---|--------------|--------------|---------------|---------------|
| Gross Vehicle Weight Rating | 5,889 | 6,023 | 7,700 | 7,700 |
| Hitch Weight | 289 | 423 | 740 | 600 |
| Axle(s) Weight | 3,060 | 2,932 | 5,050 | 5,300 |
| Unloaded Vehicle Weight | 3,349 | 3,355 | 5,790 | 5,910 |
| Net Carrying Capacity (NCC) | 2,540 | 2,668 | 1,910 | 1,790 |
| Tire Size and Load Range | ST205/75 14C | ST205/75 14C | ST225/75D 15D | ST225/75D 15D |
| Measurements | | | | |
| Overall Length | 23′0″ | 23'0" | 30′3″ | 30′3″ |
| Overall Height (Including A/C) | 9′11″ | 9′11″ | 10′11″ | 10′11″ |
| Exterior Width | 96" | 96" | 96" | 96" |
| Tank Capacities (Gal.) | | | | |
| Grey Tank | 30 | 30 | 30 | 30 |
| Black Tank | 30 | 30 | 30 | 30 |
| Fresh Tank | 30 | 30 | 30 | 30 |
| Tank Quantity | 2 | 2 | 2 | 2 |
| * Towing capacity is limited by CCWP, your vohicle's towing capacity is the difference between the CCWP, and the actual vehicle | | | | |



All tank capacities are estimated based upon calculations provided by the tank manufacturers and represent approximate capacities. The actual "usable capacity" may be greater or less than the estimated capacities based upon fabrication and installation of the tanks



- Fiberglass Skin dent resistant, low maintenance
- 3. Aluminum Frame and Foam



FLOOR LAMINATE

- 2. Lauan3. Aluminum Frame and Foam
- 4. Lauan
- 5. Darco

CHASSIS

- I-Beam Frame Construction
- 2800# EZ Lube Axles (21 RD & 21 RB)
- 3500# EZ Lube Axles (28 RDS & 28 RLS)
- **Aluminum Wheels**

Sidewalls

(21 RD & 21 RB)

(28 RDS & 28 RLS)

- Tube Style Bumper with Sewer Hose Storage
- Fully Welded Outriggers
- Cambered for Added Structural Strength
- Flush Floor Electric Slide Out System (28 RDS & 28 RLS)

CONSTRUCTION STANDARDS

Laminated Fiberglass Exterior Walls

2" Laminated Aluminum Framed Floor

Welded Aluminum Frame Sidewalls

Block Foam Insulation Floor and

• 2" Aluminum Frame Laminated Roof

• 5" Rafter with Fiberglass Insulation

• One Piece Seamless Roof Membrane

Seamless Enclosed Underbelly

- Residential Style Furniture 5" Dinette Cushions
- Decorative Residential Valance with Soft Side Curtains and Mini Blinds

Lighted Exterior Pass Through Storage

Stabilization Axle Design (Spread Axle)

13.5 BTU Non Ducted A/C (21 RD & 21 RB)

INTERIOR STANDARDS

• Rain Gutters with Downspouts

Color Coordinated Awning

Front Diamond Plate Protector

Tinted Safety Glass

Patio Entrance Light

Compartment

- 13.5 BTU Ducted A/C (28 RDS & 28 RLS)
- 6 Gallon Gas/Electric DSI Water Heater
- · Water System Winterization Kit
- Residential Grade Durable Linoleum
- Digital Compatible TV System
- 12-Volt CD/AM/FM Stereo with iPod Auxiliary Input with Speakers

KITCHEN STANDARDS

- Double Door Refrigerator (6 Cubic Feet)
- Oversized Double Residential Sink
- Microwave
- 3-Burner Cook Top with Drawer Below
- Range Hood with 12 Volt Exhaust and Light
- · High Rise Faucet
- · Mortise and Tenon Residential Hardwood **Cabinet Doors**
- · Coordinated Wall Board with Border

BATHROOM STANDARDS

- Medicine Cabinet with Mirror
- Tub Surround with Built In Shelves
- **Shower Curtain**
- Foot Petal Flush Toilet
- Skylight over Tub
- 12 Volt Power Exhaust Fan

BEDROOM STANDARDS

- Residential Bedspread
- Decorative Headboard
- Oversized Wardrobe
- · Reading Lights

EXTERIOR OPTIONS

- · Exterior Shower
- Fold-A-Way Entry Grab Handle
- · Exterior Speakers
- Ladder

INTERIOR OPTIONS

• 22" Viewsonic LCD Flat Screen TV


KITCHEN OPTIONS

- · 8 Cubic Feet Double Door Refer (28 RDS & 28 RLS)
- 3-Burner Cook Top with Oven


EXTERIOR STANDARDS

- · Large Insulated Lockable Radius Baggage Doors with Hold Backs
- Insulated Radius Entrance Door with Screen Door
- Double Entry Step (21 RD & 21 RB) Triple Entry Step (28 RDS & 28 RLS)
- 4 Stabilizer Jacks
- Aerodynamic White Fender Skirts
- **Tapered Radius White Skirting**
- (2) 20# LP Bottles (21 RD & 21 RB)
- (2) 30# LP Bottles (28 RDS & 28 RLS)
- ABS LP Bottle Cover White ABS Slip
- · Dual Battery Rack on A-Frame

DECOR OPTIONS



Brass Ring



Autumn Trail

A. Sofa

B. Accent **C.** Bedroom


^{***} Actual filled LP capacity is 80% of listing due to safety shut-off required on tank

FLOORPLANS & CONSTRUCTION













Diamond plate protected front wall adds protection against road elements and adds stylish flair.



Large dinette window (21RB, 28RDS & 28RLS) improves viewabillity and increases natural light inside the trailer.



Aluminum wheels enhance the stabilization axle design. EZ lube axles are easy to maintain.



Large pass-thru storage compartment holds lots of gear and makes loading and unloading easy.



Aerodynamic design with tapered radius skirting and enclosed underbelly increases air flow, improving towability and fuel economy.





BEING DIFFERENT MAKES ALL THE DIFFERENCE.

At Holiday Rambler, it's our goal for all our customers to enjoy their RV experience from the beginning. We have forged strong, reliable relationships with our dealer partners, and we encourage our customers to do the same. We're proud to boast a network of over 350 dealership partners and service centers across North America. We're confident that this relationship will only enhance your RV experience and provide the added peace of mind you desire, so you can focus on the important stuff. After all, we're not just selling a world-class product, we're selling "fun". You can rest assured, Holiday Rambler will be along for the ride, every mile your RV adventure takes you.

PRESIDENTIAL

ALUMASCAPE

SAVOY LX

MINTARO

Campmaster

The actual overall length of the recreational vehicle may differ from that indicated in the brochure due to variances in the manufacturing process and/or installed components. The actual length may be greater or less than that indicated. Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Monaco provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult your local Monaco dealer for unit availability and further information. The information printed in this brochure reflects product design, fabrication, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name which will result in comparable performance. All information printed in this brochure is subject to change after the date of printing. Some features shown or mentioned in this brochure are optional and may only be available in selected floorplans. Photographs may show props or decorations that are not standard equipment. Monaco, the Monaco logo and its design, are registered trademarks. Other products and company names are trademarks and/or registered trademarks of their respective holders. While the color of the motorhome's exterior and the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photo-processing and printing. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within this brochure may not be accurate at the time of your purchase. If certain information is significant to your purchasing decision, please confirm the information with your dealer. Component part and ap