





Wide open kitchen floor plan makes meals and clean up a cinch.



This bunkhouse floor plan provides plenty of room for the kids to relax.



The Spree Travel Trailer is affordable, nicely equipped and built to take practically anything your kids can dish out, whether it's muddy boots from a nature hike or your daughter's first attempt at making pancakes.





Stash your games and toys out of sight when company comes in the optional air bed hide-a-bed.





Perfect for a family meal or a game of cards!







Keep an eye on the kids from the kitchen window.

Now you can take your big toys along!



side-entry door ramp with extension makes loading and unloading a breeze.

The wide

Shown with optional bedroom door ramp





Comfort and convenience are designed into this convertible sleep space/cargo bay. The bed is flanked by matching mirrored wardrobes with cargo-netted storage compartments above.




The bed easily stows out of the way with gas assist lift arms.













What will your children remember? A lifetime of firsts, all spent together. Exploring the great outdoors and making games up as you go along. Learning to swim, fish and build a campfire.

Start building your family's memories today in a Spree.
Lightweight, well-equipped, and ready to go at a moment's notice. And moments are what memories are made of.



Convenient fridge with adjacent pantry.



Large, spacious bathroom with glass shower surround.





	Travel Trailer									Fifth Wheels						
	210KS	240BHS	240RBS	245KS	260FL	260RBS	261RKS	280RLS	289KS	318BHS	323RLS	324BHS	265RLS	285RLS	295BHS	305BHS
UVW (Unloaded Vehicle Wt.)	3821	4538	4242	4659	5224	5057	4882	5145	5028	5765	5357	5602	5845	5843	7377	7162
Dry Hitch Wt.	460	490	432	562	799	552	467	636	450	812	558	717	879	1047	1046	1238
Dry Axle Wt.	3361	4048	3810	4359	4425	4505	4677	4509	4578	4953	4799	4885	5002	4796	6331	5924
NCC (Net Carrier Capacity)	1679	1612	1758	1841	1576	1743	1918	1855	1972	1235	1643	1398	1655	1657	1423	1638
GVWR	5500	6500	6000	6500	6800	6800	6800	7000	7000	7000	7000	7000	7500	7500	8800	8800
Interior Height	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	91"	91"	91"	91"
Exterior Height	10'3"	10'3"	10'3"	10'3"	10'9"	10'9"	10'9"	10'9"	10'3"	10'9"	10'9"	10'9"	11'9"	11'11"	11'8"	11'9"
Exterior Width	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
Exterior Length	23'4"	28'3"	26'9"	26'2"	28'10"	28'8"	28'9"	29'9"	30'6"	32'9"	32'5"	33'7"	28'2"	29'7"	33'6"	33'10"
Refrigerator (cu. feet)	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
Water Heater Cap. (gal. G/E w/DS	SI) 6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
Fresh Water Cap. (gal.)	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
Waste Water Cap. (gal.)	32	32	32	32	32	32	32	32	32	32	32	32	32	32	64	32
Gray Water Cap. (gal.)	32	32	32	32	32	32	60	32	32	60	32	32	32	32	60	60
LP Gas Cap. (lbs.)	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
Furnace BTUs (1,000's)	20	20	20	20	20	20	20	25	25	30	30	30	25	25	30	30
Tire Size	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"
Awning	14'	16'	14'	14'	13'	16'	15'	15'	15'	14'	16'	17'	12'	18'	16'	18'

Custom Mandatory Package (FORCED OPTION) (262 lbs.)

- 13,500 Ducted BTU A/C
- Awning
- Microwave w/Turn Table
- 6 Cu. Double Door Refer
- Straight Axles
- Skylight Over Tub
- Tub Surround
- Porch Light on ODS
- Hitch Light
- Cable Hook-Up
- Oven
- Night Shades
- Black Glass Refer Front
- AM/FM CD Player *
- Exterior Speakers

• AM/FM DVD w/surround sound *

- 6 Gallon Gas/Electric DSI Water Heater
- 15" Radial Tires
- Sink Cover
- Exterior Shower
- Stabilizer Jacks (4xTT's & 2xFW's)
- Black Tank Flush System
- Raised Panel Bathroom Door
- Tinted/Safety Windows
- Trash Bin
- · Power Jacks on FW's
- Enclosed Pin Box on FW's
- *available on selected units

LX Package (81 lbs.)

- (All of the Custom Package)
- Assist Grab Handle
- · Raised Panel Refer Door
- · Foot Flush Flush Toilet
- LCD Flat Screen TV

- Aluminum Wheels
- Fiberglass Front Cap on TT only

- 12 Fiberglass Exterior with Integrated Luan Backing
- 13 1/8" Luan Decorative Wall Board
- 14 1/8" Luan
- 15 3" Aluminum Stringer
- 16 Darco® Moisture Barrier
- Large Capacity Pass-Thru Exterior Storage with Radius Doors Front and Side for Easy Access
- 18 Heavy Duty I-beam Frame Construction
- 19 R-7 Batten Insulation
- 20 2x2 Double Welded Aluminum Floor Joists, 16" O.C.

21 Heated & Enclosed Underbelly 22 Fully Welded Outriggers

with Box Tube Slide Out Ram

- 23 Plywood Floor 24 Heavy Duty Leaf Springs
- 25 Heavy Duty Steel Wheels
- 26 Residential Style Carpet Pad 27 Rack and Pinion Electric Slide with Manual Override
- 28 oz. Residential Carpet or Linoleum
- 29 Tinted Safety Glass Windows 30 Triple Sealed Slide Outs
- Fiberglass Integrated Luan Backing Expanded Polystyrene Luan Decorative Wall Board

Wall Cut-Away

Additional Options

- Countertop Extension (Extra large) (n/a on 210KS, 240BHS, 240RBS) (9 lbs.)
- Fantastic Fan (15 lbs.)
- Outside Grill (15 lbs.)
- Side Ramp Door (289KS) (includes Tuff Ply on Door and Floor)
- Ramp Door Extension (289KS) (20 lbs.)
- Pull Down Screen Wall (289KS) • Spare Tire, Carrier & Cover (35 lbs.)
- Air Bed Hide-A-Bed (available on 260RBS) 265RL, 280RLS, 285RL, 295BH, 318BHS, 323RLS, & 324BHS) (100 lbs.)
- 15,000 BTU A/C (6 lbs.)
- LCD Flat Screen TV (13 lbs.)
- Power Awning (5 lbs.)
- Jiffy Sofa w/Flip Up Bunk (295BH & 318BHS)
- Side Winder Hitch on Fifth Wheels (48 lbs.)

Because it Rains!



Here at KZ we know a little bit about camping, actually we know a lot about camping. One thing you can count on, it will rain. We randomly test our KZ campers from every product line in our state of the art rain booth. The rain may spoil your fun outside, but it won't inside.



Another KZ standard – newly designed drip rails and spouts keep the water flowing away from the sidewalls.

Three Distinctive Interior Selections

Cut-Away Features

13,500 BTU A/C

2 TPO Vinyl Roof

3 1/4" Luan (fully walk on)

5 4 1/2" Aluminum Truss

Rafters, 16" O.C.

6 R-7 Batten Insulation

Aluminum Headers

9 Exterior Clearance and

10 Aluminum Frame Front

11 Expanded Polystyrene - R7


Insulated Ductwork

8 Heavy Duty

4 Vinyl Interior Ceiling Panel

Δluminur Frame

Adobe Décor



Cabinet Door

2-Tone Wood

Common Interior Décor **Package**

Main Fabric and Accent


Chestnut Décor

Bedroom Fabric

Wall Panels

Countertops

Jade Décor










pree Travel Trailer Floor Plans



210KS • UVW 3821 • Dry Hitch Wt. 460 • NCC 1679 • Length 23'4"



240BHS • UVW 4538 • Dry Hitch Wt. 490 • NCC 1612 • Length 28'3"



240RBS • UVW 4242 • Dry Hitch Wt. 432 • NCC 1758 • Length 26'9"



245KS • UVW 4659 • Dry Hitch Wt. 562 • NCC 1841 • Length 26'2"



260FL • UVW 5224 • Dry Hitch Wt. 799 • NCC 1776 • Length 28'10



260RBS • UVW 5057 • Dry Hitch Wt. 552 • NCC 1743 • Length 28'8"



261RKS • UVW 4882 • Dry Hitch Wt. 467 • NCC 1918 • Length 28'9"




280RLS • UVW 5145 • Dry Hitch Wt. 636 • NCC 1855 • Length 29'9"



289KS • UVW 5028 • Dry Hitch Wt. 450 • NCC 1972 • Length 30'6"




318BHS • UVW 5765 • Dry Hitch Wt. 812 • NCC 1735 • Length 32'9"




323RLS • UVW 5357 • Dry Hitch Wt. 558 • NCC 2143 • Length 32'5"



324BHS • UVW 5602 • Dry Hitch Wt. 717 • NCC 1898 • Length 33'7"



240BHS • Fold Up Queen Bed w/ Flip Up Sofa Opt.



289KS · Ramp Door Opt.



318BHS · Sofa/Flip Up Bunk Opt.

Fifth Wheel Floor Plans



265RLS • UVW 5845 • Dry Hitch Wt. 879 • NCC 1655 • Length 28'2"



285RLS • UVW 5843 • Dry Hitch Wt. 1047 • NCC 1657 • Length 29'7"



295BHS • UVW 7270 • Dry Hitch Wt. 964 • NCC 1530 • Length 33'6"



305BHS • UVW 7113 • Dry Hitch Wt. 1281 • NCC 1687 • Length 33'10"

Color Key:

Linoleum Cabinets Comfort Areas Countertops

10

2X2 WARRANTY – The KZ Recreational Vehicles 2x2 Warranty is a manufacturer's warranty. Each KZ product is warrantied to the original purchaser for twenty-four (24) months from the original date of purchase. Coverage includes appliances, components, construction and FULL structure. The appliances and other amenities are warranted by the individual manufacturers of those components, not KZ. Our warranty is also transferable within the first two (2) years for a small processing fee. For a copy of the warranty with full terms and conditions, ask your local KZ Dealer or visit our web site at http://www.kz-rv.com.

VEHICLE LOADING – Every effort has been made to provide the greatest number of options for the recreation vehicle owner. Each owner is responsible to select loads allowing the recreational vehicle to remain within the manufacturer's specified chassis weight limits. Do not overload the recreational vehicle.

UNLOADED VEHICLE WEIGHT (UVW) – The typical weight of this trailer as built at the factory. The UVW does not include cargo, LP gas, fresh water, options or dealer-installed accessories.

GROSS VEHICLE WEIGHT RATING (GVWR) – The maximum permissible weight of the trailer, including the UVW plus passengers, all cargo, personal items, fluids, options and dealer-installed accessories. The GVRW is equal to or greater than the sum of the UVW and the NCC.

NET CARRYING CAPACITY (NCC) – The maximum weight of all passengers, personal items, fresh water, food, tools, LP gas, other cargo and dealer-installed accessories* that can be carried by the trailer. NCC is equal to or less than GVWR minus UVW.

* The addition of options will decrease the NCC.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a seasoned veteran, get a feel for the performance of your tow vehicle and the RV together before heading out on the roadways. When you tow an RV, you must drive differently than you do when driving a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction.

See specification chart. KZ affixes a weight label to each new RV which lists weight information for that vehicle.

NOTE: This information is intended as a guide only. Weights of individual vehicles are approximate. Consult your Owner's Manual for complete loading, weighing and towing instructions. All weights may vary.





Due to continual research and advances, manufacturer reserves the right to change specifications, design, price and equipment without notice, and assumes no responsibility for any error in this literature.

Some items shown are not included as standard or optional equipment.

9/30/08 50M



Dealer: