

Chieftain Standard Features

Construction and Safety:

Thermo-Steel® construction


Quick release rear window ☐ Automotive-type door lock with bolt safety latch
Fire extinguisher (2 B.C.) ☐ Safety glass tinted windows and windshield Assist bar next to entrance door with assist strap inside door ☐ Inside and outside rearview mirrors ☐ Chrome bumpers ☐ Automotive style wheelwell trim with radius corners and clean fitting joints

Cabinet and corners at entrance way padded for safety

Prefinished aluminum exterior and underside of floor □ Contoured trim, rivets and smooth joints on all doors, access doors, vents and fittings ☐ LPG leak detector

LPG excess flow valve.


Chassis and Automotive: ☐ Dodge chassis ☐ Dodge V8 engine ☐ Pull-out bat-



tery rack \square Spare wheel and carrier \square RV thumpless tires \square Aluminized exhaust system \square Rear mud flaps (D26CRB) \square Jack and tools.

Driver Comfort and Convenience. □ Power driving assists include 3-speed automatic transmission, power brakes (power front disc), power steering with tilt column, and electronic ignition for easier starts and efficient fuel consumption □ Easy-adjust sunvisors with positive hold catches □ Cigarette lighter and

| Chieftain Specifications | D23C | MODELS D26CRB | D26CR |
|-------------------------------------------|-----------|------------------|----------------|
| Length | 22'11" | 25'7" | 25'7" |
| Wheelbase | 137" | 159" | 159" 7'7" |
| Width | 7'7" | 7'7" | |
| Height, exterior with air cond. | 10'6" | 10'6" | 10'6" |
| Height, interior | 6'5" | 6'5" | 6'5" |
| GVW (lbs.) | 12,000 | 12,000 | 12,000 |
| V8 engine (cu. in.) | 360 | 360 | 360 |
| Batteries (Amp.) Main Auxiliary | 90 105 | 90 105 | 90 105 |
| Fuel (Gal.) | 36 | | 36 |
| LPG tanks (lbs.) | 83 | 83 58 73 | 83 52 44 |
| Fresh water tanks (gal.) | 38 44 | | |
| Holding tanks (gal.) | | | |
| Sleeping capacity Standard Optional | 3 5 | 3 5 | 3 5 |
| Refrigerator (cu. ft.) | 8 | 8 | 8 |
| Water heater (gal.) | 6 | 6 | 6 |
| Furnace (BTU) | 22,000 | 22,000 | 22,000 |



| ashtray □ Blackout curtain to shut out | |
|-------------------------------------------------------|--|
| light and distraction ☐ Color coordinated | |
| dash with removable instrument cluster | |
| \square Side panels arm rest and ash tray \square | |
| Glove compartment ☐ Map light ☐ Com- | |
| fortable swivel bucket seats for driver and | |
| co-pilot Armrests and headrests | |
| Fresh air automotive heater □ Beverage | |
| tray. | |
| | |

| Kitchen and Dinette: □ 8 cubic-foot gas |
|--------------------------------------------------|
| /electric refrigerator □ 4-burner range |
| with fashionable glass faced oven and |
| power hood ☐ Double stainless steel |
| sink with breadboard cover □ Self-edged |
| countertops with radius corners Nu- |
| merous cabinets and drawers with finished |
| interiors Comfortable foam dinette |
| seating \square Galley extension table (D23C). |

| Sleeping: | Room | divider | curtain | for |
|------------|-------------|---------------|---------|-------|
| bedroom | privacy 🗆 | Dinette | conver | ts to |
| bed □ Fu | ll length v | vardrobe | e 🗆 Lou | ınge |
| converts t | o double | bed \square | Twin I | beds |
| (D26CRB) |) □ Set of | bolsters | (D260 | RB). |

| Bathroom: Attractive 3-piece modu |
|----------------------------------------------|
| lar ABS plastic tub and shower combina |
| tion eliminates water leaks and is easy to |
| clean ☐ Shower only (D26CRK) ☐ Med |
| cine cabinet and mirror Water saver |
| flexible phone head shower \(\square Marine |
| toilet Lavatory Power bath vent |
| (except D23C) ☐ Carpeted bath floor |
| ☐ Shower door (D26CRB). |


| Utility: □ Demand water system □ |
|--------------------------------------|
| Water heater □ Dual holding tanks □ |
| Sewer hose with outside storage com |
| partment and convenient single valve |
| dump outlet ☐ Rust free ABS plastic |



water lines routed inside motor home provide cleaner water and reduce chance of lines freezing \square 12-volt changeover lighting system operates from battery or external 110-volt supply \square Electrical 12-volt converter with 110-volt circuit breakers and 12-volt fuses centrally located for convenience \square Battery charger \square 90 Amp battery and 105 Amp deep cycle auxiliary battery \square City water hookup \square Permanent mount 83 lb. LPG storage system (D26CRB, D26CRK); two 30 lb. LPG bottles (D23C).

| Interior Comfort and Convenience: |
|---------------------------------------------|
| Forced air (ducted) furnace ☐ Couches |
| on rail guides for ease in pulling out bed; |
| steel support legs for sturdy seating |
| Steel supports with end caps are color |
| coordinated with ceiling and sidewalls |
| ☐ Numerous cabinets and drawers with |
| color coordinated hardware. Cabinets |
| have positive latches for one-hand oper- |
| ation 110-volt duplex outlets on sepa- |
| rate 110-volt wiring system ☐ Plush wall- |
| to-wall carpeting Prefinished wash- |
| able paneling in attractive woodgrain de- |
| sign ☐ Swivelrocker (D26CRK) ☐ Color |
| coordinated drapery and valances |
| Wall mounted ashtrays ☐ Rear overhead |
| cabinet (D23C). |

| Exterior: ☐ Outside storage includes radius cornered weather resistant trunk that locks and side compartments ☐ Door window ☐ Radius cornered tinted slide windows with screens ☐ Glideaway step near ground for easy entry and exit ☐ Recessed gas tank fills ☐ Front outside access to water, oil and |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| |







The motor homes that launched thousands of trips are still making travel dreams come true.

Chieftain and Brave . . . the motor homes with the familiar shape and the well known quality and spaciousness inside. And they're the motor homes that have logged the lion's share of over one billion miles logged by satisfied Winnebago owners.

Chieftain owners give their motor homes strong loyalty. And so do those who choose the economical Brave. Because feature for feature, dollar for dollar, they're two of the best motor home buys of any motor home line.

Tour the innovative Brave and Chieftain floorplans featured on the back page of this brochure. Then check all that's standard. You'll be surprised how easily you and the model of your choice can take to the road.



Options, accessories to match your family's fun.

| | BRAVE MODELS D21 D26RT | | CHIEFTAIN MOD D23C D26CRB | | DELS D26CRK | |
|--------------------------------------------------------------------------|---------------------------|---|------------------------------|---|----------------|--|
| Automotive air conditioning | O | 0 | O | О | О | |
| Armrests and headrests | 0 | 0 | S | S | S | |
| Cruise control (with 440 V8 engine only) | О | 0 | 0 | 0 | 0 | |
| Battery and vacuum gauges | O | О | 0 | 0 | 0 | |
| Double co-pilot seat | O | О | 0 | О | 0 | |
| Headrests for double co-pilot seat | О | О | 0 | 0 | 0 | |
| Sunvisors | 0 | O | S | S | S | |
| 11,000 BTU roof air conditioner | О | О | 0 | 0 | 0 | |
| 13,500 BTU roof air conditioner | 0 | 0 | 0 | 0 | О | |
| 28,000 BTU furnace | 0 | О | О | O | O | |
| 8 cubic-foot (gas/elec.) refrigerator | Ν | 0 | S | S | S | |
| Roof air heating element (13,500 BTU only) | 0 | О | 0 | O | О | |
| Ground fault interrupter | И | 0 | 0 | 0 | О | |
| Beverage tray | 0 | О | S | S | S | |
| Gauges for holding tank and water tank levels | О | 0 | 0 | 0 | О | |
| Power vents for bath and stove | O | О | S | S | S | |
| AM radio and clock | О | О | 0 | 0 | О | |
| AM/FM multiplex radio, tape player and clock | O | 0 | 0 | 0 | 0 | |
| AM/FM multiplex radio, tape player, clock, and Citizens Band radio | O | 0 | O | 0 | 0 | |
| Front wrap-around curtain | 0 | 0 | 0 | O | 0 | |

| | BRAVE MODELS D21 D26RT | | CHIEFTAIN MODELS D23C D26CRB D26CRK | | |
|------------------------------------------------------|---------------------------|---|----------------------------------------|---|----|
| Room divider curtain | S | И | S | S | S |
| Sliding divider door | Ν | S | Ν | И | И |
| Galley extension table | Ν | S | S | О | И |
| Front pull down bunk | О | O | О | О | О |
| Rear pull down bunk | О | 0 | N | И | Ν |
| Standard width gaucho with hamper | S | И | S | И | Ν |
| Rear lounge with table | И | О | Ν | Ν | Ν |
| Auxiliary gas tank and gauge | О | О | 0 | О | 0 |
| Two 20 lb. LPG tanks | S | И | И | Ν | N. |
| Two 30 lb. LPG tanks and automatic regulator | О | S | S | И | Ν |
| Permanent mount 80 lb. LPG storage system with gauge | Ν | И | И | S | S |
| 440 cubic-inch V8 engine | 0 | 0 | 0 | 0 | 0 |
| Spare tire and cover | O | О | О | 0 | 0 |
| Rear mud flaps | И | И | И | S | И |
| Trailer hitch | О | О | О | О | О |
| Generator prep kit | O | О | О | О | О |
| 2,500-watt generator and hourmeter | О | O | 0 | О | О |
| 4,000-watt generator and hourmeter | 0 | 0 | 0 | 0 | 0 |
| 5,000-watt generator and hourmeter | N | И | Ν | О | 0 |
| 6,500-watt generator and hourmeter | N | И | И | О | 0 |
| Luggage rack and ladder | 0 | О | 0 | 0 | О |
| Television antenna | 0 | О | 0 | 0 | O |

Winnebago's continuing program of product improvement makes specifications, equipment, model availability and prices subject to change without notice. Some items shown may be extra cost options.


Brave Standard Features

Construction and Safety: Thermo-Steel® construction

Quick release rear window \(\subseteq \text{Automotive type door lock} \) with dead bolt safety latch
Fire extinguisher (2 B.C.) Safety glass tinted windows and windshield \(\subseteq \text{Cabinets and} \) overhead corners at entrance ways padded for safety ☐ Inside and outside rearview mirrors

Front and rear bumpers ☐ Automotive style wheelwell trim with radius corners and clean fitting joints Prefinished aluminum exterior and underside of floor
Contoured trim, rivets and smooth joints on doors, access doors, vents and fittings

Boots and seals at openings for steering column, accelerator, and brake to keep water, dust, and noise out \(\subseteq LPG \) leak detection system ☐ LPG excess flow valve ☐ Inside assist strap.



Chassis and Automotive: ☐ Dodge chassis ☐ Dodge V8 engine ☐ Pull-out battery rack ☐ Hydraulic jack and tire tools ☐ Spare wheel and carrier ☐ RV thumpless tires ☐ Aluminized exhaust system.

Driver Comfort and Convenience: \square Power driving assists include 3-speed automatic transmission, power brakes with power front disc, power steering with tilt column, and electronic ignition for easier starts and efficient fuel consumption \square Cigarette lighter and ash-



tray \square Glove compartment \square Comfortable swivel bucket seats for driver and co-pilot \square Fresh air automotive heater.

Kitchen and Dinette: ☐ 6 cubic-foot refrigerator ☐ 4-burner range with oven and hood ☐ Double stainless steel sink (D26RT) ☐ Breadboard sink cover ☐ Self-edged countertops with radius corners ☐ Angled sinks and counters for more work space (D26RT) ☐ Numerous cabinets and drawers with finished interiors ☐ Comfortable foam dinette seating with door in back of seat for extra storage space (D21).

Sleeping: \square Sliding divider door for bedroom privacy (D26RT) \square Room divider curtain (D21) \square Dinette and gaucho convert to beds \square Twin beds (D26RT).

Bathroom: ☐ Medicine cabinet ☐ Water saver flexible phone head shower ☐ Marine toilet ☐ Lavatory ☐ Bath vent

Utility: ☐ Demand water system ☐ Water heater ☐ Dual holding tanks ☐ Sewer hose with outside storage compartment and convenient single valve dump outlet ☐ Rust free ABS plastic water lines routed inside motor home provide cleaner water and reduce chance of lines freezing ☐ 12-volt changeover lighting system operates from battery or external 110-volt supply ☐ Electrical 12-volt converter with 110-volt circuit breakers and 12-volt fuses centrally located for convenience ☐ 25′ 110-volt power cord ☐ 90 amp automotive battery (D26RT); 70 amp battery (D21) ☐



105 amp deep cycle auxiliary battery \square City water hookup \square Two 20 lb. LPG tanks (D21) \square Two 30 lb. LPG tanks and automatic regulator (D26RT) \square Roof air wiring tube.

Interior Comfort and Convenience: ☐ Forced air (ducted) furnace ☐ Gouchos are on rail guides for ease in pulling out bed and have steel support legs for sturdy seating ☐ Numerous cabinets and drawers with color coordinated hardware. Cabinets have positive latches for one-hand operation ☐ 110-volt duplex outlets wherever appropriate on separate 110-volt wiring system ☐ Wall-towall carpeting ☐ Prefinished washable paneling in attractive woodgrain design ☐ Two wall-mounted ashtrays ☐ Bolsters (D26RT, D21) ☐ Front overhead cabinet ☐ Rear overhead cabinet.

| s d; s h :s h :s a-ll-

or d

Exterior: ☐ Convenient weather resistant outside storage includes side compartments ☐ Radius cornered tinted slide windows with screens ☐ Entrance step near ground for ease of entry and exit ☐ Recessed gas tank fills ☐ Front outside access to water, oil, and windshield washer fills ☐ Skylight roof vent ☐ Screen door with kick plate.



| Brave Specifications | MOE D21 | DELS D26RT |
|-------------------------------------------|------------|---------------|
| Length | 21'4" | 25'9" |
| Wheelbase | 125" | 159" |
| Width | 7'7" | 7'7" |
| Height, exterior w/air cond. | 10'6" | 10'6" |
| Height, interior | 6'5" | 6'5" |
| GVW (lbs.) | 11,000 | 12,000 |
| V8 engine (cu. in.) | 360 | 360 |
| Batteries (amp.) Main Auxiliary | 70 105 | 90 105 |
| Fuel (gal.) | 28 | 36 |
| LPG tanks (lbs.) | 40 | 60 |
| Fresh water tanks (gal.) | 45 | 60 |
| Holding tanks (gal.) | 45 | 45 |
| Sleeping capacity Standard Optional | 3 7 | 3 7 |
| Refrigerator (cubic feet) | 6 | 6 |
| Water heater (gal.) | 6 | 6 |
| Furnace (BTU) | 22,000 | 22,000 |

Exceptional features, innovative floorplans, and a Homeowners Plan to protect your Brave or Chieftain.

Only Winnebago offers this comprehensive package of protection that follows your Brave or Chieftain wherever you travel.

A security network of over 300 service centers across the country to let you travel with peace of mind ... a safety program to assure structural integrity of your motor home ... higher resale value. All this and more is included in the Plan.

And certainly the warranty is another important part. We believe Winnebago's limited warranty is one of the best.


A common sense book to help you buy a motor home wisely ... Noted RV writer Ginny Ade has prepared a comprehensive guide to sensible and rewarding motor home buying. What to look for. What to avoid. How to evaluate and compare all that the manufacturer offers. It's available from Winnebago for \$1.95 to defray postage and handling. Send your check or money order to Winnebago Industries, Inc., Consumer Information Services, 1909 East Cornell, Peoria, Illinois 61614.

It could be the best initial investment you make to insure years of uninterrupted motor home pleasure.






Chieftain D26CRB Topaz interior



Chieftain D26CRK Moss Green interior



Chieftain D23C Terra Cotta interior



Brave D26RT Inca interior



Brave D21 Cactus interior