

Minnie®

2000 WINNEBAGO®





24V in Almond Cream *An available entertainment center with 19" TV and VCR is satellite system ready. The spacious cab area makes driving a pleasure and sleeping capacity is increased with the pull-out bunk.*

When it comes
to features,
space and
comfort, this
year's Minnie
scores big.

Plenty of space with plenty of features. That's the best way to describe this year's widebody Minnie®. And it's all available at a price that's sure to please. The big story this model year brings is a new crowned fiberglass roof. It's rounded on the outside to shed water better, and flat on the inside to provide greater cabinet storage. And to ensure everyone stays cool, ceiling-ducted roof air now comes standard on all models. So pack up the family and the gear in a new Winnebago Minnie for the kind of camping comfort and family fun you've come to expect from Winnebago Industries.



31C in Bluebonnet The acclaimed StoreMore™ Hydraulic Slideout System smoothly expands the interior of the Minnie, giving ample room for an active family to move about and generous amounts of storage both inside and out. Ceiling-ducted roof air keeps things cool inside while cooking or just relaxing. Available day/night pleated shades help control light and privacy. The TV can be viewed easily from the dinette and couch.



31C The Minnie features a residential-height toilet and abundant storage. The cross-coach bath design provides a private shower.



24V A full-length wardrobe provides ample room for hanging clothes or other bulky items.



24V Plenty of comfort is built into the cab of the Minnie, including power windows and locks, beverage tray and fixed lumbar support in the driver and passenger seat.




29N in Meadowbrook The angled galley of the 29N features a recessed stainless steel sink and centrally located microwave. Raised panel cabinetry above the counter top gives the galley a warm, home-like feel. The three-burner Magic Chef® range (with oven) gives you plenty of options when preparing entire meals.



29N in Meadowbrook Walk into the bedroom of the Minnie and you'll be pleasantly surprised by dual wardrobes that offer lots of storage for extra clothes or gear. The walk-around queen bed features a comfortable Serta® mattress.


Take a closer look. There's more to the Minnie than meets the eye.



29N Seems everything's more comfortable in the Minnie, including our longer door handles.



24V Cleaning up after being outdoors is a breeze with the exterior wash station.




31C You needn't go inside to hear the news or music with this exterior entertainment center.



31C Our StoreMore Hydraulic Slideout System makes accessing storage under the slideout so much easier, you won't hesitate to use it.




24V A crowned fiberglass roof sheds moisture and provides maximum durability while an innovative awning rail incorporates a gutter system to channel water away from the coach and keep you dry.




22E

- Widebody design.
- Convenient angled galley.
- Rear bath.
- Generous sleeping space.




22R

- Widebody design.
- Roomy angled galley.
- Rear bath.
- Generous sleeping space.



24V



- Widebody design.
- Private rear bath and bedroom with queen-size bed.
- Optional L-shaped lounge.
- Overhead bunk or available overhead entertainment center.



27P


- Widebody design.
- In-line galley.
- Walk-around bed.
- Large enclosed private bath with shower/tub.
- Choose from double or twin bed option.

Couch/Bed w/2 Tables 40" x 74"



29N

- Widebody design.
- Angled galley.
- Choose from queen or twin bed option.
- Overhead bunk or available overhead entertainment center.



31C

- Widebody design.
- In-line galley with abundant storage.
- **STORE MORE**™ Hydraulic Slideout System.
- Choose from queen or twin bed option.

ty of widebody floorplans.



2000 MINNIE SPECIFICATIONS						
	22E	22R	24V	27P	29N	31C
Length - Ford/Chev	22'1"/22'6"	22'1"/22'6"	24'6"/24'11"	27'1/27'5"	29'4"/NA	31'4"/NA
Exterior Width†	8'3.9"	8'3.9"	8'3.9"	8'3.9"	8'3.9"	8'3.9"
Interior Height	6'11"	6'11"	6'11"	6'7"	6'7"	6'7"
Interior Width	8'	8'	8'	8'	8'	8'
Fuel Cap. - Ford/Chev/Diesel	37/35/NA gal.	37/35/NA gal.	55/55/NA gal.	55/55/55 gal.	55/NA/55 gal.	55/NA/NA gal.
Fresh Water Capacity w/Heater*	36 gal.	36 gal.	46 gal.	39 gal.	37 gal.	37 gal.
Holding Tank Capacity - Black/Gray	30/36 gal.	36/30 gal.	30/36 gal.	34/42 gal.	27/40 gal.	34/32 gal.
LP Capacity◇	12 gal.	12 gal.	12 gal.	12 gal.	12 gal.	18 gal.
Wheelbase - Ford/Chev	138"/139"	138"/139"	158"/159"	188"/189"	190"/NA	220"/NA
Ext. Ht. w/AC - Ford†/Chev‡	11'1"/11'3"	11'1"/11'3"	11'3"/11'4"	11'2"/11'4"	11'2"/NA	11'2"/NA
Exterior Storage	10.8 cu. ft.	12 cu. ft.	26.9 cu. ft.	37 cu. ft.	61.3 cu. ft.	43.8 cu. ft.
GVWR - Ford/Ford Diesel	10,700 lbs./NA	10,700 lbs./NA	11,500 lbs./NA	14,050/14,050 lbs.	14,050/14,050 lbs.	14,050 lbs./NA
GVWR - Chev	12,300 lbs.	12,300 lbs.	12,300 lbs.	12,300 lbs.	NA	NA

Standard	22E	22R	24V	27P	29N	31C
Optional						
AUTOMOTIVE						
Chassis - Chevrolet G3500 7.4L SFI Vortec Engine, 124-Amp. Alternator, 4-Wheel Anti-Lock Brake System, 4L80-E Transmission	O	O	O	S		
Chassis - Ford E350 6.8L Super-Duty V-10 SOHC Triton Engine, 130-Amp. Alternator, Dual Airbags, 4-Wheel Anti-Lock Brake System	S	S	S			
Chassis - Ford E450 6.8L Super-Duty V-10 SOHC Triton Engine, 130-Amp. Alternator, Dual Airbags, 4-Wheel Anti-Lock Brake System				O	S	S
Chassis - Ford E450 7.3L Power Stroke Diesel Engine, 130-Amp. Alternator, Dual Airbags, 4-Wheel Anti-Lock Brake System				O	O	
DRIVER CONVENIENCES						
Automatic Dual Battery Charge Control w/Auxiliary Start Circuit	S	S	S	S	S	S
Battery Disconnect Auxiliary	S	S	S	S	S	S
Battery Disconnect System (Coach Batteries)	S	S	S	S	S	S
Beverage Holder Chassis Supplied	S	S	S	S	S	S
Cab Seats w/3-Point Retracting Seat Belts Armrest, Slide Pedestal, Recline, Lumbar Support (Fixed)	S	S	S	S	S	S
Cigarette Lighter/12-V Electrical Supply	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S
Divider Curtain Cab	S	S	S	S	S	S
Dome Light	S	S	S	S	S	S
Floor Mats	S	S	S	S	S	S
Heating/Air Conditioning Auto. Blend Air	S	S	S	S	S	S
Hood Release Interior	S	S	S	S	S	S
Power Door Locks & Windows	S	S	S	S	S	S
Steering Power Assisted w/Tilt Wheel	S	S	S	S	S	S
Sunvisors	S	S	S	S	S	S
Trim Panels Driver & Passenger Doors (Chassis Supplied)	S	S	S	S	S	S
Windshield Wipers (Intermittent)	S	S	S	S	S	S
ENTERTAINMENT						
Entertainment Center (Patio) DC Receptacle, 110-V Outlet, TV Jack, Radio Antenna, AM/FM Cassette Radio, Speakers (2), Removable TV Table, Locking Door	O	O	O	O	O	O
Satellite System Ready	S	S	S	S	S	S
Stereo (Cab) AM/FM Cassette Deck, Speakers (4)	S	S	S	S	S	S
TV Enhancement Package Antenna (Amplified), 12-V Receptacle(s), Interior Jack(s), Coax Wiring, Cable Input, (27P, 29N, 31C Include Bedroom TV Shelf or Stand*)	S	S	S	S	S	S
TV* Front (19" Color) & VCR w/Remote Video Selection System, w/Slideout Single Bunk			O	O	O	
TV* Front (19" Color) w/Remote w/Slideout Single Bunk, Video Selection System			O	O	O	
TV* Lounge Area, Galley Cabinet (19" Color) & VCR w/Remote Video Selection System						O
TV* Lounge Area, Galley Cabinet (19" Color) w/Remote Video Selection System						O
TV* Lounge Area, Side (13" Color) & VCP w/Remote & Locking Slideout/Swivel Shelf	O	O	O	O	O	
SLIDEOUT						
Slideout Room (Dining/ Lounge Area), Approximately 11'4" Long w/20" Extension, Slideout Cover, StoreMore™ Hydraulic Slideout System						S
INTERIOR						
Bed (Front Overhead) Privacy Curtain, Storage Cabinet(s)	S	S	S	S	S	S
Cabinet Doors Wood Stile & Rail, Raised Panels on Upper Cabinets	S	S	S	S	S	S
Carpeting w/Pad Stain Resistant	S	S	S	S	S	S
Ceiling Lights w/Wall Switches	S	S	S	S	S	S
Ceiling Vent Non-Powered, Bedroom				S	S	S
Ceiling Vent Non-Powered, Bunk	S	S	S	S	S	S
Ceiling Vent Powered, Bathroom	S	S	S	S	S	S
Color Themes (Interior) Choice of Meadowbrook (Teal), Bluebonnet (Blue), Almond Cream (Beige)	S	S	S	S	S	S
Courtesy Light(s) w/Wall Switch(es)	S	S	S	S	S	S
Fabric Ceiling	S	S	S	S	S	S
Ladder (Front Overhead Bunk)						S
Mirror Wall, Decorative						S
Storage below Couch			S	S	S	S
Wardrobe Carpeted Shelf, Clothes Rod, Wood-Frame Mirrored Door	S	S	S			
Window Day/Night Pleated Shades Lounge & Bedroom	O	O	O	O	O	O
Window (Front Bunk)*	O	O	O	O	O	O

S Standard	22E	22R	24V	27P	29N	31C
Optional						
Medicine Cabinet (22R & 24V – Mirrored Door)						
Mirror Wall-Mounted	S	S	S	S	S	S
Shower Flexible Shower Head	S	S	S		S	S
Shower/Tub Flexible Shower Head				S		
Shower Door Pleated w/Track	S	S	S	S	S	S
Shower Light w/Wall Switch				S	S	S
Shower Surround	O	O	O	O	O	O
Sink Oval				S		S
Sink Rectangular, Molded Soap Dishes	S	S	S		S	
Skylight				S	S	S
Tissue Holder	S	S	S	S	S	S
Toilet w/Hand Lever	S	S	S	S	S	S
Towel Bars	S		S	S	S	S
Towel Bars Mounted on Bath Door	S	S	S	S	S	S
Towel Ring	S	S	S	S	S	
EXTERIOR						
Assist Handle* (Exterior)	S	S	S	S	S	S
Awning*	O	O	O	O	O	O
Awning Rail w/Rain Gutter	S	S	S	S	S	S
Bumper Rear: Aluminum, Painted, w/End Caps	S	S	S	S	S	S
Entrance Door Step	S	S	S	S	S	S
Entrance Door Step Electric	O	O	O	O	O	O
Entrance Door w/Screen Door Deadbolt Lock	S	S	S	S	S	S
Graphics Package	S	S	S	S	S	S
Ladder	S	S	S	S	S	S
Mirrors (Rear View) w/Convex on Both Sides	S	S	S	S	S	S
Mud Flaps Rear	S	S	S	S	S	S
Outlet 110-V, Curbside	S	S	S	S	S	S
Porch Light Interior Switch	S	S	S	S	S	S
Roof Crowned	S	S	S	S	S	S
Running Boards (Aluminum)	S	S	S	S	S	S
Sewer Hose Stores in Bumper	S	S	S	S	S	S
Storage Compartments Locking Doors, Trunk Liner	S	S	S	S	S	S
Tire (Spare)	O	O	O	O	O	O
Tires (Radial)	S	S	S	S	S	S
Trailer Towing Package	O	O	O	O	O	O
Trailer Wiring Extension	S	S	S	S	S	S
Wash Station	O	O	O	O	O	O
Water Tank Gravity Fill w/Lockable Door	S	S	S	S	S	S
Wheel Covers Stainless Steel	S	S	S	S	S	S
Wheel Liners* Stainless Steel	O	O	O	O	O	O
SYSTEMS						
Air Conditioner Roof, 13,500-BTU	S	S	S	S	S	
Air Conditioner Roof, 14,800-BTU						S
Batteries (2)* Deep Cycle (Maintenance Free)	O	O	O	O	O	O
Battery Deep Cycle RV	S	S	S	S	S	S
City Water Hookup	S	S	S	S	S	S
Electrical Control Center Automotive DC Fuses, AC Breakers, 15-Amp. Battery Charger/32-Amp. Converter, (45-Amp. Converter 31C)	S	S	S	S	S	S
Fresh Water Tank Drain 1" Ball Valve	S	S	S	S	S	S
Furnace Ducted, Low Profile, 25,000-BTU	S	S	S			
Furnace Ducted, Low Profile, 30,000-BTU				S	S	S
Generator* (Onan® MicroQuiet™) 3,600-Watt, 110-V Wiring, Switches, Hourmeter, LP, Requires Diesel Engine Option				O	O	
Generator* (Onan® MicroQuiet™) 4,000-Watt, 110-V Wiring, Switches, Hourmeter, Gas	O	O	O	O	O	O
Generator Prep Kit* Gas Line, 12-V Wiring (Gas Line NA w/Diesel Engine)	S	S	S	S	S	S
Inverter* 130-Watt for TV/VCR				O	O	O
LP Tank Permanent Mount w/Gauge	S	S	S	S	S	S
Monitor Panel Water Holding & LP Tank Levels, Battery Condition Gauge, Water Pump	S	S	S	S	S	S

Fabric Ceiling		S	S	S	S	S	S
Ladder (Front Overhead Bunk)							S
Mirror Wall, Decorative							S
Storage below Couch			S	S	S	S	
Wardrobe Carpeted Shelf, Clothes Rod, Wood-Frame Mirrored Door	S	S	S				
Window Day/Night Pleated Shades Lounge & Bedroom	O	O	O	O	O	O	
Window (Front Bunk)*	O	O	O	O	O	O	
Windows* Dual Glazed, Thermo-Insulated, Tinted	O	O	O	O	O	O	
GALLEY							
Flooring (Vinyl)	S	S	S	S	S	S	S
Hinged, Front Dinette Seat Back	S	S	S	S	S		
Microwave Oven Touch Control	S	S	S	S	S	S	S
Pantry	S	S					
Range Hood Ducted w/Light & Fan		S	S	S	S	S	S
Range Hood w/Light & Fan	S						
Range w/Oven 3 Burners	S	S	S	S	S	S	S
Refrigerator/Freezer Double-Door, Flush Mounted	S	S	S	S	S	S	S
Sink (Double) Stainless Steel, Single Control Faucet, Cover	S	S	S	S	S	S	S
Spice Rack		S				S	
Storage below Dinette Seats	S	S	S	S	S	S	S
Wall Border Decorative							S
BEDROOM							
Bedsprad(s), Pillow Shams, Pillows, Serta® Mattress(es)			S	S	S	S	S
Decorative Wall Lamp							S
Underbed Storage Gas Springs						S	S
Vanity Cabinet				S			
BATHROOM							
Flooring (Vinyl)	S	S	S	S	S	S	S
Lavatory Cabinet	S	S	S	S	S	S	S

Furnace Ducted, Low Profile, 50,000-BTU					S	S	S
Generator* (Onan® MicroQuiet™) 3,600-Watt, 110-V Wiring, Switches, Hourmeter, LP, Requires Diesel Engine Option					O	O	
Generator* (Onan® MicroQuiet™) 4,000-Watt, 110-V Wiring, Switches, Hourmeter, Gas	O	O	O	O	O	O	O
Generator Prep Kit* Gas Line, 12-V Wiring (Gas Line NA w/Diesel Engine)	S	S	S	S	S	S	S
Inverter* 130-Watt for TV/VCR			O	O	O	O	O
LP Tank Permanent Mount w/Gauge	S	S	S	S	S	S	S
Monitor Panel Water, Holding & LP Tank Levels, Battery Condition Gauge, Water Pump Switch, Water Heater Switch w/Pilot Indicator Light, Located on Galley Wall	S	S	S	S	S	S	S
Power Cord 30-Amp., 25 Feet Long	S	S	S	S	S	S	S
Water Drain System through Floor, 1" Drain	S	S	S	S	S	S	S
Water Heater (Atwood®) 6-Gal., Electronic Ignition	S	S	S	S	S	S	S
Water Heater Winterization By-Pass Valve (Manual)	S	S	S	S	S	S	S
Water System Winterization Valve (Manual)	S	S	S	S	S	S	S
Water Pump (Demand)	S	S	S	S	S	S	S
SAFETY							
3-Point Cab Seat Belts	S	S	S	S	S	S	S
Air Bags Driver & Passenger, Ford Only	S	S	S	S	S	S	S
Assist Strap Interior	S	S	S	S	S	S	S
Carbon Monoxide Detector/Alarm	S	S	S	S	S	S	S
Escape Window				S	S	S	S
Fire Extinguisher (10-B.C.)	S	S	S	S	S	S	S
Ground Fault Interrupter	S	S	S	S	S	S	S
High-Mount Brake Light	S	S	S	S	S	S	S
Lap Belts in Selected Areas	S	S	S	S	S	S	S
LPG Leak Detector/Alarm	S	S	S	S	S	S	S
Smoke Detector/Alarm	S	S	S	S	S	S	S
WARRANTY							
12-Month/15,000-Mile Basic Warranty, 36-Month/36,000-Mile Warranty on Structure,**	S	S	S	S	S	S	S
10-Year Limited Parts & Labor Warranty on Roof							

Minnie floorplans feature a widebody design—over 96" in making your purchase decision, you should be aware that some states restrict access on some or all state roads to 96" in body width. Before making your purchase decision, you should confirm the road usage laws in the states of interest to you.

Not all items available in combination. See dealer for details. NA=Not Available. ♦Capacities shown are tank manufacturer's listed water capacity (W.C.). Actual filled LP capacity is 80% of listing due to overfilling prevention device on tank.

The height of each model is based on the curb weight of a typically equipped unit on the standard chassis. The actual height of your vehicle may vary by as much as 2" depending on chassis or equipment variations. **See your dealer for complete warranty documentation information.

Innebago Industries' continuing program of product improvement makes specifications, equipment, model availability and prices subject to change without notice. Comparisons to other motor homes are based on the most recent information available.

Not all motor homes are built the same, or supported the same.

When you purchase a Winnebago Minnie you benefit from unique advantages, beginning with some of the most comprehensive warranty programs in the industry. It includes a 12-month/15,000-mile basic protection plan, 36-month/36,000-mile warranty on the structure and a standard 10-year limited parts and labor warranty on the roof.




Mechanical emergency while on vacation? Go to your nearest Winnebago Industries dealer. TripSaver guarantees that qualifying, in-stock emergency warranty repair parts will be air-shipped from our factory within 24 hours. Plus, every new purchase comes with a one-year membership in our Premium Roadside Assistance Program, a 24-hour nationwide plan that covers road emergencies with free services like



jump starts, tire changes, fuel delivery and lockout assistance. In addition, Winnebago Industries vehicle owners are eligible to enroll in the Winnebago-Itasca Travelers (WIT) Club. As a member, you'll enjoy many benefits including mail forwarding, trip planning, rallies, caravans and more.

To learn more about what separates our motor homes from others, ask for this free guide next time you visit your Winnebago Industries dealer. It explains our superior manufacturing process. Use it to learn more about important safety and quality considerations as you shop for the motor home that's best for you.



Visit us at www.winnebagoind.com

Seat belts are your most important hookup. Always buckle up.

Interiors

Almond Cream
with Waterford Oak



Bluebonnet
with Waterford Oak



Meadowbrook
with Waterford Oak



31C The special thought we put into Minnie's design will amaze you. Our exclusive SuperStructure™ design includes an all-steel cab structure, electroplated steel components and interlocking joints to provide strength and durability.