



### THE CHOICE IS YOURS.

You'll be pleasantly surprised by the number of features and options available in the 2006 Itasca Sunova. Choose from six models, each loaded with amenities and SmartSpace™ design elements that makes the most of user-friendly features and available space. These can be as simple as adding extra seatbelts for travel flexibility or a more advanced process

of providing floor-ducted heat and ceiling-ducted air conditioning that are both controlled by a single wall thermostat. If you're serious about Class A comfort and styling, the abundance of features, available options and quality Winnebago Industries® construction make the Itasca Sunova the right choice.

#### CLASS A LIVING.

Love home-cooked meals? The galley includes a three-burner range/oven and a microwave oven for all your cooking needs. Take advantage of the additional space provided by the sink cover and a countertop extension (NA 34A). You'll also find plenty of food storage in the large refrigerator and cleverly designed pantry.

Watch the 24" TV from the comfort of the hoop-base lounge chair (NA 29R). When you're not traveling, this chair can be relocated to your favorite spot in the coach. For an upgraded entertainment experience, add the Home Theater Sound System, which includes a DVD/VCR combo, amplifier, receiver, five speakers and a subwoofer. Choose the 300-watt inverter and you'll be able to watch TV without generator or shoreline power.

Gain greater climate control by adding day/night pleated shades, dual-glazed, thermo-insulated windows and a heat pump that takes the chill off without starting the furnace.



LIVING AREA SmartSpace design led to a living room slideout that extends thirty inches on most models. This creates more room for quality Stitchcraft furniture, including a dinette with a child safety-seat tether anchor.



GALLEY The galley provides plenty of space. Choose the available galley upgrade which includes a knife holder, range cover, woodgrain refrigerator door facades, silverware tray and wire storage baskets under the dinette seats.



FULL-EXTENSION DRAWER SLIDES Allow for easy access to all your stored items.



**BEDROOM** The bedroom offers a queen-size Serta® mattress, roomy overhead cabinets, a mirrored wardrobe and a bedroom slideout on the 26P, 29R, 34A and 35N.

#### RIDE AND RELAX.

The Sunova makes driving easy by placing switches, gauges and controls at your fingertips and providing an available rearview monitor to assist with backing. To make trips more pleasant, high-back driver and passenger seats offer lumbar support and adjustments that swivel, slide and recline to suit your style. Both are available in UltraLeather HP.™

The RV Radio® is Sirius® Satellite ready and offers simple controls for the CD player, radio and weather band. Two remotes give you control anywhere in the coach. Upgrade to the Sirius Satellite\* radio package, which includes a complimentary six-month subscription with 120 digital channels.

Once you've settled on a campsite, use the touchpad controls of the available Kwikee® hydraulic leveling system to quickly level the Sunova. The QuickPort® service connection hatch makes hookups refreshingly simple. You can even close the service compartment door while hooked up at the campground.

An included hitch lets you tow up to 5,000 pounds and comes with a seven-pin connector.

\*Sirius Satellite radio not available in Canada.



DASH A steering wheel remote and a handheld remote provide convenient controls for the RV Radio while you drive or relax in the coach.



#### ONE PLACE"

Frequently used gauges and controls are conveniently placed in a central location.

#### **POWERLINE®**

The PowerLine energy management system monitors 110-volt usage and automatically cycles appliances on and off during periods of high demand to prevent tripped breakers (33T, 34A, 35N only).



TWO-WAY
RADIOS A set of
four two-way radios
is available in a builtin charging station.



TRUELEVEL To eliminate the guesswork, our exclusive TrueLevel™ holding tank monitoring system incorporates Mirus™\* detector cells that detect liquid levels from outside the tank. No probes mean no more corrosion or clogging, just accurate readings time after time.

\*Mirus is a trademark of Material Sciences Corporation.

EXTERIOR SERVICE
CENTER Connections and
controls use color-coded labels for
ease of use. The available wash
station is great for quick cleanups,
while heated holding tanks and a
winterization valve let you extend
the camping season.






**STORE MORE** This exclusive slideout system allows exterior compartments to extend with the slideroom for easy storage access. The large Storemore compartments accommodate bulky and oversized items.

# O6FLOORPLANS







Seat Belts Note: Dimensions shown are for sleeping space only and may vary due to styling differences. Dashed lines denote overhead storage areas.




## 26P NEW



29R



30B





34A



35N

# O6SPECIFICATIONS

WEIGHTS & MEASURES	26P NEW	29R	30B	33T NEW	34A	35N
Length	26'11"	29'8"	31'0"	33'11"	34'6"	35'3"
Exterior Height	12'2"	12'2"	12'1"	12'1"	12'3"	12'3"
Exterior Width <sup>2</sup>	8'6"	8'6"	8'6"	8'6"	8'6"	8'6"
Exterior Storage <sup>3</sup> (cu. ft.)	64.1	81.2	105.8	121.1	98.9	120.2
Awning Length	11'6"	16'	16'	18'	18'	16'
Interior Height	6'8"	6'8"	6'8"	6'8"	6'8"	6'8"
Interior Width	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"
Freshwater Capacity w/Heater4 (gal.)	67	75	67	67	72	65
Holding Tank Capacity <sup>4</sup> - Black/Gray (gal.)	39 / 36	37 / 41	41 / 57	41 / 45	41 / 57	43 / 42
LP Capacity <sup>5</sup> (gal.)	18	18	18	18	18	18
Fuel Capacity (gal.)	60	75	75	75	75	75
GCWR <sup>6</sup> (lbs.)	22,000	26,000 / 22,000 / 22,000	26,000 / 22,000 / 22,000	26,000 / 22,000	26,000 / 26,000 ○	26,000 / 26,000 ○
GVWR (lbs.)	16,000°	18,000 / 18,000 / 18,000	18,000 / 18,000 / 18,000 ●	20,500 <sup>1</sup> / 18,000 <sup>1</sup>	20,500 / 20,700 ○	20,500 / 20,700
GAWR - Front (lbs.)	6,500°	7,000 - 7,000 / 7,000	7,000 / 6,000 / 7,000	7,000 / 7,000 €	7,000 / 7,500 ○	7,000■ / 7,500○
GAWR - Rear (lbs.)	10,500	11,000 ■ / 12,000 □ / 12,000 •	11,000 / 12,000 / 12,000	13,500 <sup>■</sup> / 12,000 <sup>●</sup>	13,500 / 13,500 ○	13,500 / 13,500 ○
Wheelbase	158.5"	190"	190"	208"	228"	228"

■ = Chassis A □ = Chassis B ● = Chassis C ○ = Chassis D									
AUTOMOTIVE/CHASSIS	26P	29R	308	33.1	34A	358			
Chassis A – Ford® 6.8L SOHC Triton® V10 362-hp, 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 130-amp. alternator		S	S	S	S	S			
Chassis B – Workhorse™ P-Series 8.1L Vortec V8 340- hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator		0	0						
Chassis C – Workhorse W-Series 8.1L Vortec V8 340- hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator	S	0	0	0					
Chassis D – Workhorse W-Series 8.1L Vortec V8 340- hp, Allison® 1000 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator, custom steering wheel					0	0			
Tire spare, Tire Tools wrench & leverage bar, Trailer Hitch <sup>6</sup> 5,000-lbs. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers (4)	S	S	S	S	S	S			
Leveling Jacks hydraulic w/automatic controls, Kwikee,® Wheel Liners stainless steel	0	0	0	0	0	0			
Shocks/Stabilizer Package front, Workhorse (P-Series only)		0	0			=			
CAB AREA & DRIVER CONVENIENCES	26P	29R	308	33T	34A	35N			
Beverage Holder passenger side, Cab Seats (fabric) w/3-point shoulder & lap seat belts w/retractors, armrests, lumbar support (fixed), multiadj. slide/recline & swivel, Cigarette Lighter/12-volt DC Powerpoint, Convenience Tray w/cupholders, Cruise Control, Map Lights, Map Pocket, Receptacle AC Duplex, Steering Wheel tilt w/power-assist, Sunvisors, Trim Panel driver side w/cupholder, storage tray, Window (driver & passenger) partial slider w/screen, Windshield Wipers intermittent	S	S	S	S	S	S			
	Chassis A – Ford® 6.8L SOHC Triton® V10 362-hp, 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 130-amp. alternator  Chassis B – Workhorse™ P-Series 8.1L Vortec V8 340-hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis C – Workhorse W-Series 8.1L Vortec V8 340-hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis D – Workhorse W-Series 8.1L Vortec V8 340-hp, Allison® 1000 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator, custom steering wheel  Tire spare, Tire Tools wrench & leverage bar, Trailer Hitch® 5,000-lbs. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers (4)  Leveling Jacks hydraulic w/automatic controls, Kwikee,® Wheel Liners stainless steel  Shocks/Stabilizer Package front, Workhorse (P-Series only)  CAB AREA & DRIVER CONVENIENCES  Beverage Holder passenger side, Cab Seats (fabric) w/3-point shoulder & lap seat belts w/retractors, armrests, lumbar support (fixed), multiadj. slide/recline & swivel, Cigarette Lighter/12-volt DC Powerpoint, Convenience Tray w/cupholders, Cruise Control, Map Lights, Map Pocket, Receptacle AC Duplex, Steering Wheel tilt w/power-assist, Sunvisors, Trim Panel driver side w/cupholder, storage tray, Window (driver & passenger) partial slider w/screen, Windshield Wipers	Chassis A – Ford® 6.8L SOHC Triton® V10 362-hp, 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 130-amp. alternator  Chassis B – Workhorse™ P-Series 8.1L Vortec V8 340-hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis C – Workhorse W-Series 8.1L Vortec V8 340-hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis D – Workhorse W-Series 8.1L Vortec V8 340-hp, Allison® 1000 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator, custom steering wheel  Tire spare, Tire Tools wrench & leverage bar, Trailer Hitch® 5,000-lbs. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers (4)  Leveling Jacks hydraulic w/automatic controls, Kwikee,® Wheel Liners stainless steel  Shocks/Stabilizer Package front, Workhorse (P-Series only)  CAB AREA & DRIVER CONVENIENCES  Beverage Holder passenger side, Cab Seats (fabric) w/3-point shoulder & lap seat belts w/retractors, armrests, lumbar support (fixed), multiadj, slide/recline & swivel, Cigarette Lighter/12-volt DC Powerpoint, Convenience Tray w/cupholders, Cruise Control, Map Lights, Map Pocket, Receptacle AC Duplex, Steering Wheel tilt w/power-assist, Sunvisors, Trim Panel driver side w/cupholder, storage tray, Window (driver & passenger) partial slider w/screen, Windshield Wipers	Chassis A – Ford® 6.8L SOHC Triton® V10 362-hp, 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 130-amp. alternator  Chassis B – Workhorse™ P-Series 8.1L Vortec V8 340-hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis C – Workhorse W-Series 8.1L Vortec V8 340-hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis D – Workhorse W-Series 8.1L Vortec V8 340-hp, Allison® 1000 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator, custom steering wheel  Tire spare, Tire Tools wrench & leverage bar, Trailer Hitch® 5,000-lbs. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers (4)  Leveling Jacks hydraulic w/automatic controls, Kwikee,® Wheel Liners stainless steel  Shocks/Stabilizer Package front, Workhorse (P-Series only)  CAB AREA & DRIVER CONVENIENCES  Beverage Holder passenger side, Cab Seats (fabric) w/3-point shoulder & lap seat belts w/retractors, armrests, lumbar support (fixed), multiadj. slide/recline & svivel, Cigarette Lighter/12-volt DC Powerpoint, Convenience Tray w/cupholders, Cruise Control, Map Lights, Map Pocket, Receptacle AC Duplex, Steering Wheel tilt w/power-assist, Sunvisors, Trim Panel driver side w/cupholder, storage tray, Window (driver & passenger) partial slider w/screen, Windshield Wipers	Chassis A – Ford® 6.8L SOHC Triton® V10 362-hp, 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 130-amp. alternator  Chassis B – Workhorse™ P-Series 8.1L Vortec V8 340- hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis C – Workhorse W-Series 8.1L Vortec V8 340- hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis D – Workhorse W-Series 8.1L Vortec V8 340- hp, Allison® 1000 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator, custom steering wheel  Tire spare, Tire Tools wrench & leverage bar, Trailer Hitch® 5,000-lbs. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers (4)  Leveling Jacks hydraulic w/automatic controls, Kwikee,® Wheel Liners stainless steel  Shocks/Stabilizer Package front, Workhorse (P-Series only)  CAB AREA & DRIVER CONVENIENCES  Beverage Holder passenger side, Cab Seats (fabric) w/3-point shoulder & lap seat belts w/retractors, armrests, lumbar support (fixed), multiadj. slide/recline & svivel, Cigarette Lighter/12-volt DC Powerpoint, Convenience Tray w/cupholders, Cruise Control, Map Lights, Map Pocket, Receptacle AC Duplex, Steering Wheel tilt w/power-assist, Sunvisors, Trim Panel driver side w/cupholder, storage tray, Window (driver & passenger) partial slider w/screen, Windshield Wipers	Chassis A – Ford® 6.8L SOHC Triton® V10 362-hp, 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 130-amp. alternator  Chassis B – Workhorse™ P-Series 8.1L Vortec V8 340- hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis C – Workhorse W-Series 8.1L Vortec V8 340- hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis D – Workhorse W-Series 8.1L Vortec V8 340- hp, Allison® 1000 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis D – Workhorse W-Series 8.1L Vortec V8 340- hp, Allison® 1000 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator, custom steering wheel  Tire spare, Tire Tools wrench & leverage bar, Trailer Hitch® 5,000-lbs. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers (4)  Leveling Jacks hydraulic w/automatic controls, Kwikee,® Wheel Liners stainless steel  Shocks/Stabilizer Package front, Workhorse (P-Series only)  CAB AREA & DRIVER CONVENIENCES  S S S  S S  S  S  S  S  S  S  S  S  S	Chassis A – Ford® 6.8L SOHC Triton® V10 362-hp, 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 130-amp. alternator  Chassis B – Workhorse® P-Series 8.1L Vortec V8 340- hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis C – Workhorse W-Series 8.1L Vortec V8 340- hp, 4L85-E 4-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator  Chassis D – Workhorse W-Series 8.1L Vortec V8 340- hp, Allison® 1000 5-speed overdrive transmission, hydraulic brakes, 4-wheel ABS, 145-amp. alternator, custom steering wheel  Tire spare, Tire Tools wrench & leverage bar, Trailer Hitch® 5,000-lbs. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers (4)  Leveling Jacks hydraulic w/automatic controls, Kwikee,® Wheel Liners stainless steel  Shocks/Stabilizer Package front, Workhorse (P-Series only)  CAB AREA & DRIVER CONVENIENCES  S S S  S S S  S S S  S S S  S S S  S S S S  S S S S S  S S S S S S  S			

CAB AREA & DRIVER CONVENIENCES	26P	29R	308	331	34A	35N
Cab Seats UltraLeather HP™	0	0	0	0	0	0
Defroster Fans (2) aux. 2-speed w/instrument panel switch	0	0	0	0	0	0
Monitor System rearview w/single camera & one-way audio, Audiovox®	0	0	0	0	0	0
ENTERTAINMENT	26P	29R	308	337	34A	35N
IV Radio® (cab) AM/FM Stereo/CD, speakers (4), emotes (2), handheld & steering wheel mounted, irrius® Satellite ready, CB Wire Prep, Radio Antenna pof-mounted, rubber, Radio Power Switch main/ ux. battery, Satellite System Ready, TV 24" Color CC stereo w/remote, cabinet, TV Enhancement ackage antenna (amplified), 12-volt DC powerpoints, iterior jacks, coax wiring, cable input, splitter, Video election System	S	S	S	S	S	S
VD/VCR combo w/remote, Entertainment Center xterior) w/CD player, DC receptacle, AC duplex sceptacle, AM/FM radio, TV jack, radio antenna, peed servers (2), lockable compartment, removable of table, Home Theater Sound System amplifier, VD/VCR combo, receiver, recessed speakers (5), libwoofer, antenna, Radios (4) 2-way, charging ation, Satellite Dish Antenna RV digital, manual	0	0	0	0	0	0
Satellite Radio Sirius, antenna, wiring, receiver, ncludes six-month subscription (NA in Canada)	0	0	0	0	0	0
TV 13" Color DC w/remote, bedroom			0	0		
TV 19" Color AC w/remote, bedroom	0	0			0	0

INTERIOR	76P	29R	308	331	34A	35N
Blinds mini (lounge, dinette, galley), Ceiling fabric, Clock, Curtain front wraparound w/track, Lights reading, adj. halogen (overheads), Lights ceiling, incandescent w/wall switches, Roof Vent nonpowered, lounge, Shades pleated (bedroom), Telephone input interior jack, 12-volt DC Receptacle lounge	S	S	S	S	S	S
Roof Vent powered, ventilator fan, lounge, Shades day/night pleated (lounge, dinette, bedroom), Windows dual-glazed/thermo-insulated, flush-mounted	0	0	0	0	0	0
Wainscoting w/chair rail	S		S	S	S	S
CABINETRY	26P	29R	30B	33T	34A	35N
Portsmouth Oak or Sierra Maple stile-and-rail construction w/raised-panel inserts on upper doors	0	0	0	0	0	0
COUNTERTOPS	26P	29R	308	33T	34A	35N
Laminate w/T-mold edging	S	S	S	S	S	S
FLOORCOVERING	26P	29R	308	33T	34A	35N
Carpeting w/pad, Vinyl bath & galley	S	S	S	S	S	S
FURNITURE	26P	29R	308	33T	34A	NGE
	S	S	S	S	S	S
Dinette w/access to storage below, cupholders	-					S
Dinette w/access to storage below, cupholders  Lounge Chair hoop-base, swivel/glider, cabinet w/table, magazine rack				0		3
Lounge Chair hoop-base, swivel/glider, cabinet	S		S	0	S	0
Lounge Chair hoop-base, swivel/glider, cabinet w/table, magazine rack	S O	112	S	0	S	3

#### EXTERIOR GRAPHICS





Medium Parchment with Sunset/Nutmeg/Gold





Medium Parchment with Moss Green/Warm Silver/Blue



**WINNEBAGDIND.COM** Visit us on the web for more info on all of our motor homes, latest product updates and a host of web-exclusive content.

# INTERIOR DECOR

Choose from three fabric selections and two wood choices.

SOFA

BEDSPREAD CARPET





Cypress Point w/available Buff UltraLeather HP™





Cinnabar w/available Buff UltraLeather HP™







Silver Oak w/available Papyrus UltraLeather HP™







Sierra Maple

GALLEY	26P	29R	308	337	34A	SSN
Faucet single-control, Moen,® Microwave Oven, Pantry, Range Hood vented w/light & fan, Range 3-burner (one high-output) w/oven, Magic Chet,® Receptacle(s) duplex, Refrigerator/Freezer double- door, Sink recessed, molded, double-bowl w/sink cover (countertop material), Wall Border	S	S	S	S	S	S
Countertop w/flip-up extension	S	S	S	S		S
Galley Upgrade Package range cover, wastebasket, silverware tray, raised panel refrigerator door insert, knife holder, dinette storage wire baskets	0	0	0	0	0	0
Glass Partition		S				
Microwave/Convection Oven	0	0	0	0	0	0
Range Top 3-burner w/pot & pan drawer	0	0	0	0	0	0
Storage Cabinet					S	20000
Ватн	26P	29R	308	33.1	34A	35N
Cabinets lavatory, medicine, Faucet (lavatory) dual- control, Faucet (shower) dual-control w/flexible showerhead, Light shower, Roof Vent powered, Shower w/removable clothes rod, Shower Door textured glass, Shower Skylight, Sink, Toilet w/foot- pedal flush & sprayer, Towel Rack 3-rod, mounted to door, Wall Border	S	S	S	S	S	S
Mirror frameless w/beveled edge	S	S	S			
	a.	160	308	33T	34A	35N
BEDROOM	ZGP	88570	1000000	NO.	10000	00000
Bed queen, Serta® innerspring w/underbed storage, Bedspread pillow shams, throw pillow, Lights decorative wall lamps, Nightstand(s), Picture(s) framed, Wall Border, Wardrobe Cabinet(s) carpeted shelf, clothes rod	S	S	S	S	S	S
Headboard			S	S		
Shirt Closet			S	S		
TV Shelf		S	S	S		S
Vanity Cabinet w/stool (stool NA 35N)	S	S			S	S
EXTERIOR	26P	29R	30B	337	34A	35N
Awning Rails w/rain gutters, Door entrance w/separate screen door, deadbolt lock, Entrance Door Steps double, electric w/doorjamb switch, Exterior Graphics Packages Medium Parchment w/Sunset/ Nutmeg/Gold or Medium Parchment w/Moss Green/ Warm Silver/Blue (w/protective film below entry door), Grill aluminum, Light porch w/interior switch, Mirrors manual adj. w/convex, Mudflaps front, Receptacle AC duplex, Sidewall Skin one-piece smooth fiberglass, Storage Compartments valance panels, gas strut, single-paddle latch, lights, trunk liner, TriMark® KeyOne™ System	S	S	S	S	S	S
Awning patio	0	0	0	0	0	0
Ladder	0	0	0	0	0	0
Mirrors electric/remote w/defrost	0	0	0	0	0	0
Undercoating Workhorse	0	0	0	0	0	0

	Systems	26P	298	308	33T	34A	35N
	Automotive Heater/A/C, Aux. Start Circuit, Batteries (2) (coach) Group 24 deep-cycle, Battery (coach) disconnect system, Battery Charge Control automatic dual, Electrical Distribution System AC breakers, DC fuses, 45-amp. converter/charger (26P, 29R, 30B only), AC & DC breaker panels, 45-amp. converter/charger (33T, 34A, 35N), Generator Prep Kit, OnePlace® systems center, wall-mounted, energy management display (33T, 34A, & 35N only), battery condition gauge, generator hourmeter gauge, generator start/stop switch, heating & A/C thermostat, holding tank levels, LP tank level, water heater light(s), water heater switch, water pump switch, water tank level, Power Cord 30-amp., Service Center city water hookup/tank diverter fill, drainage valves, QuickPort® service connection hatch, cable input, power cord, portable satellite hookup, sewer hose 10; telephone input, Tank holding, heated compartment, Tank LP, permanent mount w/gauge, TrueLevel™ holding tank monitoring system, Water Heater 6-gallon, electronic ignition, LP gas, Water Pump demand, Water System Winterization Package water heater bypass valve, siphon tube, Water Tank Fill gravity	S	S	S	S	S	S
	Air Conditioner (roof) 14,800 BTU, ceiling-ducted w/wall thermostat	S	S	S			
Contract of the last of the la	Air Conditioners (2) (roof) high-efficiency, ceiling- ducted w/wall thermostat, PowerLine® energy management system	•	0	0	S	S	S
	Air Conditioner w/Heat Pump (roof) 14,800 BTU, ceiling-ducted w/wall thermostat	0	0	0	100000		
Contract of the Contract of th	Air Conditioners w/Heat Pump (2) (roof) high- efficiency, ceiling-ducted w/wall thermostat, PowerLine® energy management system				0	0	0
	Furnace 30,000 BTU, low-profile, ducted, in-floor	S	S	S			
	Furnace 35,000 BTU, low-profile, ducted, in-floor				S		
	Furnace 40,000 BTU, low-profile, ducted, in-floor	0	0			S	S
	Generator 4,000-watt, Onan® MicroQuiet,™ gas	S	S	S	S	S	S
	Generator 5,500-watt, Onan Marquis Gold,™ gas	0	0	0	0	0	0
	Inverter DC/AC, 300-watt, Wash Station exterior, w/ pump switch located in service center, Water Heater 6-gallon, electronic ignition/110v/LP w/motoraid & aux. auto heater	U	U	U	U	U	U
	EUROSITE TO STATE OF THE STATE	d97	29R	308	33.1	34A	35M
	SLIDEDUTS Slideout Room bed w/slideroom cover	S	S	m		S	259/
	Slideout Room galley w/slideroom cover, StoreMore®	9	3			S	
	Slideout Room bed/wardrobe w/slideroom cover		Ш			2	S
	Slideout Room sofa/range w/slideroom cover, StoreMore		S				
	Slideout Room sofa/dinette w/slideroom cover, StoreMore			S	S	S	S
	<b>Slideout Room</b> dinette/refrigerator/pantry w/slideroom cover, StoreMore	S					

SAFETY	26P	299	308	331	34A	35N
Assist Handle exterior, Assist Bar interior, Bumpers front & rear, Child Seat Tether Anchor, Detectors/ Alarms LP leak, smoke, carbon monoxide, Fire Extinguisher 10 B.C., Ground Fault Interrupter, Brake Light high-mounted, Seat Belts cab, 3-point, Seat Belts lap (in selected areas), Window escape, Windshield laminated safety glass	S	S	S	S	S	S
WARRANTY <sup>7</sup>	26P	29R	30B	337	34A	35N
12-month/15,000-mile basic warranty <sup>§</sup> , 36- month/36,000-mile warranty on structure <sup>§</sup> , 10-year limited parts & labor warranty on roof skin <sup>§</sup>	S	S	S	S	S	S

- 1 The height of each model is measured to the top of the tallest standard feature and is based on the curb weight of a typically equipped unit. The actual height of your vehicle may vary by several inches depending on chassis or equipment variations. Please contact your dealer for further information.
- 2 Sunova floorplans feature a wide-body design over 96." In making your purchase decision, you should be aware that some states restrict access on some or all state roads to 96" in body width. Before making your purchase decision, you should confirm the road usage laws in the states of interest to you.
- 3 The load capacity of your motor home is designated by weight, not by volume, so you cannot necessarily use all available space when loading your motor home.
- 4 Capacities are based on measurements prior to tank installation. Slight capacity variations can result due to installation applications.
- 5 Capacities shown are tank manufacturer's listed water capacity (W.C.). Actual filled LP capacity is 80% of listing due to overfilling prevention device on tank.
- 6 Actual towing capacity is dependent on your particular loading and towing circumstances which includes the GVWR, GAWR, and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.
- 7 See separate chassis warranty details provided in Owner's Manual.
- 8 See your dealer for complete warranty information.
- NA Not Available
- **S** Standard
- O Optional

Not all items available in combination. See dealer for details.

Winnebago Industries® continuing program of product improvement makes specifications, equipment, model availability, and prices subject to change without notice. Comparisons to other motor homes are based on the most recent information available.




# **Built by Winnebago Industries. Built to last.**

Itasca motor homes are built by Winnebago Industries, the company that defined motor homes. The company that built its reputation on quality construction. The company that transformed the motor home concept into a way of life.

Today, Winnebago Industries brings that reputation for quality and its 47-year history of motor home innovation to the design and construction of every motor home. It's all a part of SuperStructure,® our exclusive system of proprietary structural components that instills each motor home with improved

strength and durability.

# SOLID FOUNDATION Steel and aluminum truss work provides a solid, flat foundation for floors and sidewalls. Winnebago Industries engineers also take special care to distribute the weight of components to ensure proper handling and stability.





INTERLOCKING JOINTS The floors, sidewalls and roof are all integrally connected using interlocking joints. This creates a coach body that acts as a cohesive unit for improved strength and durability.

E-DOATING Winnebago Industries employs an exclusive 12-stage automotive-style dip tank process to apply an advanced electrodeposition coating on critical steel components for unmatched corrosion protection.

THERMO-PANEL® SIDEWALLS Invented by Winnebago Industries, Thermo-Panel construction combines a fiberglass panel, high-density, block-foam insulation and aluminum support structures to create some of the most durable, lightweight sidewalls in the industry.

FIBERGLASS ROOF Every Itasca motor home features a one-piece fiberglass roof backed by a 10-year limited parts-and-labor roof skin warranty.

ATTENTION TO DETAIL Whether it's sending every coach through a high-pressure water tunnel to check for leaks or labeling each individual wire and barcoding parts to save time and frustration during service, Winnebago Industries considers every detail to ensure your Itasca motor home provides you with years of pleasure.

STRONG AS STEEL Appliances are secured directly to embedded steel plates for added safety. Windshields are also mounted in steel with an automotive-style sealant; lesser designs use a rubber gasket to mount the windshield in fiberglass.



TAKE A TOUR We're proud of our process, state-of-the-art facilities and the people who make Winnebago Industries number one. We invite you to visit our factory in Forest City, Iowa, for a first-hand look at the dedication and technology behind every motor home we build.



RECOGNIZED QUALITY The Recreation Vehicle Dealer Association annually rates RV manufacturers and awards the Quality Circle award to manufacturers who provide exceptional products, service and support. Winnebago Industries is proud to be the only manufacturer to receive this award every year since its inception.



COMMITTED TO SERVICE We back our motor homes with the industry's best service after the sale.

- 12-month/15,000-mile basic limited warranty
- 36-month/36,000-mile warranty on structure
- Standard 10-year limited parts-and-labor roof skin warranty
- Complimentary 24-hour roadside assistance program
- TripSaver Fast Track Parts. TripSaver guarantees that in-stock warranty parts ship directly to your dealer within 24 hours.
- National dealer service network



WIT CLUB Itasca owners are like family. Joining the Winnebago-Itasca Travelers is a great way to meet and travel with other Itasca enthusiasts. Members enjoy:

- Caravans and rallies
- Local and state group activities
- RV travel benefits





Built proudly by



**NYSE listing: WGO** 

©2005 Winnebago Industries, Inc.

Printed in USA

Seat belts are your most important hookup. Always buckle up.