



# GO WITH YOUR IMPULSE.

It's hard not to love the all-new 2007 Itasca Impulse.™ The Impulse offers floorplan flexibility and great amenities at a price guaranteed to please. Six models with abundant storage make it the perfect vehicle for a weekend

getaway or a family vacation. Our SmartSpace<sup>™</sup> design philosophy focuses on user-friendly features that make the most of the available space so you'll live large and have plenty of room to store your gear in your new Impulse.

#### COMFORT AND VARIETY

Contemporary fabrics and beautiful cabinetry with beadboard doors create a warm, inviting atmosphere you'll be proud to call home. Satin nickel hardware and your choice of Sierra Maple or Portsmouth Oak finishes complete the look.

The Impulse offers six different floorplans so you can choose the one that's perfect for you. Most models offer an available entertainment center that can be enhanced with the Home Theater Sound System featuring a DVD player, receiver, amplifier, five recessed speakers and a subwoofer (NA 22B).

A storage drawer below the range top and a large two-door refrigerator/freezer allow you to bring plenty of food for the trip. A microwave is standard and a Magic Chef® three burner range with oven is also available to expand your

sleeping space.



video selection system and the available Home Theater Sound System.

CABINET STORAGE Store extra blankets and bedding in the large cabinet over the cab area when you choose the available entertainment center.



ENTERTAINMENT CENTER The front bunk and ladder on most models can be replaced with an entertainment center featuring a 27" TV,


GALLEY The molded double-bowl sink comes with a stylish high-arch faucet that accommodates large pots and pans.



FRONT BUNK

31C MINERAL WITH PORTSMOUTH OAK

FULL-EXTENSION DRAWER SLIDES Cabinet drawers open 100% for easy access to stored goods.



cooking options. The comfortable dinette seats four for meals or an afternoon card game and quickly converts to a bed for additional



WEB Select a Key Feature


The WEB icon designates a Winnebago Industries Key Feature. For further indepth information and photos, use this Drop-down Menu or click on the 'Key Features' page at winnebagoind.com.





Five Impulse floorplans offer a queen bed with additional sleeping space in the dinette and overhead bunk. The bed in the 28P is part of the SmartSpace rear storage compartment. It flips up, allowing you to travel with oversized items.

Driving the Impulse is a pleasure even for first time RV owners, thanks to a variety of automotive features that make your trip more enjoyable. These include power windows, dual air bags and an auxiliary start/stop switch that helps start your coach if the chassis battery loses its charge. Choose the available rearview monitor for assurance when backing or maneuvering.





DASH Automotive styling places controls within easy reach. Dual airbags are standard.

#### MORE OPTIONS

The Impulse offers an exterior accessory package featuring a ladder, painted running boards and storage bin covers in the rear compartments of the 28P, 29T and 31C. You can also add an awning (28P, 29T, 31C), which is great for tailgate parties, lazy afternoons or entertaining on a summer evening.

Smart Storage™ allows you to carry more, larger items thanks to the innovative rear/side storage compartment on the 28P, 29T and 31C. It includes attachment points for key tools and accessories, plus recessed storage areas in the floor for added storage flexibility. A water system winterization package helps you prepare for colder months. Add a 4,000-watt Onan® MicroQuiet™ generator for power when and where you need it.




**REAR STURAGE** The storage bay on the 28P, 29T and 31C is one of the largest C-body storage bays. It is shown here on the 31C with the available exterior accessory package.



PAINTED STEEL RUNNING BOARDS The available accessory package includes handy, stylish painted steel running boards.



REAR/SIDE STURAGE The recessed area in the rear storage compartment is a great place to store damp items or ice down your favorite drinks. It includes a convenient drain.



WEB TRUELEVEL
Eliminate the guesswork when it comes
to tank levels with our
exclusive TrueLevel™
holding tank monitoring
system. It incorporates
detector cells that read
liquid levels from outside
the tank. No probes mean
no more corrosion or
clogging, just accurate
readings time after time.







2007

WEIGHTS & MEASURES	22B NEW	24V NEW	26A NEW	28P NEW	29T NEW	31C NEW
Length	23¹♠	24'8" <sup>3</sup> / 24'8"	27'3"😉 / 28'🛈	28'2" <b>@</b> / 28'11" <b>①</b>	30' <b>©</b> / 30'10" <b>①</b>	31'5" <b>()</b> / 32'5 "()
Exterior Height <sup>1</sup>	11'1" <b>(A</b>	11'2" <sup>3</sup> / 11'2" <sup>6</sup> / 11'6" <sup>0</sup>	11'2" <b>®</b> / 11'6" <b>0</b>	11'3" <b>©</b> / 11'7" <b>①</b>	11'3" <b>©</b> / 11'7" <b>①</b>	11'1" <b>®</b> / 11'5" <b>0</b>
Exterior Width <sup>2</sup>	8'5.5"	8'5.5"	8'5.5"	8'5.5"	8'5.5"	8'5.5"
Exterior Storage <sup>3</sup> w/Slideout (cu. ft.)	NA	NA	102	78	80.3	92.7
Exterior Storage <sup>3</sup> w/o Slideout (cu. ft.)	21	37.3	NA	82.7	82.6	NA
Awning Length	11.5'	11.5'	18'	16'	14'	16'
Interior Height (Maximum)	6'8"	6'8"	6'8"	6'10"	6'10"	6'10"
Interior Width	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Freshwater Capacity w/Heater4 (gal.)	33	41	41	41	41	41
Holding Tank Capacity - Black/Gray <sup>4</sup> (gal.)	32 / 39	39 / 29	39 / 29	41 / 41	41 / 41	41 / 41
LP Capacity <sup>5</sup> (gal.)	18	18	18	18	18	18
Fuel Capacity (gal.)	37	55	55	55	55	55
GCWR <sup>6</sup> (lbs.)	18,500 <b>@</b>	18,500 <sup>13</sup> / 20,000 <sup>16</sup> / 17,600 <sup>10</sup>	20,000 <b>@</b> / 17,600 <b>0</b>	20,000 <b>©</b> / 17,600 <b>①</b>	20,000 <b>©</b> / 17,600 <b>①</b>	20,000 <b>©</b> / 17,600 <b>①</b>
GVWR (lbs.)	10,700 <sup>4</sup>	11,500 <sup>13</sup> / 14,050 <sup>10</sup> / 14,050 <sup>10</sup>	14,050 <b>@</b> / 14,050 <b>①</b>			
GAWR - Front (lbs.)	4,600 <sup>A</sup>	4,600 <sup>1</sup> / 4,600 <sup>1</sup> / 4,600 <sup>1</sup>	4,600 <b>©</b> / 4,600 <b>①</b>	4,600 <b>©</b> / 4,600 <b>①</b>	4,600 <b>©</b> / 4,600 <b>①</b>	4,600 <b>@</b> / 4,600 <b>①</b>
GAWR - Rear (lbs.)	7,800 <b>A</b>	7,800 <sup>3</sup> / 9,450 <sup>6</sup> / 9,450 <sup>1</sup>	9,450 <b>@</b> / 9,450 <b>①</b>			
Wheelbase	138" <b>A</b>	158" <sup>1</sup> / 158" / 159"	168" <b>©</b> / 169" <b>0</b>	182" <b>©</b> / 183" <b>①</b>	190" <b>©</b> / 191" <b>①</b>	220" ( / 221 " ( )

AUTOMOTIVE/CHASSIS	22B	24V	26A	28P	29T	310
	S					
Ford® E350 Chassis – 6.8L Super-Duty V10 SOHC Triton engine, 305-hp, automatic transmission, TorqShift,® 5-speed with tow/haul feature, 4-wheel ABS, 130-amp. alternator, dual air bags, Trailer Hitch® 5,000-lb. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers stainless steel (4)		S				
Ford E450 Chassis – 6.8L Super-Duty V10 SOHC Triton engine, 305-hp, automatic transmission, TorqShift, 5-speed with tow/haul feature, 4-wheel ABS, 130-amp. alternator, dual air bags, Trailer Hitch® 5,000-lb. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers stainless steel (4)		0	S	S	S	S
Chevrolet® Chassis – 6.0L Vortec V8 engine, 300-hp, automatic 4-speed overdrive transmission, tow/haul mode switch, 4-wheel ABS, 145-amp, alternator, dual air bags, Trailer Hitch® 3,500-lb. drawbar/350 lbs. maximum vertical tongue weight & wiring w/7-pin connector, Wheelcovers stainless steel (4)		0	0	0	0	0

CAB AREA & DRIVER CONVENIENCES	22B	24V	26A	28P	29T	310
Beverage Holder, Cab Seats (Fabric) w/3-point seat belts, armrest, lumbar support, multiadjustable silde/recline, Cruise Control, Curtain cab divider & bunk, Hood Release, Mirrors exterior, manual adjust, Power Cab Door Locks driver, passenger, Power Windows, Powerpoint 12-Volt DC/cigarette lighter, Steering Wheel tilt w/power-assist, Trim Panels driver & passenger doors	S	S	S	S	S	S
Mirrors exterior electric remote w/defrost	0	0	0	0	0	0
Monitor System rearview w/single camera	0	0	0	0	0	0

ENTERTAINMENT	22B	24V	26A	28P	29T	310
Radio AM/FM/Stereo/CD, speakers (4), Satellite System Ready, TV Enhancement Package antenna (amplified), 12-volt DC powerpoint(s), interior jack(s), coax wiring, cable input	S	S	S	S	S	S
DVD Player w/remote (requires 27" TV)		0	0	0	0	0
Home Theater Sound System DVD player, amplifier, receiver, recessed speakers (5), subwoofer		0	0	0	0	0
TV 13" color 12-volt DVD w/remotes, slide/swivel shelf (located front lounge/dinette area)	0	0	0	0	0	
TV AC 20" color w/remote, DVD player, galley overhead cabinet						0
TV AC 27" stereo, color w/remote, video selection system, front cabinet		0	0	0	0	0

9,450 <b>@</b> / 9,450 <b>①</b>	9,450 <b>@</b> / 9,450 <b>①</b>	9,450 / 9,450	9,450 <b>@</b> / 9,450 <b>①</b>			9,450 <b>@</b> / 9,450 <b>①</b>			
168" <b>⊕</b> / 169" <b>Ū</b>	168" • / 169" • 182" • / 183" • 190" • / 191" • 0			220" ( / 221" (					
INTERIOR			22B	24V	26A	28P	29T	310	
Bunk front overhead w/mattre cabinet, bunk ladder, Ceiling f incandescent, Roof Vent nonp powered, bath, Window Cove bedroom), mini blinds (bath &	abric, <b>Countertops</b> lamina nowered, front overhead bu <b>rings</b> pleated blinds/night	ite, <b>Lights</b> ceiling, ınk, <b>Roof Vent</b>	S	S	S	S	S	S	
Roof Vent nonpowered, loung	e (w/front entertainment c	enter only)		S	s	s	S	S	
_			22B	>	Ą	یه	ь	C	
FURNITURE		22	24V	26A	28P	29T	310		
Sofa Out on (0 to bloom		S				S	S		
Sofa w/2 tables				0	0				
Lounge Chair swivel/slide				S	S	S			
Dinette w/access to storage b	elow seat(s)		S	S	S	S	S	S	
Dinette U-shaped w/access to	storage below seats					0	0		
			В	>	Ø	_	-	O	
GALLEY			22B	24V	26A	28P	29T	310	
Faucet dual-control, Microwave Oven, Range Hood vented w/light & fan, Range Top 3-burner w/drawer below, Receptacle(s) duplex, Refrigerator/Freezer double-door, Norcold®  Pantry		S	S	S	S	S	S		
Pantry			S	S	S				
Range 3-burner w/oven, Magi	ic Chef®		0	0	0	0	0	0	
Ватн			22B	24V	26A	28P	29T	310	
EATH Cabinet lavatory, Cabinet medicine, Faucet (Lavatory) dual-control, Faucet (Shower) dual-control w/flexible showerhead, Skylight, Toilet w/hand lever		S	S	S	S	S	S		
Shower Door folding						s	S	S	
Shower Door curtain			S	S	S				
				_	_				
BEDROOM			22B	24V	26A	28P	29T	310	
Bed queen mattress w/bedspr	read			S	S		S	S	
<b>Bed</b> queen split mattress w/cd storage below	over, with interior & exterio	r access to				S			
EXTERIOR			22B	24V	26A	28P	29T	310	
Awning Rails w/rain gutters, w/separate screen door, deadl porch w/interior switch, Mudfl	oolt lock, Entrance Door S	tep manual, Light	S	S	S	S	S	S	

Skin 1-piece smooth fiberglass, Storage Compartments

EXTERIOR	22B	24V	26A	28P	29T	3
Storage large rear storage bay with 2 storage bins, drain plug				s	s	:
Trunk rear backwall, AC duplex receptacle, DC receptacle, shelves, storage baskets, storage hooks, TV antenna jack, plastic compartment w/drain plug			S			
Awning patio, vinyl	0	0	0	0	0	
Entrance Door Step electric w/doorjamb switch	0	0	0	0	0	
Exterior Accessory Package exterior ladder, painted steel running boards, storage bin covers (2) (NA 22B, 24V, 26A)	0	0	0	0	0	
SYSTEMS	22B	24V	26A	28P	29T	9
HEATING/AC - Air Conditioner (Roof) 13,500 BTU, ceiling-ducted	S	s	s	s	s	
Air Conditioner (Roof) 14,800 BTU, ceiling-ducted			0	0	0	
Furnace 25,000 BTU, low-profile, w/wall thermostat	S	S				
Furnace 30,000 BTU, low-profile, w/wall thermostat			S	s	s	
ELECTRICAL — Auxiliary Start Circuit, Battery (Coach) Group 24 deep-cycle, Battery (Coach) disconnect system, Battery Charge Control automatic dual, Electrical Distribution System DC fuses, AC breakers, 45-amp, electronic converter/charger, Generator Prep Kit, Monitor Panel wall-mounted, battery condition gauge, generator hourmeter gauge, generator start/stop switch, holding tank levels, LP tank level, water heater light(s), water heater switch, water pump switch, water tank level, Power Cord 30-amp., 25'		S	S	S	S	
<b>Batteries (Coach)</b> (2) Group 24 deep-cycle, <b>Generator</b> 4,000-watt, Onan $^{\otimes}$ MicroQuiet, $^{\bowtie}$ gas	0	0	0	0	0	
PLUMBING – Drain 1" water tank, Dump Valve manual, Tank LP, permanent mount w/gauge, TrueLevel" holding tank monitoring system, Water Heater 6-gallon, electronic ignition, LP gas, Water Howbup city, Water Pump demand, Water System Winterization Package water heater bypass valve & siphon tube, Water Tank Fill w/locking door	S	S	S	S	S	
<b>Drainage System</b> heated, electric, one heat pad per tank, pipe wraps, lighted on/off switch next to monitor panel (NA Canada)	0	0	0	0	0	
SAFETY	22B	24V	26A	28P	29T	9.1
Airbags driver & passenger, Assist Bar interior, Brakelamp high-mount, Child Seat Tether Anchor dinette, Detectors/Alarms LP leak, smoke, carbon monoxide, Fire Extinguisher 10 BC, Ground Fault Interrupter, Seat Belts cab, 3-point, Seat Belts lap (in selected areas), Window escape	S	S	S	S	S	
WARRANTY <sup>7</sup>	22B	24V	26A	28P	29T	
12-month/15,000-mile basic limited warranty <sup>8</sup> 36-month/36,000-mile limited warranty on structure <sup>8</sup> 10-year limited parts & labor warranty	S	S	S	S	S	

- 1 The height of each model is measured to the top of the tallest standard feature and is based on the curb weight of a typically equipped unit. The actual height of your vehicle may vary by several inches depending on chassis or equipment variations. Please contact your dealer for further information.
- 2 Impulse floorplans feature a wide-body design over 96." In making your purchase decision, you should be aware that some states restrict access on some or all state roads to 96" in body width. Before making your purchase decision, you should confirm the road usage laws in the states of interest to you.
- 3 The load capacity of your motor home is designated by weight, not by volume, so you cannot necessarily use all available space when loading your motor home.
- 4 Capacities are based on measurements prior to tank installation. Slight capacity variations can result due to installation applications.
- 5 Capacities shown are tank manufacturer's listed water capacity (W.C.). Actual filled LP capacity is 80% of listing due to overfilling prevention device on tank.
- 6 Actual towing capacity is dependent on your particular loading and towing circumstances which includes the GVWR, GAWR, and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.
- 7 See separate chassis warranty details provided in Owner's Manual.
- 8 See your dealer for complete warranty information.

### NA Not Available

- S Standard
- Optional


Not all items available in combination. See dealer for details.

Winnebago Industries® continuing program of product improvement makes specifications, equipment, model availability, and prices subject to change without notice. Comparisons to other motor homes are based on the most recent information available at printing.

#### INTERIOR DECOR

Choose from two fabric selections and two wood choices.

SOFA ACCENT
CARPET



Toffee



Mineral



Portsmouth Oak



Sierra Maple

## EXTERIOR GRAPHICS









Dark Green Metallic

AVAILABLE ACCESSORY PACKAGE includes painted steel running boards, an exterior ladder and rear storage bin covers (2) on 28P, 29T and 31C only.



WINNEBAGOIND.COM Visit us on the web for more info on all of our motor homes and a host of web-exclusive content.



#### BUILT BY WINNEBAGO INDUSTRIES. BUILT TO LAST.

Itasca motor homes are built by Winnebago Industries, the company that defined motor homes. The company that built its reputation on quality construction. The company that transformed the motor home concept into a way of life.

Today, Winnebago Industries brings that reputation for quality and its 48-year history of motor home innovation to the design and construction of every motor home. It's all a part of SuperStructure,® our exclusive system of proprietary structural components that instills each motor home with improved strength and durability.

SOLID FOUNDATION Steel and aluminum truss work provides a solid, flat foundation for floors and sidewalls. Winnebago Industries engineers also take special care to distribute the weight of components to ensure proper handling and stability.



INTERLOCKING
JOINTS The floors,
sidewalls and roof are all
integrally connected using
interlocking joints. This creates a coach
body that acts as a cohesive unit for improved
strength and durability.

**E-CDATING** Winnebago Industries employs an exclusive 12-stage automotive-style dip tank process to apply an advanced electrodeposition coating on critical steel components for unmatched corrosion protection.

THERMO-PANEL® SIDEWALLS Invented by Winnebago Industries, Thermo-Panel construction combines a fiberglass panel, high-density, block-foam insulation and aluminum support structures to create some of the most durable, lightweight sidewalls in the industry.

ATTENTION TO DETAIL Whether it's sending every coach through a high-pressure water tunnel to check for leaks or labeling each individual wire and barcoding parts to save time and frustration during service, Winnebago Industries considers every detail to ensure your Itasca motor home provides you with years of pleasure.

STRONG AS STEEL Appliances are secured directly to embedded steel plates for added safety.





FIBERGLASS ROOF Winnebago Industries motor homes feature a one-piece fiberglass roof, backed with a 10-year limited parts-and-labor roof skin warranty. Fiberglass offers superior strength, attractiveness and durability over the rubber roofs found on many competitive models which can chalk, streak and degrade over time. Fiberglass also provides increased puncture and tear resistance.



TAKE A TOUR We're proud of our process, state-of-the-art facilities and the people who make Winnebago Industries number one. We invite you to visit our factory in Forest City, Iowa, for a first-hand look at the dedication and technology behind every motor home we build.



RECIGNIZED QUALITY The Recreation Vehicle Dealer Association annually rates RV manufacturers and awards the Quality Circle award to manufacturers who provide exceptional products, service and support. Winnebago Industries is proud to be the only manufacturer to receive this award every year since its inception.



COMMITTED TO SERVICE We back our motor homes with the industry's best service after the sale.

- 12-month/15,000-mile basic limited warranty
- 36-month/36,000-mile limited warranty on structure
- Standard 10-year limited parts-and-labor roof skin warranty
- Complimentary 24-hour roadside assistance program
- TripSaver Fast Track Parts. TripSaver guarantees that in-stock warranty parts ship directly to your dealer within 24 hours.
- National dealer service network



WIT GLUB Itasca owners are like family. Joining the Winnebago-Itasca Travelers is a great way to meet and travel with other Itasca enthusiasts. Members enjoy:

- Caravans and rallies
- Local and state group activities
- RV travel benefits



Seat belts are your most important hookup. Always buckle up.